HS-TF-L2-STD-xxxGP

Introduction

L2 series Micro SD (TF) card is specially designed for video surveillance industry. It provides Class 10 R/W speed, adopts TLC NAND with high compatibility and low price, and is mainly applicable to low recording intensity scenes or simple operating scenes like lite storage, standby storage, etc.



HS-TF-L2-STD-32GP HS-TF-L2-STD-64GP HS-TF-L2-STD-128GP HS-TF-L2-STD-256GP

Features and Functions

- High CostPerformance
 - Lower price compared to the cards with the same TLC NAND.
 - > Fully satisfies requirements of lite storage.
- Ultra-Strong Adaptability
 - ➤ Waterproof, shock proof, X-ray proof, and wide temperature range.









Specifications

Model	HS-TF-L2-STD-xxxGP			
Total capacity	32 GB	64 GB	128 GB	256 GB
Max. read speed	95 MB/s	95 MB/s	95 MB/s	95 MB/s
Max. write speed	25 MB/s	40 MB/s	50 MB/s	55 MB/s
Format	MicroSDHC	MicroSDXC	MicroSDXC	MicroSDXC
Speed	Class10, U1,V10	Class10,U3,V30	Class10,U3,V30	Class10,U3,V30
Dimensions	14.99 x 10.92 x 1.02mm (0.59 x 0.43 x 0.04 in)			
NAND flash memory	TLC (Triple-Level Cell)			
Storing temperature	-25 °C to +85°C (-13 °F to +185 °F)			
Operating temperature	0 °C to 70 °C (32 °F to 158 °F)			
Compatibility	Compatible with MicroSDHC, MicroSDXC, MicroSDHC UHS-I and MicroSDXC UHS-I host devices			
Limited warranty period	2 years			

Note: Performance test is performed in a specific testing environment. Any change of computer system, operation system, hardware, software, or functions will influence the test result.