



Rean Stereo 3 pole 3.5mm Plug - Crimp Strain Relief

NT-NYS231- Specifications

Description

This heavy duty professional plug is typically used for guitar applications, audio cables, snakes, speakers, amplifiers and mixing decks.

Physical Characteristics

Plug Finger	Brass
Plug Finger Plating	Nickel
Sleeve	Zinc
Sleeve Plating	Nickel
Soldering Contact	Phosphor Bronze
Soldering Contact Plating	Tin
Cable Clamp	Steel
Cable Clamp Plating	Tin
Housing	Zinc
Housing Plating	Nickel
Retainer Ring	PA66+30%GF
Insulation	PP
Temperature Rating	-25°C to +70°C

Electrical Characteristics

Contact Resistance	≤ 10 mΩ
Dielectric Strength	0.5 KVdc 50HZ
Insulation Resistance	> 200 MΩ (initial)

Mechanical Characteristics

Cable O.D.	Max 4.5 mm for standard outlet Max 6.4 mm for large outlet (* L) Max 8.5 mm for large outlet (* LL)
Lifetime	> 5000 Mating Cycles
Insertion and Withdrawal Force	5 - 40 N



Environmental

Solderability Complies with IEC 68-2-20

Manufacturer Information

Neutrik Part Number NYS231

Packaging Information

Package Quantity 1
Product Weight 0.02 lbs [0.01 kg]