Description

This 48 port patch panel comes loaded with 48 simplex SC 9 micron singlemode female to female couplers. It provides a quick and easy solution for patching terminated fiber cables. It is 1U in height and meant to be mounted on a 19" rack or cabinet.

Physical Characteristics

Color	Black
Material	Steel
Ports	48
Fiber Classification	9 micron Singlemode
Product Dimensions	19" W x 1.75" H [48 cm W x 4.45 cm H]
Rackmountable	Yes, 19" Rack or Cabinet

Connectors

Front	48 - SC/SC Singlemode Simplex Female

Environmental

RoHS	Yes

Packaging Information

Package Quantity	1
Product Weight	2.3 lbs [1.04 kg]

Built from components:

PP-48KS-2U

FO-AD604-PMR

WP-IN-LCSC-BK

SCALE 1/4

19.2

10.0±0.2

441.4±0.2

19 Inch(482.6±0.3 mm)

464.8±0.2

16.2

87.6±0.3

14.6

11.5±0.2

6.5±0.2

75.9±0.2

Specification :

Material :
1. Panel : SPCC, 1.5 mm thickness with Black color painted.
2. Insert : ABS, UL 94V-0.

15.9±0.2

9.3±0.1

15.4±1

12.8±0.1

27.4±0.2

$1.7^{+0.3}_{0}$

$7.7^{+0.3}_{0}$

3±0.1

2.1±0.1

SC-1

SCALE 2/1

14.50±0.1

1.70±0.1

9.90±0.1

19.00±0.1

8.20

9.40±0.1

19.35±0.1

16.00±0.1

13.00±0.1

16.50±0.1

15.10±0.1

8.1

Specification :

Material :
1. Plastic : ABS, UL94V–0.