



NEMA 5-15P to IEC C13 Power Cable with ON/OFF Switch - SJT Jacket - 16AWG

PW-105B-xx-SW - Specifications

Description

This power cord consists of a 5-15P male on one end and a C13 female on the other end, and has a built-in toggle switch to power off a device. These cables are constructed with UL mandated inner plastic frame molds to enhance terminal alignment and produce a high quality connector. The connectors premium quality ensures a snug fit with receptacles. Each assembly is 100% continuity tested and 100% HVT (High Voltage) tested and inspected before shipping.

Physical Characteristics

Color	Black
Number of Conductors	3 Conductor
Wire Gauge	16 AWG
Jacket	Heavy Duty SJT
Jacket Material	100% Virgin PVC - Polyvinyl Chloride
Jacket Fire Rating	VW-1
Strain Relief	Molded 100% Virgin PVC
Temperature Rating	-20 deg C to 105 deg C

Connector(s)

Connector A	IEC 60320 C13
Connector B	NEMA 5-15P

Performance

Power Rating	13 Amp / 125 Volt
--------------	-------------------



Approvals / Product Support

C14	c(UL)us
C19	c(UL)us
Cable	c(UL)us
ISO	ISO 9001:2015, ISO 14000
RoHS, Reach	Yes
Conflict Minerals	Yes
Country of Origin	Vietnam

Warranty Information


Warranty	Limited Lifetime
----------	------------------





MARKING:
Phantom Cables c(UL)us E345578 SJT 3/C 16AWG(1.31mm²) 105°C 300V VW-1

Tolerance
 >0 ±0.30
 >1.0 ±0.50
 >10.0 ±1.0
 >20.0 ±2.0
Angle: ±1°



THE INDIVIDUALLY BAGGED CORDS WILL BE PLACED IN BAGS OF 10 PIECES

P/N	LENGTH(Lmm)	UPC
PW-100B-01-SW	305mm	675678069668
PW-100B-03-SW	915mm	675678069675
PW-100B-06-SW	1830mm	675678069682
PW-100B-10-SW	3050mm	675678069699
PW-100B-15-SW	4570mm	675678069705

