



Hospital Grade 5-20P to C19 Power Cable - 12AWG

PW-H131-xx - Specifications

Description

This power cord consists of a 5-20P hospital grade male on one end and a C19 female on the other end. It is typically used to connect hospital equipment to a wall outlet. These cables are constructed with UL mandated inner plastic frame molds to enhance terminal alignment and produce a high quality connector. The connectors premium quality ensures a snug fit with receptacles. Each assembly is 100% continuity tested and 100% HVT (High Voltage) tested and inspected before shipping.

Physical Characteristics

Colors Available	Black
Lengths Available	6ft / 10ft / 15ft
Number of Conductors	3 Conductor
Wire Gauge	12 AWG
Jacket	Heavy Duty SJT
Jacket Material	100% Virgin PVC - Polyvinyl Chloride
Jacket Fire Rating	VW-1, FT2
Strain Relief	Molded 100% Virgin PVC
Temperature Rating	-20 deg C to 105 deg C

Connector(s)

Connector A	NEMA 5-20P Hospital Grade
Connector B	IEC 60320 C19

Performance

Power Rating	20 Amp / 125 Volt
--------------	-------------------

Approvals / Environmental

5-20P	(UL)
C19	(UL)
Cable	c(UL)us, CSA
ISO	ISO 9001:2015, ISO 14000
RoHS	Yes
Reach	Yes
Conflict Minerals	Yes

Warranty Information


Warranty	Limited Lifetime
----------	------------------





Hospital Grade 5-20P to C19 Power Cable - 12AWG

PW-H131-xx - Line Drawing



Tolerance

>0±0.30

>1.0±0.50

>10.0±1.0


>20.0±2.0

Angle: ±1°



Hospital Grade 5-20P to C19 Power Cable - 12AWG

PW-H131-xx - Packaging Information



THE INDIVIDUALLY BAGGED CORDS WILL BE
PLACED IN BAGS OF 10 PIECES

P/N	LENGTH(Lmm)	UPC
PW-H131-06	1830mm	675678004157
PW-H131-10	3048mm	675678004164
PW-H131-15	4572mm	675678004171

