



NEMA 1-15P to IEC C7 Power Cable - 18AWG

PWC-115-xx - Specifications

Description

This power cord consists of a 1-15P male on one end and a C7 female on the other end. It is typically used to connect a wall outlet to a AC/DC power supply or directly to equipment. These cables are constructed with UL mandated inner plastic frame molds to enhance terminal alignment and produce a high quality connector. The connectors premium quality ensures a snug fit with receptacles. Each assembly is 100% continuity tested and 100% HVT (High Voltage) tested and inspected before shipping.

Physical Characteristics

Color	Black
Lengths Available	1.5ft / 3ft / 6ft / 12ft / 25ft
Number of Conductors	2 Conductor
Wire Gauge	18 AWG
Jacket	SPT-2
Jacket Material	100% Virgin PVC - Polyvinyl Chloride
Jacket Fire Rating	VW-1
Strain Relief	Molded 100% Virgin PVC
Temperature Rating	-20 deg C to 105 deg C

Connector(s)

Connector A	NEMA 1-15P (2-prong)
Connector B	IEC 60320 C7

Performance


Power Rating	7 Amp / 125 Volt
--------------	------------------

Approvals / Product Support

1-15P	c(UL)us
C7	c(UL)us
Cable	c(UL)us
ISO	ISO 9001:2000, ISO 14000
RoHS, Reach	Yes
Conflict Minerals	Yes
Country of Origin	Vietnam

Warranty Information


Warranty	Limited Lifetime
----------	------------------





NEMA 1-15P to IEC C7 Power Cable - 18AWG


PWC-115-xx - Line Drawing



P1&P2: c(UL)us E345577

CABLE MARKING:

Phantom Cables c(UL)us E345578 SPT-2 2/C 18AWG(0.824mm²) 105°C 300V VW-1



THE CABLE MARKING IS CONCAVE LETTERING MOULD

Cable Length
Unless Other Spec.

Tolerances:


0 ~200mm	±10mm
201~1000mm	±20mm
1001 ~1500mm	±25mm
1501~2100mm	±30mm
2100mm↑	±40mm




NEMA 1-15P to IEC C7 Power Cable - 18AWG

PWC-115-xx - Packaging Information

PACKING A: $\leq 1\text{FT}$




PACKING B: $\geq 2\text{FT}$



P/N	LENGTH(Lmm)	UPC
PWC-115-01.5	457mm	675678060207
PWC-115-03	915mm	675678060214
PWC-115-06	1830mm	675678060221
PWC-115-12	3638mm	675678060238
PWC-115-25	7620mm	675678060245

PACKING:


1PCS IN A ZIP BAG




LABEL

PACKING: 1-10FT

10PCS IN A BIG POLYBAG




LABEL A



LABEL A

BARCODE TYPE: UPCA

BARCODE CONTENT SEE LIST



*NOTE: All relevant materials are complied with RoHS directive .