



DB9 Male to DB9 Female Serial Cable - Null-Modem

SR-201-xxBK - Specifications

Description

This DB9 null-modem serial cable consists of a DB9 male on one and a DB9 female on the other. It is commonly used in serial RS-232 null-modem applications.

Physical Characteristics

Color	Black
Wire Gauge	28AWG Stranded
Jacket Material	PVC - Polyvinyl Chloride
Cable Shielding	100% Aluminum Mylar Foil Shield

Connectors

Connector A	DB9 Male
Connector B	DB9 Female

Pin Out

DB9 Male - DB9 Female
1 + 6 - 4
2 - 3
3 - 2
4 - 1 + 6
5 - 5
7 - 8
8 - 7
Shell - Shell

Environmental

RoHS	Yes
------	-----

Packaging Information


Package Quantity	1
------------------	---





DB9 Male to DB9 Female Serial Cable - Null-Modem

SR-201-xxBK - Line Drawing



L1=1830 ± 30mm	L=1.83m/6ft	SR-201-06
L1=3050 ± 40mm	L=3.05m/10ft	SR-201-10

PIN ASSIGNMENT

P1		P2
1+6	_____	4
2	_____	3
3	_____	2
4	_____	1+6
5	_____	5
7	_____	8
8	_____	7
Shell	_____ Drain _____	Shell

