
Options

Seed Beads Device

By automating beads embroidery which was previously performed manually by craftsmen, mass production has been realized.



Sequin Device IV Embroidering various sequins: small-diameter sequins, large-diameter sequins,



Electronic Single-Head Automatic Embroidery Machine

BP-SCSERIES

20202020202020

BRRRRRR PPPPPPP

Frames



▲Tubular Frame(Standard)



▲Cap Frame 2 (75mm x 360mm)



▲Border Frame (360mm x 500mm)



▲Sock Frame




▲Air type Clamp Frame 2 ▲Air type Pocket Frame 2 ▲Pocket Frame (80mm x 120mm 110mm x 140mm 140mm x 200mm)





Specifications

Needles	6,12,15
Factory options	Seed Beads Device, Sequin Device IV, Lochrose Embroidery Device, Signal Tower, Position Marker, LED Lamp, Air Type Clamp Frame 2, Air Type Pocket Frame 2
Options	High-Speed Cording Device, Emb. Lamé Attachment, Stand Tray, Stand, Border Frame, X-Extension Frame, Cap Frame 2, Pocket Frame, Snarl-preventive Attachment
Speed	Max. 1,200rpm
Electricity	Single-phase 100-120V, 200-240V, 50Hz/60Hz
Power consumption	190W
Weight	95kg



Seller

Tajima Industries Ltd.

19-22, Shirakabe 3-chome, Higashi-ku Nagoya 461-0011 JAPAN TEL. +81-52-932-3444, 3445 FAX. +81-52-932-2457, 3449





Manufacturer

TISM Co.,Ltd.



The specifications and designs of our products are subject to change without notice for performance improvement.

*The practical embroidery space and the rotational speed vary depending on embroidery product, machine model, and operating conditions.
*No registered trademark or design of the products contained in this catalog may be used without prior permission.

1903D_01





TMBP-SC series

Electronic Single-Head Automatic Embroidery Machine

The latest cost effective, high performance single head successor.





embroider on slim items like sock







the frame.

quick changeover with

minimal down time.



Embroidery data can be easily sent to the machines

as it simplifies the process. In addition to the DG/ML, transmission to the machine.



Network

2 Slim Cylinder






Cap production efficiency has

• Existing machine 900rpm → 1000rpm



twisted threads as it can embroider this type of fine thread with a the FS mode exclusive parts (sold separately) a nice lofty finish can be achieved.







drive to the upper embroidered or the Wide area can be freely used!

