SAFETY DATA SHEET

U.S. HazCom GHS Format



SDS No: 38

Date Revised: 03/18/2021

Revision No: 6

REMOVE HR3

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: REMOVE HR3

GENERAL USE: Removes stains from screen-printing mesh

PRODUCT DESCRIPTION: Haze Remover

PRODUCT CODE: SCRH502, SCRH50200ZG1X5, SCRH50200ZG50C, SCRH50200ZG4X1, SCRH50200GQ001

PRODUCT FORMULATION NAME: Alkaline Paste **ACTIVE INGREDIENT(S):** Sodium Hydroxide

MANUFACTURER

SAATI

Chemicals

201 Fairview St. Extension Fountain Inn, SC 29644

Emergency Contact: Ross Balfour Alternate Contact: Kathy Tylka Customer Service: 800-431-2200 Transportation: 864-601-8305

Fax: 864-862-0089 E-Mail: info.us@saati.com Web: www.saati.com

24 HR. EMERGENCY TELEPHONE NUMBERS

INFOTRAC 800-535-5053 or 352-323-3500, 24-hours everyday

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Skin Corrosion, Category 1 Serious Eye Damage, Category 1 Acute Toxicity (Oral), Category 4 Acute Toxicity (Dermal), Category 4

GHS LABEL



Corrosion



Exclamation mark

SIGNAL WORD: DANGER HAZARD STATEMENTS

H314: Causes severe skin burns and eye damage.

H302: Harmful if swallowed.

PRECAUTIONARY STATEMENTS

Prevention:

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P270: Do not eat, drink or smoke when using this product.

Response:

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P363: Wash contaminated clothing before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310: Immediately call a POISON CENTER/doctor/physician.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

P405: Store locked up.

Disposal:

P501: Dispose of contents/container in accordance to federal/state/local regulations.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Paste

IMMEDIATE CONCERNS: Causes severe skin burns and eye damage.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Propylene Glycol Phenyl Ether	20 - 50	770-35-4
Sodium Hydroxide	10 - 30	1310-73-2
2-Pyrrolidinone, 1-cyclohexyl	5 - 20	6837-24-7
Cocamide Dea	1 - 15	68603-42-9
Disodium Cocoampho Dipropionate	1 - 10	68604-71-7

4. FIRST AID MEASURES

EYES: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

SKIN: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

INHALATION: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

ADDITIONAL INFORMATION: Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

HAZARDOUS COMBUSTION PRODUCTS: Not Available

FIRE FIGHTING EQUIPMENT: Wear self contained breathing apparatus for fire fighting if necessary.

HAZARDOUS DECOMPOSITION PRODUCTS: Not Available

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Clean surface thoroughly to remove residual contamination.

LARGE SPILL: Wear suitable protective equipment. Contain spill. Soak up with absorbent material and transfer to a container for disposal according to local/state/federal regulations.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Do not allow uncontrolled discharge of product into the environment.

COMMENTS: Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

HANDLING: Avoid contact with eyes, skin, and clothing. Avoid inhalation of vapors. Wash thoroughly after handling.

STORAGE: Keep only in original container. Keep container closed. Store containers in a cool, well-ventilated place. Avoid contact with eyes, skin, and clothing. Avoid breathing mist. Wash thoroughly after handling.

SHELF LIFE: 24 months

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

TALL GOOD TO THE CONTRACT OF T				
OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
	EXPOSURE LIMITS			
Chemical Name	Ту	Туре		mg/m³
Sodium Hydroxide	OSHA PEL	TWA		2

ENGINEERING CONTROLS: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US).

SKIN: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

RESPIRATORY: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US).

PROTECTIVE CLOTHING: Wear gloves, coveralls, apron, boots as necessary to avoid contact.

WORK HYGIENIC PRACTICES: Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when handling this material: (1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics areas with this material stored. (2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the restrooms. (3) Wash exposed skin promptly to remove accidental splashes of contact with this material.

9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	Flash Point (°C)	Boiling Point (°C)	Freezing Point (°C)	Auto Ignition (°C)	Solubility in Water	Specific Gravity
Propylene Glycol Phenyl Ether	240					
2-Pyrrolidinone, 1- cyclohexyl	145	154	12	225	Soluble	1.007

PHYSICAL STATE: Paste

ODOR: Aromatic

COLOR: White to pale yellow

pH: 14

PERCENT VOLATILE: Not Available

FLASH POINT AND METHOD: Not Available

FLAMMABLE LIMITS: Not Available

AUTOIGNITION TEMPERATURE: Not Available

VAPOR PRESSURE: Not Available VAPOR DENSITY: Not Available BOILING POINT: Not Available FREEZING POINT: Not Available MELTING POINT: Not Available
POUR POINT: Not Available

THERMAL DECOMPOSITION: Not Available

SOLUBILITY IN WATER: Soluble **EVAPORATION RATE:** Not Available

SPECIFIC GRAVITY: 1.17 VISCOSITY: Not Available

MOLECULAR WEIGHT: Not Available

(VOC): 98.9 g/L

OXIDIZING PROPERTIES: Not Available

10. STABILITY AND REACTIVITY

REACTIVITY: Yes

STABILITY: Stable under recommended storage conditions.

CONDITIONS TO AVOID: Not Available

POSSIBILITY OF HAZARDOUS REACTIONS: Not Available HAZARDOUS DECOMPOSITION PRODUCTS: Not Available

INCOMPATIBLE MATERIALS: Strong Oxidizing Agents, Acids, Organic materials, Chlorinated Solvents, Aluminum, Phosphorus,

Tin/tin oxides, Zinc

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Chemical Name	ORAL LD ₅₀	DERMAL LD ₅₀	INHALATION LC ₅₀
Propylene Glycol Phenyl Ether	2830 to 3730	> 2000	
Sodium Hydroxide	2000 mg/kg [Rat]		
2-Pyrrolidinone, 1-cyclohexyl	657 mg/kg	1600 mg/kg	120 ppm/1H
Cocamide Dea	> 10000 mg/kg [Rat]		

DERMAL LD₅₀: Not yet Determined **ORAL LD**₅₀: Not yet Determined

INHALATION LC50: Not yet Determined

CARCINOGENICITY

Chemical Name	NTP Status	IARC Status	OSHA Status
Sodium Hydroxide	Not Listed	Not Listed	Not Listed

IARC: 2B: Possibly carcinogenic to humans (Cocamide DEA)

NTP: Not Listed
OSHA: Not Listed

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No specific data are available for this product. Handle it according to good working practices.

BIOACCUMULATION/**ACCUMULATION**: CAS # 6837-24-7 NOT rapidly biodegradable; CAS # 68603-42-9 Rapidly biodegradable; CAS # 770-35-4 Biodegradation reached in Manometric Respirometry Test (OECD Test No.301 F): 72 % (max. value reached within 28 days). Material is readily biodegradable. Passes OECD Test(s) for ready biodegradability. Biodegradation rate may increase in soil and/or water with acclimation

AQUATIC TOXICITY (ACUTE)

Notes: CAS # 770-35-4: Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 280 mg/l; CAS # 1310-73-2 Toxicity to fish LC50 - Freshwater fish 45.4 mg/L LC50 96 h; CAS # 770-35-4; CAS # 6837-24-7 LC50 - for Fish. > 316 mg/l/96h din 38412 / 15; < 464; Leuciscus idus, EC50 - for Algae / Aquatic Plants. 3400 mg/l/16h DIN 38412 parte 8; Pseudomonas putida; CAS #

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with all current local, state and federal regulations.

COMMENTS: Disposal must be performed through an authorized waste management firm, in compliance with national, state and local regulations. Do not contaminate soil, sewers and waterways.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Corrosive Liquid, Basic, Inorganic, n.o.s., (sodium hydroxide)

PRIMARY HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: UN3262
PACKING GROUP: III

LABEL:



SPECIAL SHIPPING NOTES: Protect from freezing.

AIR (ICAO/IATA)

SHIPPING NAME: Corrosive Liquid, Basic, Inorganic, n.o.s., (sodium hydroxide)

UN/NA NUMBER: UN3262

PRIMARY HAZARD CLASS/DIVISION: 8

PACKING GROUP: III



LABEL:

NOTE: Passenger air max: 25KG

Packages may not exceed 30KG gross weight

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HEALTH HAZARDS: ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD,

313 REPORTABLE INGREDIENTS: None

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: CAS# 1310-73-2: final RQ = 1000 pounds (454 kg)

THRESHOLD QUANTITY: 1000 pounds

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: Sodium Hydroxide = 1000

Chemical Name	Wt.%	CERCLA RQ
Sodium Hydroxide	10 - 30	1,000

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
Propylene Glycol Phenyl Ether	770-35-4
Sodium Hydroxide	1310-73-2
2-Pyrrolidinone, 1-cyclohexyl	6837-24-7
Cocamide Dea	68603-42-9

TSCA REGULATORY: All components of this product are listed, or are exempt from listing on the TSCA 8(b) inventory.

CLEAN AIR ACT

40 CFR PART 68---RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE PREVENTION: None

OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)

29 CFR1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS CHEMICALS: None

REGULATIONS

STATE REGULATIONS: CAS# 1310-73-2 CA Hazardous Substance, Delaware Air Quality Management, Idaho Air Pollutant, Massachusetts Hazardous Substance, Minnesota Hazardous Substance, New Jersey RTK Hazardous Substance, New York Hazardous Substance, Pennsylvania Hazardous Substance, Washington PELs for Air Contaminants, Wisconsin Hazardous Air Contaminant, CAS # 6837-24-7 Pennsylvania Right To Know Component, New Jersey Right To Know Component To Know Component Pennsylvania Right To Know Compo

CALIFORNIA PROPOSITION 65: CAS # 68604-71-7

CANADA

WHMIS HAZARD SYMBOL AND CLASSIFICATION





Corrosive Toxic

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM): Controlled Product


WHMIS CLASS: D, E

DOMESTIC SUBSTANCE LIST (INVENTORY): All components of this product are listed on the Domestic Substances List.


16. OTHER INFORMATION

PREPARED BY: SDS Regulatory Specialist Date Revised: 03/18/2021

REVISION SUMMARY: This SDS replaces the 01/31/2018 SDS.



PERSONAL PROTECTION



MANUFACTURER DISCLAIMER: The information contained in the present sheet is based on our knowledge, on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.