Cannabinoid Profile

Test Conditions: 24°C
Extraction Technician: SH
Analytical Chemist: SH

	Extraction Date(s)	Analysis Date(s)
	8/23/2023	8/23/2023

Cannabinoids (HPLC)		Results			
	LOD (mg/g)	%	mg/g	mg/Soft Chew	
Cannabidivarin (CBDV)	<0.002				
Cannabidiolic Acid (CBD-A)	<0.002				
Cannabigerolic Acid (CBG-A)	<0.002				
Cannabigerol (CBG)	<0.002				
Cannabidiol (CBD)		0.15	1.53	2.12	
Tetrahydrocannabivarin (THCV)	<0.002				
Cannabinol (CBN)	<0.002				
Cannabichromene (CBC)	<0.002				
delta 9-Tetrahydrocannabinol (THC)	<0.005				
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.005				
delta 8-Tetrahydrocannabinol	<0.005				
(6aR,9S)-delta-10-THC	<0.005				
(6aR,9R)-delta-10-THC	<0.005				
Cannabinoids Total		**%**		**mg/g**	
Max Active THC (delta-9-tetrahydrocannabinol)		<0.0005		<0.005	
Max Active CBD		0.15		1.53	
Total Cannabinoids		0.15		1.53	

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/- 5% for all cannabinoids using a coverage factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection.

Cannabinoid   (mg/g)

Legend:
- (6aR,9R)-delta-10-THC
- (6aR,9S)-delta-10-THC
- Cannabichromene (CBC)
- Cannabidiol (CBD)
- Cannabidiolic Acid (CBD-A)
- Cannabidivarin (CBDV)
- Cannabigerol (CBG)
- Cannabigerolic Acid (CBG-A)
- Cannabinol (CBN)
- delta 8-Tetrahydrocannabinol
- delta 9-Tetrahydrocannabinol (THC)
- delta-9-Tetrahydrocannabinolic Acid (THC-A)
- Tetrahydrocannabivarin (THCV)

Gary Brook - Laboratory Director - 8/24/2023

Reporting Limits will vary based on sample extraction weight used for the analysis.
The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values. Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity. **Pesticide, metal, and microbial analyses are subcontracted to ISO 17025 laboratories.**

3262 S Platte River Drive, Englewood CO 80110 • Ph: 303.390.1662 • Email: contact@AltitudeConsultingllc.com