

www.transcend-info.com

Body Cameras DrivePro[™] Body 10

Transcend's DrivePro Body 10 is the best companion for police officers, security guards and other professionals. The camera uses STARVIS[™] high-sensitivity image sensor, high-quality lens, and automatic infrared illumination that ensure all the important details of actions are clearly recorded. The DrivePro Body 10 also features a built-in battery and excellent water and shock resistance, making it ideal for indoor and outdoor use.



STARVIS[™] high-sensitivity image sensor

Transcend's DrivePro Body 10 features the STARVIS[™] high-sensitivity image sensor to capture high-resolution video and photos with superb, rich color. Even in low light, images are highly detailed with low noise and excellent dynamic range.



Infrared LEDs for night vision

Transcend's DrivePro Body 10 has four no-glow (940nm wavelength) infrared LEDs that automatically turn on in dim light to enhance night vision capabilities. This drastically increases recording quality in pitch-black darkness.



Built-in battery

With a built-in Li-Polymer battery, the DrivePro Body 10 can record up to 5 hours of footage on a full charge, mitigating the need for a power adapter for police officers on duty.





Body Cameras DrivePro[™] Body 10

Features

- \cdot STARVIS high-sensitivity image sensor
- · Infrared LEDs for night vision
- 130° wide FOV

Transcend

toolbox.

- \cdot Quick snapshot button
- · A 32GB microSD memory card included

DrivePro Body

Toolbox

Transcend's DrivePro Body Toolbox is exclusively designed for the DrivePro Body series, featuring a user-friendly interface that allows users to securely manage recorded videos and snapshots on Windows PCs. In addition, users can adjust settings for both the toolbox and the DrivePro Body device, format the internal storage, and upgrade the body camera's firmware via the

Specification

Appearance Dimensions (Max.) Weight (Max.)	88.4 mm x 52.2 mm x 19.6 mm (3.48" x 2.06" x 0.77") 88 g (3.10 oz)
Weight (Max.)	
	99 g (2 10 cz)
	00 g (5.10 02)
Interface	
USB Type	micro USB to USB Type A
Connection Interface	USB 2.0
Storage	
Capacity	32 GB
Hardware	
Viewing angle	130° (diagonal)
Aperture	F/2.8
Power	
Battery Life (Fully Charged)	5 hour(s)
Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A Output: DC 5V / 2A
Format	
Resolution	Full HD 1080P
Frame Rate	30/60fps
Video Format	MP4 (H.264)
Operating Environmer	nt
Operating Temperature	-20°C (-4°F) ~ 65°C (149°F)
Storage Temperature	-25°C (-13°F) ~ 70°C (158°F)
IP Rating	IPX4

Certificate	CE / FCC / BSMI / KC / MIC / EAC / RCM
Warranty	Two-year Limited Warranty

Ordering Information

32GB	TS32GDPB10B	
------	-------------	--



Body Cameras Comparison













DrivePro™ Body 60

DrivePro™ Body 30

DrivePro[™] Body 52

52 DrivePro[™] Body 20

DrivePro[™] Body 10

Appearance						
Dimensions (Max.)	95.9 mm x 52.2 mm x 24.9 mm (3.78" x 2.06" x 0.98")	95.9 mm x 52.2 mm x 27.6 mm (3.78" x 2.06" x 1.09")	88.4 mm x 52.2 mm x 17.4 mm (3.48" x 2.06" x 0.68")	88.4 mm x 52.2 mm x 19.4 mm (3.48" x 2.06" x 0.76")	88.4 mm x 52.2 mm x 19.6 mm (3.48" x 2.06" x 0.77"	
Camera Dimensions (Max.)	61.3 mm x 22 mm x 22 mm (2.41" x 0.87" x 0.87")	-	40 mm x 40 mm x 20.35 mm (1.57" x 1.57" x 0.80")	-	-	
Weight (Max.)	167 g (5.89 oz)	130 g (4.59 oz)	84 g (2.96 oz)	88 g (3.10 oz)	88 g (3.10 oz)	
Camera Weight (Max.)	-	-	64 g (2.26 oz)	-	-	
Interface						
USB Туре	3.5mm plug to USB Type A	micro USB to USB Type A				
Connection Interface			USB 2.0			
Storage						
Capacity	64GB internal memory	64GB internal memory	32GB internal memory	32GB internal memory	32GB	
Hardware						
Viewing angle	130° (diagonal)	130° (diagonal)	130° (diagonal)	160° (diagonal)	130° (diagonal)	
Aperture	F/2.8	F/2.0	F/1.8	F/2.8	F/2.8	
Image Sensor	Exmor™	STARVIS™	Exmor™	Aptina™	STARVIS™	
Infrared LEDs	-	\checkmark	-	-	\checkmark	
Wi-Fi	\checkmark	\checkmark	\checkmark	\checkmark	-	
Bluetooth	\checkmark	\checkmark	-	-	-	
Microphone	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
Vibration Alert	\checkmark	\checkmark	-	-	-	
Buffering Mode	\checkmark	\checkmark	-	-	-	
Event Recording	-	-	\checkmark	\checkmark	\checkmark	
Loop Recording	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
Power						
Battery Life (Up to)	10 hour(s)	12 hour(s)	3.5 hour(s)	3.5 hour(s)	5 hour(s)	
Power Supply (Max.)	Input: AC 100V-240V, 50-60Hz, 0.4A Output: DC 5V / 2A					
Format						
Resolution	Full HD 1080P					
Frame Rate	30 fps	30/60 fps	30 fps	30 fps	30/60 fps	
Video Format	MP4 (H.264)	MP4 (H.264)	MOV (H.264)	MOV (H.264)	MP4 (H.264)	
Operating Environment						
IP Rating	IP67	IP67	IPX4	IPX4	IPX4	
Warranty						
Warranty	Two-year Limited Warranty					
	Note: Exmor/STARVIS	is a trademark of Sony (Corporation Antina is a	trademark of Antina Ima	ging Corporation	

Note: Exmor/STARVIS is a trademark of Sony Corporation. Aptina is a trademark of Aptina Imaging Corporation.