Safety data sheet

	2024 Version number 1	Revision: 23.01.2
SECTION 1:	Identification of the substance/mixture ar	nd of the company/undertaking
1.1 Product iden	tifier	
Trade name: <u>Gu</u>	ully Granaten	
No further releve	OH-GULLY-E ntified uses of the substance or mixture and uses a ant information available. he substance / the mixture Drain cleaner	dvised against
Manufacturer/S	ebshygiene & Gastroservice GmbH hlägl	
	tion obtainable from: office@purolex.at elephone number: Poison Information Center: +44	
	Hazards identification	
2.1 Classification	n of the substance or mixture ecording to Regulation (EC) No 1272/2008	
2.1 Classification Classification ac	n of the substance or mixture ecording to Regulation (EC) No 1272/2008	
2.1 Classification Classification ac corros Skin Corr. 1A H 2.2 Label element Labelling accord The substance is Hazard pictogra	n of the substance or mixture ecording to Regulation (EC) No 1272/2008 Sion 314 Causes severe skin burns and eye damage. Its ting to Regulation (EC) No 1272/2008 classified and labelled according to the GB CLP re	gulation.
2.1 Classification Classification ac corros Skin Corr. 1A H 2.2 Label element Labelling accord	n of the substance or mixture ecording to Regulation (EC) No 1272/2008 sion 314 Causes severe skin burns and eye damage. Its ding to Regulation (EC) No 1272/2008 classified and labelled according to the GB CLP re ms	gulation.
2.1 Classification Classification ac corros Skin Corr. 1A H 2.2 Label element Labelling accord The substance is Hazard pictogra GHS05 Signal word Dar Hazard-determin sodium hydroxid Hazard statement	n of the substance or mixture ecording to Regulation (EC) No 1272/2008 sion 314 Causes severe skin burns and eye damage. Ats ding to Regulation (EC) No 1272/2008 classified and labelled according to the GB CLP re ms nger ning components of labelling: le ts vere skin burns and eye damage.	

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: Gully Granaten

	(Contd. of page 1)
P260	Do not breathe dusts or mists.
P303+P361+P35.	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water [or shower].
P305+P351+P336	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents / container to hazardous waste disposal
· 2.3 Other hazards	
· Results of PBT an	d vPvB assessment
· PBT: Not applical	ple.
. vPvR . Not applica	hla

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Substances

- · CAS No. Description
- 1310-73-2 sodium hydroxide
- · Identification number(s)
- EC number: 215-185-5
- · Index number: 011-002-00-6

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- *After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.*
- *After swallowing:* Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment:
- Mouth respiratory protective device.

Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Use neutralising agent.

Dispose contaminated material as waste according to section 13.

(Contd. on page 3)

⁻ GB

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: Gully Granaten

Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection: Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Do not use light alloy receptacles.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 8 B
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m³

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

 $(Contd. \ on \ page \ 4)$

(Contd. of page 2)

Version number 1

Revision: 23.01.2024

(Contd. of page 3)

Printing date 23.01.2024

· Eye/face protection

Safety glasses

SECTION 9: Physical and chemical properties

SECTION 9: Physical and chemical prop	pernes
• 9.1 Information on basic physical and chemical p	properties
• General Information	
· Physical state	Solid
· Colour:	White
· Odour:	Odourless
• Odour threshold:	Not determined.
• Melting point/freezing point:	319 °C
Boiling point or initial boiling point and boiling	519 C
range	1,390 °C
Flammability	Product is not flammable.
Lower and upper explosion limit	1 roduct is not flummable.
	Not determined.
Lower:	Not determined.
Upper:	
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH Viewsite	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
Dynamic:	Not applicable.
Solubility	
water at 20 °C:	420 g/l
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 800 °C:	3.5 hPa
Density and/or relative density	
Density at 20 °C:	2.13 g/cm^3
Relative density	Not determined.
· Vapour density	Not applicable.
9.2 Other information	
Appearance:	
Form:	Like powder
Important information on protection of health an	
environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Solids content:	100.0 %
Molecular weight	40 g/mol
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard classe	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
	Void
Oxidising gases	
Gases under pressure	Void
Flammable liquids	Void Void
Flammable solids	Void
• Self-reactive substances and mixtures	Void

GB

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: Gully Granaten

		(Contd. of page 4)
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with light alloys to form hydrogen.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

1310-73-2 sodium hydroxide

Oral LD50 2,000 mg/kg (rat)

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· 11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

GB

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

Trade name: Gully Granaten

(Contd. of page 5)

Must not reach sewage water or drainage ditch undiluted or unneutralised. Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	UN1823
14.2 UN proper shipping name ADR IMDG, IATA	1823 SODIUM HYDROXIDE, SOLID SODIUM HYDROXIDE, SOLID
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
e e	
Class	8 Corrosive substances.
Label	8
14.4 Packing group ADR, IMDG, IATA	Π
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	(SGG18) Alkalis
Stowage Category	A
Segregation Code	SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
UN "Model Regulation":	UN 1823 SODIUM HYDROXIDE, SOLID, 8, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Poisons Act

· Regulated explosives precursors

Substance is not listed.

(Contd. on page 7)

GB

Printing date 23.01.2024

Version number 1

Revision: 23.01.2024

(Contd. of page 6)

Trade name: Gully Granaten

• **Regulated poisons** Substance is not listed.

· Reportable explosives precursors

Substance is not listed.

· Reportable poisons

12% of total caustic alkalinity

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Corr. 1A: Skin corrosion/irritation – Category 1A