



64 ½" x 64 ½"





A Day at the Course

FINISHED QUILT SIZE 64 1/2" x 64 1/2"

Measurements include ¼" seam allowance. Sew with right sides together unless otherwise stated.

Please check our website www.rileyblakedesigns.com/ pattern-updates for any revisions before starting this project. This pattern requires a basic knowledge of quilting techniques and terminology. The quilt and block diagrams portrayed are virtual images. The layout and look of your project may differ when using actual fabric.

WOF = Width of Fabric **RST** = Right Sides Together

FABRIC REQUIREMENTS

All fabrics are from the Golf Days collection unless otherwise indicated.

1 Golf Days Pillow Panel (PP13005-PANEL)

1 Yard Gray Main (C13000-GRAY)*

1/2 Yard Navy Balls (C13001-NAVY)

1 ½ Yards Navy Club (C13002-NAVY)

1/4 Yard Sage Golfers (C13004-SAGE)

1 Yard Confetti Cotton Cloud (C120-CLOUD)

*includes binding

OTHER SUPPLIES

Basic Sewing Supplies 2 1/2 Yards WIDEBACK backing fabric of your choice 72 ½" x 72 ½" piece of Batting

CUTTING REQUIREMENTS

- Please read instructions before cutting fabrics.
- Cutting Instructions are based on a 42" WOF.
- Refer to the quilt photo for the placement of each of the fabrics.
- Use a straight edge ruler and rotary cutter to cut your fabrics.

Golf Days Pillow Panel

Fussy cut (4) 18" squares, centered over the Pillow Panel squares.



Gray Main

Cut (5) 2 %" WOF strips and subcut:

(20) 2 %" x 10%" rectangles

Cut (7) 2 ½" WOF strips and reserve for binding.



Navy Balls

Cut (1) 4" WOF strip and subcut:

(10) 4" x 4" squares



Cut (3) 4 1/4" WOF strips and and subcut:

(20) 4 ¼" x 4 ¼" squares

Cut (6) 5" WOF strips and join the ends of the strips together to make (1) long strip. From the long strip, cut:

(2) 5" x 55" (Vertical Border Strips)

(2) 5" x 64" (Horizontal Border Strips)



Sage Golfers

Cut (1) 4" WOF strip and subcut:

(10) 4" x 4" squares

Cloud

Cut (2) 6" WOF strips and subcut:

(10) 6" x 6" squares

Cut each of the squares in half on the diagonal to make (20) triangles.

Cut (5) 2%" WOF strips and subcut:

(20) 2 %" x 10 ½" rectangles

Cut (6) 1 ½" WOF strips and join the ends of the strips together to make (1) long strip. From the long strip, cut:

(2) 1 ½" x 53" (Vertical Border Strips)

(2) 1 ½" x 55" (Horizontal Border Strips)

A Day at the Course

GOLF BLOCKS


1. Gather all 4" squares cut from Navy Balls fabric and sew them RST to each 4" Sage Golfers fabric square.









2. Sew each pair of squares RST to make a 4-Patch. Unit will measure 7 ½" x 7 ½", unfinished.



3. Sew a Cloud triangle RST to the top and bottom of each 4-Patch unit. Press toward the Cloud fabric.



4. Sew a Cloud triangle RST to the right and left side of each checkered unit. Press toward the Cloud fabric. Trim the units to 10 ½" x 10 ½" square.




5. Gather all Cloud 2 %" x 10 ½" rectangles and sew them RST to each Gray Main 2 %" x 10 ½" rectangle.



6. Sew half of the rectangle units from the previous step to the right and left side of each unit from Step 4.


Note the orientation of the Navy Balls squares and the Gray Main rectangles.



7. Gather all 4 1/4" squares from Navy Club fabric and sew them RST to the right and left side of each remaining rectangle unit from Step 5.



8. Sew (2) units from previous step RST to the top and bottom of each unit from Step 6 to complete the block. Repeat to make (5) 18" x 18" Golf Blocks. Note the orientation of the Gray Main rectangles.



A Day at the Course

QUILT PANEL

- 9. Gather all (4) Golf Days Pillow Panel squares and (5) Golf Blocks. Arrange them into the layout as shown in the cover image.
- 10. Sew the panel squares and blocks RST into (3) rows, then sew the rows together to complete the center panel. Panel should measure 53" x 53".

INNER BORDER - CLOUD SOLID FABRIC

Note: Press seams toward the border strips.

- 11. Sew (2) 53" Vertical Border Strips RST to the right and left side of the quilt panel.
- 12. Sew (2) 55" Horizontal Border Strips RST to the top and bottom of the unit.

OUTER BORDER - NAVY CLUB FABRIC

Note: Press seams toward the border strips.

- 13. Sew (2) 55" Vertical Border Strips RST to the right and left side of the quilt panel.
- 14. Sew (2) 64" Horizontal Border Strips RST to the top and bottom of the unit.



FINISHING INSTRUCTIONS

Finish quilt by layering the quilt top, batting, and backing. Baste quilt layers together and quilt as desired. Bind with the (7) 2 ½" x WOF Gray Main strips.

Enjoy and share your quilt using the hashtags #golfdaysfabric, #golfdaysquilt, #rileyblakedesigns and #iloverileyblake.