


# Happier by the Hour

Tipsy Quilt Design by Stacey Day



Quilt size: approximately 59 1/2" x 68 1/2"

Featuring fabrics from *Happier by the Hour*  
by Robin Roderick for P&B Textiles



P&B Textiles • pbtex.com • 800-351-9087 • 208 Clock Tower Square, Portsmouth, RI 02871

# Happier by the Hour

Fabric collection by Robin Roderick for P&B Textiles

Tipsy Quilt designed by Stacey Day

Skill level: Confident Beginner • Finished Quilt Size: approx. 59 1/2" x 68 1/2"

## Quilt Yardages:

Fabric A:	<b>HBTH 4848 PA</b> .....	one panel (18 blocks)
Fabric B:	<b>HBTH 4849 MU</b> .....	5/8 yard
Fabric C:	<b>HBTH 4851 LT</b> .....	1/4 yard
Fabric D:	<b>HBTH 4851 P</b> .....	1/4 yard
Fabric E:	<b>HBTH 4852 MU</b> .....	1/4 yard
Fabric F:	<b>HBTH 4852 T</b> .....	1/4 yard
Fabric G:	<b>HBTH 4853 MU</b> .....	1 3/8 yards
Fabric H:	<b>HBTH 4854 MU</b> .....	2 yard
Fabric I:	<b>TRAN 4752 LO</b> .....	3/4 yard
Fabric J:	<b>TRAN 4752 LG</b> .....	3/4 yard
Fabric K:	<b>TRAN 4752 Y</b> .....	3/4 yard
Fabric L:	<b>SUES 299 P</b> .....	3/4 yard
Backing:	<b>HBTH 4851 LT suggested</b> .....	3 3/4 yards
Batting	.....	68" x 76"

Additional supplies: 27 sheets of 8 1/2" x 11 paper to print paper piecing templates.

Pressing spray such as Flatter or Best Press

## Cutting Instructions:

*Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvages) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces. LOF = length of fabric.*

### From Fabric A:

1. Cut eighteen 6 1/2" squares, centering design.

### From Fabric B:

1. Cut twelve 2 1/4" strips on the bias for bias binding with stripes on the diagonal like quilt image. OR cut seven 2 1/4" strips for binding with stripes straight.

### From Fabric C:

1. Cut one 6 1/2" strip. Subcut three 6 1/2" squares.

### From Fabric D:

1. Cut one 6 1/2" strip. Subcut three 6 1/2" squares.

### From Fabric E:

1. Cut one 6 1/2" strip. Subcut three 6 1/2" squares.

### From Fabric F:

1. Cut one 6 1/2" strip. Subcut three 6 1/2" squares.

### From Fabric G:

1. Cut nine 2 1/4" strips. Subcut thirty-six 2 1/4" x 8 1/8" rectangles.
2. Cut nine 2 1/4" strips. Sew together end to end and cut seven 2 1/4" x 49 1/8" strips.

### From Fabric H:

1. Cut two 5 1/2" x 59 1/8" strips from the yellow LOF motif.
2. Cut two 5 1/2" x 68 1/8" strips from the blue LOF motif.

### From Fabric I:

1. Cut ten 2 1/4" strips. Subcut sixty 2 1/4" x 6 1/2" rectangles.

### From Fabric J:

1. Cut ten 2 1/4" strips. Subcut sixty 2 1/4" x 6 1/2" rectangles.

### From Fabric K:

1. Cut ten 2 1/4" strips. Subcut sixty 2 1/4" x 6 1/2" rectangles.

### From Fabric L:


1. Cut ten 2 1/4" strips. Subcut sixty 2 1/4" x 6 1/2" rectangles.

## Piecing & Assembly Instructions:



1. Using your preferred method of paper piecing, make fifteen of Foundation A with 6 1/2" A panel squares, using the motifs listed on the foundation, and 2 1/4" x 6 1/2" J and K rectangles. Trim around the outside line and carefully remove the papers. Spray with pressing spray and press to keep the blocks from stretching.
2. Make twelve of Foundation B with 6 1/2" A panel squares, 6 1/2" C, D, E, and F squares, and 2 1/4" x 6 1/2" I and L rectangles. There will be three of each fabric square. Trim around the outside line and carefully remove the papers. Spray with pressing spray and press to keep the blocks from stretching.
3. Sew the Foundation A and B blocks together as listed in the layout diagram, into rows, with one 2 1/4" x 8 1/8" G rectangle between each and on the ends of each row. Sew the rows together with one 2 1/4" x 49 1/8" G strip between each. Sew the remaining 2 1/4" x 49 1/8" G strips to the top and bottom to finish the quilt top.
4. Draw a 45° diagonal line from the outside corner to the inside raw edge on each H border strip as shown. Mark the seam allowance in each corner of the quilt top. Pin one 5 1/2" x 59 1/8" H strip to the top and bottom, matching centers, and pinning at the seam allowance of the drawn line/quilt top corners. Sew from dot to dot, stopping and starting on each. Do not sew through. Repeat with the 5 1/2" x 68 1/2" H side borders.
5. Fold the quilt in half right sides together, on the diagonal, so that the drawn line on one set of adjacent border strips lines up. Pin and sew on the line. Trim the seam allowance to 1/4" and press open. Repeat for all the corners.



## Finishing:

1. Prepare backing with one horizontal seam to measure 68" x 76" Press seam open.
2. Layer quilt top, batting, and backing. Baste layers together.
3. Quilt as desired.
4. Trim layers even with quilt top squaring corners.
5. Join twelve 2 1/4" B bias binding strips or seven 2 1/4" B binding strips with diagonal seams. Press seams open. Attach binding using your favorite method
6. Make a label and sew to the back of the quilt.



Quilt Diagram





**Scale Check for pdf files.** When you print these templates, this ruler should measure 2 inches long. If it does not, change, "page scaling" to "none" in the print dialog box.

# Happier by the Hour

Fabric Collection by  
Robin Roderick for P&B Textiles




HBTH 4848 PA\*



HBTH 4851 LT\*†



HBTH 4850 PA



HBTH 4854 MU\*



HBTH 4849 MU\*



HBTH 4851 P\*



HBTH 4852 MU\*



HBTH 4852 T\*



HBTH 4853 MU\*



TRAN 4752 LO\*



TRAN 4752 LG\*



TRAN 4752 Y\*



SUES 299 P\*



P&B Textiles • pbtex.com • 800-351-9087 • 208 Clock Tower Square, Portsmouth, RI 02871

\*Fabrics used in quilt  
†Backing