## Table 1

## Information requirements for solid fuel local space heaters

Models idenitfier Bullerjan dot

Indirect heating functionality No

Direct heaat output 6 (kW)

Indirect heat output: ... (kW)

			Space heating emission nominal heat output (*)	
Fuel	Preferred fuel (only one):	Other suit- able fuel(s):	IJ, [x%]:	$\underline{PM} + \underline{OGC} + \underline{CO} + \underline{I}$ [x] mg/Nm <sup>2</sup> (13 % $\overline{Oi}$
Wood logs with moisture content 25 %	Yes	No		1
Compressed wood with moisture content < 12 %	No	No		
Other woody biomass	No			
Non-woody biomass	No	No		
Anthracite and dry stearn coal	Yes	No		
Hard coke	No	No		
Low temperature coke	No	No		
Bituminous coal	No	No		
Lignite briquettes	No	No		
Peat briquettes	No	No		
Blended fossil fuel briquettes	No	No		
Other fossil fuel	No	No		
Blended biornass and fossil fuel bri-quettes	No	No		
Other blend of biomass and solid fuel	No	No		
Characteristics when operating with the prefer	red fuel only			

Symbol	Value	Unit	ltem
)%			Useful efficiency (NCV as re
pnom	6,00	kW	Useful efficiency at nominal heat output
pmin	[x,x/N. A.]	kW	Useful efficiency at minirnum heat output (indicative)
n	<u> </u>		Type of heat output/room te
elrnax 'elmin <sup>XXX</sup>	<sup>kW</sup> kW		single stage heat output, no t temperature control two or more manual stages.
elSB	X,XXX	kW	temperature control with mechanic thermostat temperature control
equirement			with electronic room temper
ppilot	[x,xxx/ N.A.]	kW	with electronic room temper plus day timer
I			with electronic room temper plus week timer
			Other control options (multi
			room temperature control, with detection
			room temperature control, window detection
			with distance control option
Name and address of the	manufacturer	or its authorise	d representative.
Tel. +49 (0) 5136/9775-		straße 2, 30916 is	ernhagen
Geschäftsführer: Kevin S	Senff, Julius R	atjen	
the	7		
	pnom pmin pmin n elrnax elmin xxx elmin xxx elSB equirement ppilot ppilot ppilot ppilot ppilot ppilot ppilot ppilot	pnom       6,00         pmin       [x,x/N. A.]         pmin       [x,x/N. A.]         elmin       xxx         elmin       xxx         kW       kW         elSB       x,xxx         cquirement       [x,xxx/ N.A.]         Name and address of the manufacturer         Bullejran GmbH, Neuwarmbüchener S         Tel. +49 (0) 5136/9775-         Fax. +49 (0) 5136/9775-10	prom       6,00       kW         prin       [x,x/N. A.]       kW         prin       xxx       kW         elmin       xxx       kW         elSB       x.xxx       kW         equirement       [x,xxx/       kW         ppilot       [x,xxx/       kW         squirement       [x,xxx/       kW         ppilot       [x,xxx/       kW         squirement       [x,xxx/       kW         ppilot       [x,xxx/       kW         squirement       [x,xxx/       [x,xx]         squirement       [x,x]       [x,x]         squirement       [x,x]       [x]         squirement       [x]       [x]         squirement       [x]       [x]         squirement       [x]       [x]         squire

(\*\*) Only required if correction factors F(2) or F(3) are applied.

ns at	Space heating emissions at minimum heat output (*) (**)			
NO, 1	PM	OGC	CO	NO,
.)	[x]	mg/Nm³ (	(13 % (	Di)

1	1	1	1	
1				
	•			

Symbol	Value	Unit
ceived) 10	6	
11,h,nom	80	%
17th,min	[x,x/N.A.]	%

## emperature control (select one)

room	No
, no room	No
room	No
ature control	No
ature control	No
ature control	No

## ple selections possible)

ı pre- sence	No	
with open	No	
	No	