

MagRota

Instructions

MR_UG_EN_V1



Installing the MagRota

01




If the diameter of the lens doesn't match with the diameter of MagRota base, please install the step-up ring with the same diameter of the lens first, and then install the MagRota base.



Installing a MagRota Filter


02



Use the bump side of the filter to get close to the MagRota base, and they will be attached to each other.



Grasp the thumbwheel on both sides with one hand, and turn the edge of the filter with the other hand until you feel a positive click, the first filter is installed in place.






Switching the lock to the left unlocking state, then the thumbwheel can be rotated smoothly. When you rotate the thumbwheel, all the filters in front will be driven to rotate.



Switching the lock to the right locking state, the thumbwheel is locked, and the very BOTTOM filter cannot be rotated, yet the surface one can be rotated independently.






The front of the filters frame identifies the stacking order when you are ready to film,

as followed: CINE I ← CINE II ← CINE III ← CINE IV.


In order to maximize the performance, please install the filters in sequence.





The labels in front of the filters frame showing $\circ \leftarrow \bullet$, $\triangle \leftarrow \blacktriangle$, those indicate the stacking align position when you are ready to shoot videos. Please make sure that filters are stacked align position for correctly installation.






The back of the filters frame identifies the stacking order when you are ready to photograph, as followed: PHOTO 1 ← PHOTO 2 ← PHOTO.

In order to maximize the performance, please install the filters in sequence.*

* PHOTO 1+ can only be stacked on the front of PHOTO 1 in combined use.





Put your finger into the gap between the MagRota base and the filter frame, pull the filter outward to remove it.





Put the convex edge side of the magnetic lens cap into the gap between the MagRota base and the filter frame. Lever up the filter follow the direction of arrow.





Pull the filter outward, so the filter is detached from MagRota base.
Please secure with your hand below for accidental drop of the filter.

