

Title/Doc. #: EIS-005 Hub Spoke Chart

Revision: 2

Original Date: 1/1/2014

Revision Date: 7/16/2020

Revised by: Tech

Approved by: Prod



		Valor 26		Valor 27.5		Valor 29	
		ERD 541		ERD 564		ERD 602	
		Left	Right	Left	Right	Left	Right
Front	Stan's 3.30/3.30Ti Disc 2x	256	260	268	272	288	292
	Lefty SL Disc 2x			268	272	288	292

Rear	Stan's 3.30/3.30Ti Disc 2x		252		266		284
	Stan's 3.30/3.30Ti Disc 3x	266		279		298	

		Podium MMX 26		Podium 27.5		Race Gold 29	
		ERD 541		ERD 565		ERD 605	
		Left	Right	Left	Right	Left	Right
Front	Stan's 3.30/3.30Ti Disc 2x	250 (250.6)	256 (256.2)	264 (264.2)	270 (269.9)	283 (282.4)	288 (287.9)
	Stan's 3.30/3.30Ti Disc 3x	260 (260.5)	264 (263.8)	272 (272.9)	276 (276.1)	292 (292.3)	296 (295.4)
	Stan's 3.30HD 3x	260 (260.5)	262 (261.9)	272 (272.9)	274 (274.2)	292 (292.2)	294 (293.5)
	Lefty SL Disc 2x	250 (250.3)	256 (255.8)	262 (262.7)	268 (268.2)	283 (282.1)	288 (287.5)
	Lefty SL Disc 3x	260 (260.2)	262 (263.4)	272 (273.0)	276 (275.7)	292 (292.0)	294 (295.1)
	DT 240s 6 bolt 2X	250 (250.5)	256 (257.2)	262 (262.5)	270 (269.6)	282 (282.3)	290 (288.9)
	DT 240s 6 bolt 3X	260 (260.5)	264 (264.3)	272 (272.9)	276 (276.6)	292 (292.2)	296 (295.9)
	DT 240s Centerlock 2x	254 (255.1)	256 (257.2)	270 (267.5)	270 (269.6)	288 (286.9)	290 (288.9)
	DT 240s Centerlock 3x	262 (262.5)	264 (264.3)	274 (275.0)	276 (276.6)	294 (294.3)	296 (295.6)
	DT 240s 6 bolt 20mm 3x	260 (260.5)	262 (262.2)	272 (272.9)	274 (274.5)	292 (292.2)	293 (293.8)
	Hope Pro II 3x	260 (260.5)	262 (262.3)	272 (272.9)	274 (274.6)	292 (292.3)	293 (293.9)
	King ISO 3x	260 (260.6)	260 (261.4)	272 (273.0)	274 (273.7)	292 (292.3)	293 (293.0)

Rear	Stan's 3.30/3.30Ti Disc 2x	252 (251.9)	250 (250.5)	264 (264.2)	263 (262.9)	284 (283.5)	283 (282.3)
	Stan's 3.30/3.30Ti Disc 3x	262 (261.7)	260 (260.4)	274 (274.1)	272 (272.8)	294 (293.3)	292 (292.1)
	Stan's 3.30SS Disc 3x	262 (261.7)	260 (261.2)	274 (274.0)	274 (273.6)	294 (293.3)	294 (292.9)
	Stan's 3.30HD 12x135/142 3x	262 (261.8)	260 (260.3)	274 (274.1)	272 (272.7)	294 (293.4)	292 (292.1)
	Stan's 3.30HD 12x150/157 3x	262 (261.9)	260 (261.0)	274 (274.2)	274 (273.4)	294 (293.5)	292 (292.7)
	DT 240s 6 bolt 2X	252 (252.1)	254 (253.7)	264 (264.5)	266 (266.2)	284 (283.8)	286 (285.6)
	DT 240s 6 bolt 3X	262 (261.8)	262 (261.8)	274 (274.1)	274 (274.2)	293 (293.4)	293 (293.6)
	DT 240s Centerlock 2x	256 (256.2)	254 (253.8)	268 (268.6)	266 (266.2)	288 (287.9)	286 (285.6)
	DT 240s Centerlock 3x	264 (263.6)	262 (261.8)	276 (276.0)	274 (274.2)	296 (295.3)	294 (293.6)
	DT 240s CL Singlespeed 3x	264 (263.5)	264 (263.7)	276 (275.8)	276 (276.1)	295 (295.2)	295 (295.5)
	Hope Pro II 3x	262 (261.7)	260 (260.9)	274 (274.0)	274 (273.3)	293 (293.3)	292 (292.6)
	Hope Pro II SS 3x	262 (261.6)	262 (261.7)	274 (273.9)	274 (274.1)	293 (293.2)	293 (293.4)
King ISO 3x	262 (261.8)	260 (260.4)	274 (274.2)	272 (272.8)	293 (293.4)	292 (292.2)	

NOTE: FOR PODIUM AND RACE GOLD BUILDS, WE RECOMMEND USING NIPPLE WASHERS.

Title/Doc. #: EIS-005 Hub Spoke Chart

Revision: 2

Original Date: 1/1/2014

Revision Date: 7/16/2020

Revised by: Tech

Approved by: Prod



		Crest 26		Crest 27.5		Crest 29	
		ERD 541		ERD 565		ERD 605	
		Left	Right	Left	Right	Left	Right
Front	Stan's 3.30/3.30Ti Disc 2x	250 (250.6)	256 (256.2)	263 (263.0)	268 (268.6)	283 (282.4)	288 (287.9)
	Stan's 3.30/3.30Ti Disc 3x	260 (260.5)	264 (263.8)	272 (272.9)	276 (276.1)	292 (292.3)	296 (295.4)
	Stan's 3.30HD 3x	260 (260.5)	262 (261.9)	272 (272.9)	274 (274.2)	292 (292.2)	294 (293.5)
	Lefty SL Disc 2x	250 (250.3)	256 (255.8)	262 (262.7)	268 (268.2)	283 (282.1)	288 (287.5)
	Lefty SL Disc 3x	260 (260.2)	262 (263.4)	272 (273.0)	276 (275.7)	292 (292.0)	294 (295.1)
	DT 240s 6 bolt 2X	250 (250.5)	256 (257.2)	262 (262.5)	270 (269.6)	282 (282.3)	290 (288.9)
	DT 240s 6 bolt 3X	260 (260.5)	264 (264.3)	272 (272.9)	276 (276.6)	292 (292.2)	296 (295.9)
	DT 240s Centerlock 2x	254 (255.1)	256 (257.2)	270 (267.5)	270 (269.6)	288 (286.9)	290 (288.9)
	DT 240s Centerlock 3x	262 (262.5)	264 (264.3)	274 (275.0)	276 (276.6)	294 (294.3)	296 (295.6)
	DT 240s 6 bolt 20mm 3x	260 (260.5)	262 (262.2)	272 (272.9)	274 (274.5)	292 (292.2)	293 (293.8)
	Hope Pro II 3x	260 (260.5)	262 (262.3)	272 (272.9)	274 (274.6)	292 (292.3)	293 (293.9)
	King ISO 3x	260 (260.6)	260 (261.4)	272 (273.0)	274 (273.7)	292 (292.3)	293 (293.0)
Rear	Stan's 3.30/3.30Ti Disc 2x	252 (251.9)	250 (250.5)	264 (264.2)	263 (262.9)	284 (283.5)	283 (282.3)
	Stan's 3.30/3.30Ti Disc 3x	262 (261.7)	260 (260.4)	274 (274.1)	272 (272.8)	294 (293.3)	292 (292.1)
	Stan's 3.30SS Disc 3x	262 (261.7)	260 (261.2)	274 (274.0)	274 (273.6)	294 (293.3)	294 (292.9)
	Stan's 3.30HD 12x135/142 3x	262 (261.8)	260 (260.3)	274 (274.1)	272 (272.7)	294 (293.4)	292 (292.1)
	Stan's 3.30HD 12x150/157 3x	262 (261.9)	260 (261.0)	274 (274.2)	274 (273.4)	294 (293.5)	292 (292.7)
	DT 240s 6 bolt 2X	252 (252.1)	254 (253.7)	264 (264.5)	266 (266.2)	284 (283.8)	286 (285.6)
	DT 240s 6 bolt 3X	262 (261.8)	262 (261.8)	274 (274.1)	274 (274.2)	293 (293.4)	293 (293.6)
	DT 240s Centerlock 2x	256 (256.2)	254 (253.8)	268 (268.6)	266 (266.2)	288 (287.9)	286 (285.6)
	DT 240s Centerlock 3x	264 (263.6)	262 (261.8)	276 (276.0)	274 (274.2)	296 (295.3)	294 (293.6)
	DT 240s CL Singlespeed 3x	264 (263.5)	264 (263.7)	276 (275.8)	276 (276.1)	295 (295.2)	295 (295.5)
	Hope Pro II 3x	262 (261.7)	260 (260.9)	274 (274.0)	274 (273.3)	293 (293.3)	292 (292.6)
	Hope Pro II SS 3x	262 (261.6)	262 (261.7)	274 (273.9)	274 (274.1)	293 (293.2)	293 (293.4)
King ISO 3x	262 (261.8)	260 (260.4)	274 (274.2)	272 (272.8)	293 (293.4)	292 (292.2)	

Title/Doc. #: EIS-005 Hub Spoke Chart

Revision: 2

Original Date: 1/1/2014

Revision Date: 7/16/2020

Revised by: Tech

Approved by: Prod



		Arch EX 26		Arch EX 27.5		Arch EX 29	
		ERD 542		ERD 566		ERD 606	
		Left	Right	Left	Right	Left	Right
Front	Stan's 3.30/3.30Ti Disc 2x	250 (250.6)	256 (256.2)	263 (263.0)	268 (268.6)	283 (282.4)	288 (287.9)
	Stan's 3.30/3.30Ti Disc 3x	260 (260.5)	264 (263.8)	272 (272.9)	276 (276.1)	292 (292.3)	296 (295.4)
	Stan's 3.30HD 3x	260 (260.5)	262 (261.9)	272 (272.9)	274 (274.2)	292 (292.2)	294 (293.5)
	Lefty SL Disc 2x	250 (250.3)	256 (255.8)	262 (262.7)	268 (268.2)	283 (282.1)	288 (287.5)
	Lefty SL Disc 3x	260 (260.2)	262 (263.4)	272 (273.0)	276 (275.7)	292 (292.0)	294 (295.1)
	DT 240s 6 bolt 2X	250 (250.5)	256 (257.2)	262 (262.5)	270 (269.6)	282 (282.3)	290 (288.9)
	DT 240s 6 bolt 3X	260 (260.5)	264 (264.3)	272 (272.9)	276 (276.6)	292 (292.2)	296 (295.9)
	DT 240s Centerlock 2x	254 (255.1)	256 (257.2)	270 (267.5)	270 (269.6)	288 (286.9)	290 (288.9)
	DT 240s Centerlock 3x	262 (262.5)	264 (264.3)	274 (275.0)	276 (276.6)	294 (294.3)	296 (295.6)
	DT 240s 6 bolt 20mm 3x	260 (260.5)	262 (262.2)	272 (272.9)	274 (274.5)	292 (292.2)	293 (293.8)
	Hope Pro II 3x	260 (260.5)	262 (262.3)	272 (272.9)	274 (274.6)	292 (292.3)	293 (293.9)
	King ISO 3x	260 (260.6)	260 (261.4)	272 (273.0)	274 (273.7)	292 (292.3)	293 (293.0)
Rear	Stan's 3.30/3.30Ti Disc 2x	252 (251.9)	250 (250.5)	264 (264.2)	263 (262.9)	284 (283.5)	283 (282.3)
	Stan's 3.30/3.30Ti Disc 3x	262 (261.7)	260 (260.4)	274 (274.1)	272 (272.8)	294 (293.3)	292 (292.1)
	Stan's 3.30SS Disc 3x	262 (261.7)	260 (261.2)	274 (274.0)	274 (273.6)	294 (293.3)	294 (292.9)
	Stan's 3.30HD 12x135/142 3x	262 (261.8)	260 (260.3)	274 (274.1)	272 (272.7)	294 (293.4)	292 (292.1)
	Stan's 3.30HD 12x150/157 3x	262 (261.9)	260 (261.0)	274 (274.2)	274 (273.4)	294 (293.5)	292 (292.7)
	DT 240s 6 bolt 2X	252 (252.1)	254 (253.7)	264 (264.5)	266 (266.2)	284 (283.8)	286 (285.6)
	DT 240s 6 bolt 3X	262 (261.8)	262 (261.8)	274 (274.1)	274 (274.2)	293 (293.4)	293 (293.6)
	DT 240s Centerlock 2x	256 (256.2)	254 (253.8)	268 (268.6)	266 (266.2)	288 (287.9)	286 (285.6)
	DT 240s Centerlock 3x	264 (263.6)	262 (261.8)	276 (276.0)	274 (274.2)	296 (295.3)	294 (293.6)
	DT 240s CL Singlespeed 3x	264 (263.5)	264 (263.7)	276 (275.8)	276 (276.1)	295 (295.2)	295 (295.5)
	Hope Pro II 3x	262 (261.7)	260 (260.9)	274 (274.0)	274 (273.3)	293 (293.3)	292 (292.6)
	Hope Pro II SS 3x	262 (261.6)	262 (261.7)	274 (273.9)	274 (274.1)	293 (293.2)	293 (293.4)
King ISO 3x	262 (261.8)	260 (260.4)	274 (274.2)	272 (272.8)	293 (293.4)	292 (292.2)	

Title/Doc. #: EIS-005 Hub Spoke Chart

Revision: 2

Original Date: 1/1/2014

Revision Date: 7/16/2020

Revised by: Tech

Approved by: Prod



		Flow EX 26		Flow EX 27.5		Flow EX 29	
		ERD 537		ERD 562		ERD 601	
		Left	Right	Left	Right	Left	Right
Front	Stan's 3.30/3.30Ti Disc 2x	250 (248.7)	254 (254.3)	262 (261.1)	266 (266.6)		
	Stan's 3.30/3.30Ti Disc 3x	258 (258.0)	262 (261.8)	272 (271.0)	274 (274.2)	290 (289.8)	293 (293.0)
	Stan's 3.30HD 3x	258 (258.5)	260 (259.9)	270 (270.9)	272 (272.3)	290 (289.8)	291 (291.0)
	Lefty SL Disc 2x	248 (248.3)	254 (253.8)	262 (260.7)	266 (266.2)		
	Lefty SL Disc 3x	258 (258.0)	262 (260.3)	272 (270.7)	274 (273.7)	290 (289.5)	293 (292.6)
	DT 240s 6 bolt 2X	250 (248.6)	256 (255.3)	262 (261.0)	268 (267.6)		
	DT 240s 6 bolt 3X	260 (258.5)	262 (262.3)	272 (270.9)	274 (274.6)	290 (289.7)	294 (293.5)
	DT 240s Centerlock 2x	254 (253.1)	256 (255.3)	266 (265.5)	268 (267.6)		
	DT 240s Centerlock 3x	260 (260.5)	262 (262.3)	274 (273.0)	274 (274.6)	292 (291.9)	294 (293.5)
	DT 240s 6 bolt 20mm 3x	260 (258.5)	260 (260.2)	272 (270.9)	272 (272.5)	290 (289.8)	291 (291.4)
	Hope Pro II 3x	258 (258.5)	260 (260.3)	272 (270.9)	272 (272.6)	290 (289.8)	291 (291.4)
	King ISO 3x	260 (258.6)	260 (259.4)	272 (271.0)	272 (271.8)	290 (289.8)	291 (290.5)
Rear	Stan's 3.30/3.30Ti Disc 2x	250 (249.9)	250 (248.5)	262 (262.3)	262 (260.9)		
	Stan's 3.30/3.30Ti Disc 3x	260 (259.8)	258 (258.0)	272 (272.1)	270 (270.8)	291 (290.9)	290 (289.7)
	Stan's 3.30SS Disc 3x	260 (259.7)	260 (259.2)	272 (272.0)	272 (271.6)	291 (290.8)	291 (290.4)
	Stan's 3.30HD 12x135/142 3x	260 (259.8)	258 (258.3)	272 (272.2)	270 (270.7)	291 (290.9)	290 (289.6)
	Stan's 3.30HD 12x150/157 3x	260 (259.9)	260 (259.1)	272 (272.2)	270 (271.4)	291 (291.0)	290 (290.2)
	DT 240s 6 bolt 2X	250 (250.1)	252 (251.8)	262 (262.5)	264 (264.2)		
	DT 240s 6 bolt 3X	260 (259.8)	260 (259.8)	272 (272.2)	272 (272.2)	291 (290.9)	291 (291.1)
	DT 240s Centerlock 2x	254 (254.2)	252 (251.8)	266 (266.6)	264 (264.2)		
	DT 240s Centerlock 3x	262 (261.6)	260 (259.8)	274 (274.0)	272 (272.2)	293 (292.8)	292 (291.1)
	DT 240s CL Singlespeed 3x	262 (261.5)	262 (261.7)	274 (273.9)	274 (274.1)	293 (292.7)	293 (292.9)
	Hope Pro II 3x	260 (259.7)	260 (258.9)	272 (272.0)	272 (271.3)	291 (290.8)	290 (290.2)
	Hope Pro II SS 3x	260 (259.6)	260 (259.7)	272 (271.9)	272 (272.1)	291 (290.7)	291 (290.9)
King ISO 3x	260 (259.8)	260 (258.4)	272 (272.2)	272 (270.8)	291 (290.9)	290 (289.6)	

Title/Doc. #: EIS-005 Hub Spoke Chart

Revision: 2

Original Date: 1/1/2014

Revision Date: 7/16/2020

Revised by: Tech

Approved by: Prod



		Arch 26		Flow 26		Flow 27.5		Flow 29	
		ERD 540		ERD 536		ERD 560		ERD 600	
		Left	Right	Left	Right	Left	Right	Left	Right
Front	Stan's 3.30/3.30Ti Disc 2x			248 (248.2)	254 (253.8)	260 (260.1)	266 (256.6)		
	Stan's 3.30/3.30Ti Disc 3x	260 (260.0)	264 (263.3)	258 (258.1)	262 (261.3)	270 (270.0)	274 (273.2)	290 (289.8)	293 (293.0)
	Stan's 3.30HD 3x	260 (260.0)	262 (261.4)	258 (258.0)	260 (259.4)	270 (269.9)	272 (271.3)	290 (289.8)	291 (291.0)
	Lefty SL Disc 2x	250 (249.8)	256 (255.3)	248 (247.8)	254 (253.3)	260 (259.7)	266 (265.2)		
	Lefty SL Disc 3x	260 (259.7)	262 (262.9)	258 (257.7)	262 (259.8)	270 (269.6)	274 (272.8)	290 (289.5)	293 (292.6)
	DT 240s 6 bolt 2X	250 (250.1)	256 (256.7)	248 (248.1)	256 (254.8)	260 (260.0)	268 (266.6)		
	DT 240s 6 bolt 3X	260 (260.0)	264 (263.8)	258 (258.0)	262 (261.8)	270 (269.9)	274 (273.7)	290 (289.7)	294 (293.5)
	DT 240s Centerlock 2x	254 (254.6)	256 (256.7)	252 (252.6)	254 (254.8)	266 (264.6)	268 (266.6)		
	DT 240s Centerlock 3x	262 (262.0)	264 (263.8)	260 (260.0)	262 (261.8)	272 (272.0)	274 (273.7)	292 (291.9)	294 (293.5)
	DT 240s 6 bolt 20mm 3x	260 (260.0)	262 (261.7)	258 (258.0)	260 (259.7)	270 (269.9)	272 (271.6)	290 (289.8)	291 (291.4)
	Hope Pro II 3x	260 (260.0)	262 (261.8)	258 (258.0)	260 (259.8)	270 (269.9)	272 (271.6)	290 (289.8)	291 (291.4)
King ISO 3x	260 (260.1)	260 (260.9)	258 (258.1)	258 (258.9)	270 (270.0)	272 (270.8)	290 (289.8)	291 (290.5)	
Rear	Stan's 3.30/3.30Ti Disc 2x			250 (249.4)	248 (248.0)	262 (261.3)	260 (259.9)		
	Stan's 3.30/3.30Ti Disc 3x	262 (261.2)	260 (259.9)	260 (259.3)	258 (257.9)	272 (271.1)	270 (269.8)	291 (290.9)	290 (289.7)
	Stan's 3.30SS Disc 3x	262 (261.2)	260 (260.7)	260 (259.2)	258 (258.7)	272 (271.1)	272 (270.6)	291 (290.8)	291 (290.4)
	Stan's 3.30HD 12x135/142 3x	262 (261.3)	260 (259.8)	260 (259.3)	258 (257.8)	272 (271.2)	270 (269.7)	291 (290.9)	290 (289.6)
	Stan's 3.30HD 12x150/157 3x	262 (261.4)	260 (260.5)	260 (259.4)	258 (258.6)	272 (271.2)	270 (270.4)	291 (291.0)	290 (290.2)
	DT 240s 6 bolt 2X	252 (251.6)	254 (253.2)	250 (249.6)	252 (251.3)	262 (261.5)	264 (263.2)		
	DT 240s 6 bolt 3X	262 (261.3)	262 (261.3)	260 (259.3)	260 (259.3)	272 (271.2)	272 (271.2)	291 (290.9)	291 (291.1)
	DT 240s Centerlock 2x	256 (255.7)	254 (253.3)	254 (253.7)	252 (251.3)	266 (256.6)	264 (263.2)		
	DT 240s Centerlock 3x	264 (263.1)	262 (261.3)	262 (261.1)	260 (259.3)	274 (273.0)	272 (271.2)	293 (292.8)	292 (291.1)
	DT 240s CL Singlespeed 3x	264 (263.0)	264 (263.2)	262 (261.0)	262 (261.2)	274 (272.9)	274 (273.1)	293 (292.7)	293 (292.9)
	Hope Pro II 3x	262 (261.2)	260 (260.4)	260 (259.2)	258 (258.4)	272 (271.1)	270 (270.3)	291 (290.8)	290 (290.2)
Hope Pro II SS 3x	262 (261.1)	262 (261.2)	260 (259.1)	260 (259.2)	272 (270.9)	272 (271.1)	291 (290.7)	291 (290.9)	
King ISO 3x	262 (261.3)	260 (259.9)	260 (259.3)	258 (257.9)	272 (271.2)	270 (269.8)	291 (290.9)	290 (289.6)	

Title/Doc. #: EIS-005 Hub Spoke Chart

Revision: 2

Original Date: 1/1/2014

Revision Date: 7/16/2020

Revised by: Tech

Approved by: Prod



Front	Stan's 3.30/3.30Ti Disc 2x
	Stan's 3.30/3.30Ti Disc 3x
	Stan's 3.30HD 3x
	Lefty SL Disc 2x
	Lefty SL Disc 3x
	DT 240s 6 bolt 2X
	DT 240s 6 bolt 3X
	DT 240s Centerlock 2x
	DT 240s Centerlock 3x
	DT 240s 6 bolt 20mm 3x
	Hope Pro II 3x
	King ISO 3x

Alpine 26	
ERD 536	
Left	Right
250 (248.7)	254 (254.3)
258 (258.0)	262 (261.8)
258 (258.5)	260 (259.9)
248 (248.3)	254 (253.8)
258 (258.0)	262 (260.3)
250 (248.6)	256 (255.3)
260 (258.5)	262 (262.3)
254 (253.1)	256 (255.3)
260 (260.5)	262 (262.3)
260 (258.5)	260 (260.2)
258 (258.5)	260 (260.3)
260 (258.6)	260 (259.4)

355 26	
ERD 540	
Left	Right
260 (260.0)	264 (263.3)
260 (260.0)	262 (261.4)
250 (249.8)	256 (255.3)
260 (259.7)	262 (262.9)
250 (250.1)	256 (256.7)
260 (260.0)	264 (263.8)
254 (254.6)	256 (256.7)
262 (262.0)	264 (263.8)
260 (260.0)	262 (261.7)
260 (260.0)	262 (261.8)
260 (260.1)	260 (260.9)

Rear	Stan's 3.30/3.30Ti Disc 2x
	Stan's 3.30/3.30Ti Disc 3x
	Stan's 3.30SS Disc 3x
	Stan's 3.30HD 12x135/142 3x
	Stan's 3.30HD 12x150/157 3x
	DT 240s 6 bolt 2X
	DT 240s 6 bolt 3X
	DT 240s Centerlock 2x
	DT 240s Centerlock 3x
	DT 240s CL Singlespeed 3x
	Hope Pro II 3x
	Hope Pro II SS 3x
King ISO 3x	

250 (249.9)	250 (248.5)
260 (259.8)	258 (258.0)
260 (259.7)	260 (259.2)
260 (259.8)	258 (258.3)
260 (259.9)	260 (259.1)
250 (250.1)	252 (251.8)
260 (259.8)	260 (259.8)
254 (254.2)	252 (251.8)
262 (261.6)	260 (259.8)
262 (261.5)	262 (261.7)
260 (259.7)	260 (258.9)
260 (259.6)	260 (259.7)
260 (259.8)	260 (258.4)

262 (261.2)	260 (259.9)
262 (261.2)	260 (260.7)
262 (261.3)	260 (259.8)
262 (261.4)	260 (260.5)
252 (251.6)	254 (253.2)
262 (261.3)	262 (261.3)
256 (255.7)	254 (253.3)
264 (263.1)	262 (261.3)
264 (263.0)	264 (263.2)
262 (261.2)	260 (260.4)
262 (261.1)	262 (261.2)
262 (261.3)	260 (259.9)

Title/Doc. #: EIS-005 Hub Spoke Chart

Revision: 2

Original Date: 1/1/2014

Revision Date: 7/16/2020

Revised by: Tech

Approved by: Prod



		Alpha 340/400 Pro 18/24h		Alpha 340/400 Team 24/28h		Alpha 340/400 Comp 28/32h	
		ERD 592		ERD 592		ERD 592	
		Left	Right	Left	Right	Left	Right
Front	Stan's 3.30R/RTi Radial	282 (281.2)	282 (281.2)	282 (281.2)	282 (281.2)	282 (281.2)	282 (281.2)
Rear	Stan's 3.30R/RTi 1x	282 (281.2)					
	Stan's 3.30R/Rti 2x		274 (274.8)	284 (283.7)	278 (278.1)	282 (281.2)	276 (275.5)
		Iron Cross Pro 24/28h		Iron Cross Team 24/28h		Iron Cross Comp 32/32h	
		ERD 600		ERD 600		ERD 600	
		Left	Right	Left	Right	Left	Right
Front	Stan's 3.30/3.30Ti Disc 2x	286 (286.3)	290 (290.3)	287 (286.3)	290 (290.3)		
	Stan's 3.30/3.30Ti Disc 3x					290 (290.3)	293 (293.0)
Rear	Stan's 3.30RD/RDTi Disc 2x	284 (283.6)	282 (282.4)	284 (283.6)	282 (282.4)		
	Stan's 3.30RD/RDTi Disc 3x					292 (290.2)	290 (290.3)
		Alpha 340 Disc 24/28h		Alpha 400 Disc 32/32h			
		ERD 592		ERD 592			
		Left	Right	Left	Right		
Front	Stan's 3.30/3.30Ti Disc 2x	282 (281.2)	287 (286.3)	276 (275.5)	282 (281.2)		
Rear	Stan's 3.30RD/RDTi Disc 2x		278 (278.1)		276 (275.5)		
	Stan's 3.30RD/RDTi Disc 3x	292 (292.2)		287 (286.3)			
		Grail Team 24/28h		Grail Comp 32/32h			
		ERD 590		ERD 590			
		Left	Right	Left	Right		
Front	Stan's 3.30/3.30Ti Disc 2x	282	284	276	282		
Rear	Stan's 3.30RD/RDTi Disc 2x	279	278	276	274		