

SAFETY DATA SHEET

Issuing Date 15-Dec-2014

Revision Date 15-Dec-2014

Revision Number 0


1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

| GHS product identifier | |
|--------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name | Belt-Magic Stick Lubricant |
| Other means of identification | |
| Product Code(s) | BT-16 |
| Synonyms | High Melt Wax Lubricant |
| Recommended use of the chemica | I and restrictions on use |
| Recommended Use | Belt-Magic is specially formulated for use on coated abrasive belts. Consistent use will extend the life of belts up to 30% and prevent loading on the belt for better overall performance. Resists high temperatures, clings to belt, and will not build up behind wheel. |
| Uses advised against | No information available |
| <u>Supplier's details</u> Supplier Address | |
| AGS Company P.O. Box 729 Muskegon, MI 49443 | |
| TEL: 800-253-0403 | |
| Emergency telephone number | |
| Emergency Telephone Number | CHEM-TEL, INC. 24 Hour Emergency Contact 1-800-255-3924 |
| | 2. HAZARDS IDENTIFICATION |
| Classification This product is considered hazardous | by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200) |
| Carcinogenicity | Category 1A |
| GHS Label elements, including pre | Emergency Overview |

Emergency Overview

Signal Word

Danger



Precautionary Statements

Prevention

- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.

General Advice

· If exposed or concerned: Get medical attention/advice

Storage

Store locked up.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

16% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

High Melt Wax Lubricant

| Chemical Name | CAS-No | Weight % | Trade secret |
|-------------------------------------------|------------|----------|--------------|
| Petroleum distillates, hydrotreated heavy | 64742-52-5 | 15-40 | * |
| naphthenic | | | |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

| Eye Contact | Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician. | |
|----------------------------------------------------|-------------------------------------------------------------------------------------------------------|--|
| Skin Contact | Wash skin with soap and water. | |
| Inhalation | Move to fresh air. | |
| Ingestion | Clean mouth with water and afterwards drink plenty of water. | |
| Most important symptoms/effects, acute and delayed | | |
| ······ | | |

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

No information available.

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

| | 6. ACCIDENTAL RELEASE MEASURES | |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Personal precautions, protective ec | uipment and emergency procedures | |
| Personal Precautions | Ensure adequate ventilation. | |
| Environmental Precautions | | |
| Environmental Precautions | See Section 12 for additional Ecological Information. | |
| Methods and materials for containn | nent and cleaning up | |
| Methods for Containment | Prevent further leakage or spillage if safe to do so. | |
| Methods for Cleaning Up | Pick up and transfer to properly labeled containers. | |
| | 7. HANDLING AND STORAGE | |
| Precautions for safe handling | | |
| Handling | Handle in accordance with good industrial hygiene and safety practice. | |
| Conditions for safe storage, includi | ng any incompatibilities | |
| Storage | Keep containers tightly closed in a dry, cool and well-ventilated place. | |
| Incompatible Products | None known based on information supplied. | |
| 8. EXF | POSURE CONTROLS / PERSONAL PROTECTION | |
| Control parameters | | |
| Exposure Guidelines | This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. | |

Appropriate engineering controls

| Engineering Measures | Showers |
|----------------------|---------------------|
| | Eyewash stations |
| | Ventilation systems |

Individual protection measures, such as personal protective equipment

| Eye/Face Protection Skin and Body Protection | None required for consumer use. Risk of contact, wear: Safety glasses with side shields or safety goggles. None required for consumer use. Repeated or prolonged contact: Wear protective gloves/clothing. |
|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Respiratory Protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| Hygiene Measures | Handle in accordance with good industrial hygiene and safety practice. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical State Odor | Semi-Solid Petroleum | Appearance Odor Threshold | Blue Wax No information available |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air upper flammability limit lower flammability limit lower flammability limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octand Autoignition Temperature Decomposition Temperature Viscosity | Values Not applicable 200 °F Not Determined 360 °F No data available No data available No data available No data available No data available No data available 0.75 Insoluble in water. No data available 0.75 Insoluble in water. No data available No data available No data available No data available No data available No data available No data available | Remarks/ - Mer None known ASTM D127 None known None known | <u>thod</u> |
| Flammable Properties | Not flammable | | |
| Explosive Properties Oxidizing Properties | No data available No data available | | |
| Other information | | | |
| VOC Content (%) | Not determined | | |

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | There is no data available for this product |
|---------------------|----------------------------------------------|
| Inhalation | There is no data available for this product. |
| Eye Contact | There is no data available for this product. |
| Skin Contact | There is no data available for this product. |
| Ingestion | There is no data available for this product. |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization Mutagenic Effects Carcinogenicity No information available. No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|------------------------------------------------------------|-------|---------|-----|------|
| Petroleum distillates, hydrotreated heavy naphthenic | A2 | Group 1 | | Х |

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

OSHA: (Occupational Safety & Health Administration) X - Present

| Reproductive Toxicity | No information available. |
|--------------------------|---------------------------|
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration Hazard | No information available. |

Numerical measures of toxicity - Product

Acute Toxicity16% of the mixture consists of ingredient(s) of unknown toxicity.The following values are calculated based on chapter 3.1 of the GHS document:LD50 Oral18653 mg/kg; Acute toxicity estimateLD50 Dermal4884 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name | Coxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------|
| Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5 | | LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss) | | EC50 48 h: > 1000 mg/L (Daphnia magna) |
| Persistence and Degradability | No informat | ion available. | | |
| Bioaccumulation | No informati | ion available. | | |
| Other Adverse Effects No information available. | | | | |
| | 13. DI | SPOSAL CONSIDERA | TIONS | |
| Vaste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (CFR 261). This material could become a hazardous waste if it is mixed with or otherwis comes in contact with a hazardous waste, if chemical additions are made to this material if the material is processed or otherwise altered. Consult 40 CFR 261 to determine wh the altered material is a hazardous waste. Consult the appropriate state, regional, or lo regulations for additional requirements. | | s mixed with or otherwise are made to this material, o R 261 to determine whethe | | |
| Contaminated Packaging | Do not re-us | se empty containers. | | |
| | 11 T | RANSPORT INFORMA | TION | |

DOT

Not regulated

15. REGULATORY INFORMATION

| International Inventories | |
|---------------------------|----------|
| TSCA | Complies |
| DSL | Complies |

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical Name | CAS-No | Weight % | SARA 313 - Threshold Values % |
|------------------------------|------------|----------|----------------------------------|
| Naphthenic acids, zinc salts | 12001-85-3 | 1 | 1.0 |

SARA 311/312 Hazard Categories

| Acute Health Hazard | No |
|-----------------------|-----|
| Chronic Health Hazard | Yes |
| Fire Hazard | No |

| Sudden Release of Pressure Hazard | No |
|-----------------------------------|----|
| Reactive Hazard | No |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Illinois | Rhode Island |
|------------------------------------------------------------|------------|---------------|--------------|----------|--------------|
| Petroleum distillates, hydrotreated heavy naphthenic | | | | Х | |
| Tallow oil | | | Х | | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

| 16. OTHER INFORMATION | | | | |
|-----------------------|------------------|----------------|-------------------|------------------------------------|
| NFPA | Health Hazard 1 | Flammability 0 | Instability 0 | Physical and Chemical Hazards - |
| HMIS | Health Hazard 1* | Flammability 0 | Physical Hazard 0 | Personal Protection X |

*Indicates a chronic health hazard.

| Prepared By | Product Stewardship |
|---------------|---------------------------|
| | 23 British American Blvd. |
| | Latham, NY 12110 |
| | 1-800-572-6501 |
| Issuing Date | 15-Dec-2014 |
| Revision Date | 15-Dec-2014 |
| Revision Note | Initial Release. |

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. End of Safety Data Sheet