

SAFETY DATA SHEET

Issuing Date 17-Oct-2014	Revision Date 07-Sep-2018	Revision Number 2
1. IDENTIFICATION OF TH	IE SUBSTANCE/PREPARATION AND THE O	COMPANY/UNDERTAKING
GHS product identifier		
Product Name	Door-Ease Compound	
Other means of identification		
Product Code(s)	CEK-3OL, DE-1, DE-2, DE-25, DE-3, DEB-2, DEB-3, (765-1385), DEK-3H, DEP-1, DEP-3, DKC-3, DR-2, D TM-2, TM-2BG, TM-2BR, TM-2PP, ZE-2 N/C, ZE-2CC ZE-2CGF, ZE-3	R-2CH, DR-2GG, TA-2, TA-2ML,
Synonyms	Door-Ease, Drill-Ease, Tap-Ease, Trim-Ease, Zipper-E	ase
Recommended use of the chemica	l and restrictions on use	
Recommended Use	Sliding door and window channels, curtain rod slides, sunroofs, seat tracks, screws and nails, and power an types of drilling applications, all types of tap and die ap plastic laminates, metal or plastic zipper teeth of garm equipment, wet suits, tarps, upholstery.	d handsaw blades, drill bits for all oplications, use in the trimming of
Uses advised against	No information available	
Supplier's details		
Supplier Address AGS Company Automotive Solutions LLC P.O. Box 729 Muskegon, MI 49443 TEL: 800-253-0403		
Emergency telephone number		
Emergency Telephone Number	800-255-3924	
	2. HAZARDS IDENTIFICATION	
<u>Classification</u>		

This product is not considered hazardous by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word	None	
Hazard Statements • None		
The product contai	ns no substances which at their given concentration are c	considered to be hazardous to health
Appearance Tan, Wax.	Physical State Semi-Solid.	Odor Petroleum.
Precautionary Statements Prevention • None General Advice • None Storage • None Disposal • None		
Hazard Not Otherwise Clas	ssified (HNOC)	
Not applicable.		
Other information None known.		
	C 07070/ of the minture consists of instructions!	

Unknown acute toxicity

6.9707% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

Door-Ease, Drill-Ease, Tap-Ease, Trim-Ease, Zipper-Ease

Chemical Name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	15-40	*
Paraffin	8002-74-2	15-40	*
Microcrystalline wax	63231-60-7	10-30	*
Tallow oil	61789-97-7	1-5	*
Carnauba wax	8015-86-9	1-5	*
Neodecanoic acid, zinc salt	27253-29-8	0.1-1	*
Naphthenic acids, zinc salts	12001-85-3	0.1-1	*
Polyethylene	9002-88-4	0.1-1	*
Petroleum distillates, hydrotreated middle	64742-46-7	0.1-1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin Contact Wash skin with soap and water.

Inhalation Move to fresh air.

Ingestion Clean mouth with water and afterwards drink plenty of water.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available

Specific Hazards Arising from the Chemical No information available.

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective equipment and emergency procedures			
Personal Precautions	Ensure adequate ventilation.		
Environmental Precautions			
Environmental Precautions	See Section 12 for additional Ecological Information.		
Methods and materials for conta	ainment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for Cleaning Up	Pick up and transfer to properly labeled containers.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Handling	Handle in accordance with good industrial hygiene and safety practice.		
Conditions for safe storage, inc	luding any incompatibilities		
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Incompatible Products	None known based on information supplied.		
8. E	EXPOSURE CONTROLS / PERSONAL PROTECTION		

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Paraffin 8002-74-2	TWA: 2 mg/m ³	(vacated) TWA: 2 mg/m ³	TWA: 2 mg/m ³

Appropriate engineering controls

Engineering	Measures
-------------	----------

Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face ProtectionNone required for consumer use. If direct contact possible: Safety glasses with side-shields.
None required for consumer use. If direct contact possible: Wear protective gloves/clothing.
If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved
respiratory protection should be worn. Positive-pressure supplied air respirators may be
required for high airborne contaminant concentrations. Respiratory protection must be
provided in accordance with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Semi-Solid.	Appearance	Tan, Wax.
Odor	Petroleum.	Odor Threshold	No information available.
Property	Values	Remarks/ -	Method
pH	Not applicable	None known	
Melting Point/Range	72 °C / 162 °F	None known	
Boiling Point/Boiling Range	300 °C / 572 °F	None known	
Flash Point	193 °C / 379 °F	Cleveland O	pen Cup (COC)
Evaporation rate	Slower than Butyl Acet		
Flammability (solid, gas)	No data available	None known	1
Flammability Limits in Air			
upper flammability limit	No data available		
lower flammability limit	No data available		
Vapor Pressure	No data available	None known	1
Vapor Density	Heavier than air	None known	1
Specific Gravity	0.75	None known	1
Water Solubility	Insoluble in water.	None known	1
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octand		None known	-
Autoignition Temperature	No data available	None known	
Decomposition Temperature	No data available	None known	
Viscosity	No data available	None known	1
Flammable Properties	No data available.		
Explosive Properties	No data available		
Oxidizing Properties	No data available		
Other information			
VOC Content (%)	0		

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	There is no data available for this product
Inhalation	There is no data available for this product.
Eye Contact	There is no data available for this product.
Skin Contact	There is no data available for this product.
Ingestion	There is no data available for this product.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization	No information available
Mutagenic Effects	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Polyethylene		Group 3		

Reproductive ToxicityNo information availableSTOT - single exposureNo information availableSTOT - repeated exposureNo information availableAspiration HazardNo information available.

Numerical measures of toxicityProductUnknown acute toxicity6.9707% of the mixture consists of ingredient(s) of unknown toxicity.The following values are calculated based on chapter 3.1 of the GHS document:LD50 Oral5960 mg/kg; Acute toxicity estimateLD50 Dermal4706 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)	-	EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated middle 64742-46-7		LC50: 35 mg/L Pimephales promelas 96 h flow-through LC50: >10000 mg/L Pimephales promelas 96 h static		

Persistence and Degradability

No information available

Bioaccumulation

Chemical Name	Log Pow
Microcrystalline wax	6.006

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS					
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.				
Contaminated Packaging	Do not re-use empty containers.				
14. TRANSPORT INFORMATION					
DOT	Not regulated				
TDG	Not regulated				
MEX	Not regulated				
ICAO	Not regulated				
IATA	Not regulated				
IMDG/IMO	Not regulated				
RID	Not regulated				
ADR	Not regulated				
ADN	Not regulated				
15. REGULATORY INFORMATION					
International Inventories TSCA DSL/NDSL	Contact supplier for inventory compliance status Contact supplier for inventory compliance status				
Legend					

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Neodecanoic acid, zinc salt		Х		
Naphthenic acids, zinc salts		Х		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Petroleum distillates, hydrotreated heavy naphthenic				Х	
Paraffin	Х	Х	Х	-	Х
Tallow oil					Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION						
NFPA	Health Hazard 1	Flammability 0	Instability 0	Physical and Chemical Hazards -		
<u>HMIS</u>	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal Protection X		
Prepared By	23 Britis	Stewardship h American Blvd. NY 12110 72-6501				
Issuing Date Revision Date Revision Note	17-Oct-2 07-Sep-2 Initial Re	2018				

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. End of Safety Data Sheet