

# SAFETY DATA SHEET

Issuing Date 12-Jan-2016 Revision Date 12-Jan-2016 Revision Number 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

## **GHS** product identifier

Product Name Lock De-Icer

Other means of identification

Product Code(s) MZ-1, MZ-1H

UN-Number UN1219

Synonyms Lock De-Icer

#### Recommended use of the chemical and restrictions on use

Recommended Use Lock De-Icer Thaws frozen locks quickly and keeps them working! Also lubricates internal

lock mechanism to prevent further freezing and protect against rust. Not harmful to automotive paint finishes. Suggested applications: auto and home door locks, gas cap

locks, bike rack locks, ski box locks, and luggage box locks.

Uses advised against No information available

#### Supplier's details

Supplier Address AGS Company P.O. Box 729 Muskegon, MI 49443

TEL: 800-253-0403

#### **Emergency telephone number**

**Emergency Telephone** 

800-255-3924

Number

## 2. HAZARDS IDENTIFICATION

#### Classification

This product is considered hazardous by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Serious Eye Damage/Eye Irritation	Category 2
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3
Flammable liquids	Category 2

## GHS Label elements, including precautionary statements

## **Emergency Overview**

## Signal Word

#### **Hazard Statements**

Causes serious eye irritation

- May cause drowsiness or dizziness
- · Highly flammable liquid and vapor.



Appearance Colorless.

Physical State Liquid.

**Odor** Pleasant

#### **Precautionary Statements**

#### Prevention

· Wash face, hands and any exposed skin thoroughly after handling.

**Danger** 

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.
- · Keep cool.

#### **General Advice**

IF exposed

#### Eves

- ÎF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

#### Skin

• IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

#### Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Call a POISON CENTER or doctor/physician if you feel unwell.

#### Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

#### Storage

- Store in a well-ventilated place. Keep container tightly closed.
- · Store locked up.

## Disposal

• Dispose of contents/container to an approved waste disposal plant.

### **Hazard Not Otherwise Classified (HNOC)**

Not applicable.

#### Other information

No information available.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms Lock De-Icer

Chemical Name	CAS-No	Weight %	Trade secret
Isopropyl alcohol	67-63-0	60-100	*

#### 4. FIRST AID MEASURES

**Description of necessary first-aid measures** 

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin Contact** Wash skin with soap and water.

**Inhalation** Move to fresh air.

**Ingestion** Clean mouth with water and afterwards drink plenty of water.

**Protection of First-aiders** Remove all sources of ignition.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media

Use: Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

#### **Specific Hazards Arising from the Chemical**

Flammable. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge Yes.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded.

**Environmental Precautions** 

**Environmental Precautions** Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

**Methods for Containment** A vapor suppressing foam may be used to reduce vapors.

Methods for Cleaning Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Non-sparking tools should be used. Sweep up and shovel into suitable containers

for disposal.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Handling Use only in an area containing flame proof equipment. Use only in area provided with

appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid breathing vapors. Remove and wash contaminated clothing

before re-use.

Conditions for safe storage, including any incompatibilities

**Storage** Keep away from open flames, hot surfaces and sources of ignition. Keep container tightly

closed in a dry and well-ventilated place.

**Incompatible Products** Strong acids. Strong bases. Strong oxidizing agents.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	

## **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection None required for consumer use. Risk of contact, wear: Safety glasses with side-shields. None required for consumer use. Repeated or prolonged contact: Gloves should be worn. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures** 

Handle in accordance with good industrial hygiene and safety practice.

None known

None known

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Liquid. Appearance Colorless.

Odor Pleasant. Odor Threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks/ - Method</u>

No data available None known pН Melting Point/Range None known No data available **Boiling Point/Boiling Range** 180.1 °F None known 53.6 °F **Flash Point** None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data availableVapor PressureNo data available

**Vapor Density** No data available None known **Specific Gravity** No data available None known None known **Water Solubility** Miscible Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known None known **Autoignition Temperature** No data available No data available **Decomposition Temperature** None known

Viscosity 2.04

Flammable Properties Not flammable

Explosive Properties No data available Oxidizing Properties No data available

Other information

VOC Content (%) No data available

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

## **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

### **Incompatible materials**

Strong acids. Strong bases. Strong oxidizing agents.

## **Hazardous decomposition products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information There is no data available for this product

**Inhalation** There is no data available for this product. May cause drowsiness and dizziness based on

components.

Eye ContactThere is no data available for this product.Skin ContactThere is no data available for this product.IngestionThere is no data available for this product.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Sensitization No information available. Mutagenic Effects**No information available.

**Carcinogenicity** Contains no ingredients above reportable quantities listed as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		

### Legend:

IARC: (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to its Carcinogenicity to Humans

**Reproductive Toxicity**No information available.

STOT - single exposure May cause drowsiness or dizziness

**STOT - repeated exposure Aspiration Hazard**No information available.
No information available.

#### Numerical measures of toxicity - Product

Acute Toxicity No information available.

The following values are calculated based on chapter 3.1 of the GHS document:

**LD50 Oral**4396 mg/kg; Acute toxicity estimate **LD50 Dermal**12800 mg/kg; Acute toxicity estimate

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)

Page 23

WPS-AGS-031 - Lock De-Icer Revision Date 12-Jan-2016

Isopropyl alcohol	EC50 96 h: > 1000 mg/L	LC50 96 h: = 11130 mg/L	
67-63-0	(Desmodesmus	static (Pimephales	
	subspicatus) EC50 72 h: >	promelas)	
	1000 mg/L (Desmodesmus	LC50 96 h: = 9640 mg/L	
	subspicatus)	flow-through (Pimephales	
		promelas)	
		LC50 96 h: > 1400000 µg/L	
		(Lepomis macrochirus)	

Persistence and Degradability

No information available.

#### **Bioaccumulation**

Chemical Name	Log Pow
Isopropyl alcohol	0.05

## **Other Adverse Effects**

No information available.

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local regulations. This material, as supplied, is a hazardous

waste according to federal regulations (40 CFR 261).

**Contaminated Packaging** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

DOT

UN1219
Proper shipping name UN1219
Isopropanol

Hazard Class 3 Packing Group II

**Description** UN1219, Isopropanol (<TND>), 3, II

Emergency Response Guide 12

Number

**ICAO** 

UN-Number UN1219 Proper shipping name Isopropanol

Hazard Class 3
Packing Group ||

**Description** UN1219, Isopropanol, 3, II

IATA

UN1219
Proper Shipping Name UN1219
Isopropanol

Hazard Class 3
Packing Group II
ERG Code 3L

**Description** UN1219, Isopropanol, 3, II

IMDG/IMO

UN1219 Proper Shipping Name UN1219 Isopropanol

Hazard Class 3
Packing Group II
EmS No. F-E, S-D

**Description** UN1219, Isopropanol, 3, II

#### 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies
DSL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardYesSudden Release of Pressure HazardNoReactive HazardNo

## Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **U.S. State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

	Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Г	Isopropyl alcohol	X	X	X		X

### U.S. EPA Label Information

#### EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 1	Flammability 3	Instability 0	Physical and Chemical Hazards -	
<u>HMIS</u>	Health Hazard 1	Flammability 3	Physical Hazard 0	Personal Protection X	

Prepared By
Product Stewardship
23 British American Blvd.

Latham, NY 12110 1-800-572-6501 12-Jan-2016 12-Jan-2016

Issuing Date12-Jan-2016Revision Date12-Jan-2016Revision NoteInitial Release.

**General Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet** 

\_\_\_\_\_