SAFETY DATA SHEET

Product Name:

RainguardPro® Metalithane HD Metallic Aliphatic

Polyurethane (Part A)

Product Codes(2 Part Kit):	MT-0601, MT-0701, MT-0801, MT-0901, MT-0632, MT-0732, MT-0832, MT-0932
SECTION 1: Identification	
MANUFACTURER:	Rainguard Brands, LLC RainguardPro 2736 West McDowell Road Phoenix, AZ 85009 United States of America
RAINGUARD PHONE:	(949) 515-8800
POISON CENTER:	(800) 222-1222
EMAIL:	support@rainguardpro.com
WEBSITE:	rainguardpro.com
REVISION DATE:	10/12/2023
SECTION 2: Hazards Identification	
SECTION 2: Hazards Identification	
SECTION 2: Hazards Identification OSHA/HCS Status:	This material is considered non-hazardous by the OSHA Hazard Communication (29 CFR 1910.1200)
	OSHA Hazard Communication
OSHA/HCS Status:	OSHA Hazard Communication (29 CFR 1910.1200)
OSHA/HCS Status: GHS label elements :	OSHA Hazard Communication (29 CFR 1910.1200) No pictogram required
OSHA/HCS Status: GHS label elements: Signal Words:	OSHA Hazard Communication (29 CFR 1910.1200) No pictogram required None required
OSHA/HCS Status: GHS label elements: Signal Words: Hazard statements:	OSHA Hazard Communication (29 CFR 1910.1200) No pictogram required None required
OSHA/HCS Status: GHS label elements: Signal Words: Hazard statements: PRECAUTIONARY STATEMENTS	OSHA Hazard Communication (29 CFR 1910.1200) No pictogram required None required None required Read label before use. Keep out of reach of children. If medical advice is needed, Have

protection.

Storage Disposal: Store in a well-ventilated place. Keep cool.

Hazards not otherwise classified: Mild irritation of contaminated tissue and the

potential for accidental ingestion

EYES The liquid is severely irritating to the eyes. High

vapor concentrations are also irritating.



SKIN The liquid is moderately irritating to the skin.

Prolonged or repeated contact can result in drying of the skin which may result in skin irritation and dermatitis (rash). The liquid may be absorbed

through the skin.



INGESTION Ingestion may cause headache, dizziness, fatigue,

and central nervous system depression along with

gastrointestinal disturbances.

INHALATION Vapors may be an irritation to the nose, throat,

and respiratory tract. Exposure to high vapor concentrations may cause central nervous system (CNS)depression. Aspiration of liquid may cause pneumonitis, pulmonary, edema, and hemorrhage.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE TOXICITY: Irritation as noted above. Early to moderate CNS

depression may be evidenced by giddiness, headache, dizziness, and nausea; in extreme cases, unconsciousness and death may occur.

MEDICAL CONDITIONS AGGRAVATED: Pre-existing eye and skin disorders may be

aggravated.

Flammability Hazards: This product is not flammable. If this product is

involved in a fire, the decomposition products generated will include irritating vapors and gases

and some carbon monoxide.

Reactivity Hazards: This product is not reactive.

Environmental Hazards: Although the release of this product to the

environment is not expected to cause a significant adverse effect, all releases should be avoided.

Emergency Considerations: Emergency responders should wear appropriate

protection for the situation to which they respond.

SECTION 3: Composition

HAZARDOUS COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER OR REPRODUCTIVE HARM.

OTHER INGREDIENTS	CAS#	% BY MASS	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Dipropylene glycol dimethyl ether	111109-77-4	3.00 - 7.00%	None	None	None
Propylene glycol methyl ether	107-98-2	1.00 - 5.00%	None	100 ppm-TWA 150 ppm-STEL	None
Ethylene glycol butyl ether	111-76-2	1.00 - 5.00%	50 ppm; 240 mg/m3	20 ppm	NIOSH- 5 ppm; 24 mg/m3
Triethylamine	121-44-8	0.50 - 1.50%	25 ppm	1 ppm (skin)	None

SECTION 4: First Aid Measures

Get immediate medical attention for any significant overexposure.

EYE EXPOSURE: Remove contacts if present; Immediately flush the

eyes with water for at least 10-15 minutes; Seek

medical attention if irritation persists

SKIN EXPOSURE: Wash exposed areas with soap and water.

Remove contaminated clothing and shoes. Wash

contaminated clothing before reuse.

INHALATION: Move victim to fresh air. If the victim has difficulty

breathing, administer oxygen. If breathing has stopped, initiate CPR. Seek immediate medical

attention.

INGESTION: Never give an unconscious person anything to

drink. If conscious, treat for shock. Seek immediate medical assistance or the nearest poison control center. If conscious, induce vomiting. If unconscious and vomiting, turn the

victim on their side to avoid choking.

CARCINOGENICITY: NTP: No

IARC Monographs: No OSHA Regulated: No

SECTION 5: Fire Fighting Measures

FLASH POINT: None

METHOD N/A

LOWER EXPLOSION LIMIT: Not available

UPPER EXPLOSION LIMIT: Not available

AUTOIGNITION TEMPERATURE: Not available

EXTINGUISHING MEDIA: CO2, dry chemical or water fog.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide and carbon dioxide can form.

Smoke, fumes.

PROTECTIVE EQUIPMENT FOR

FIREFIGHTERS:

Use accepted fire fighting techniques. Wear full

firefighting protective clothing, including

self-contained breathing apparatus (SCBA). If

water is used, fog nozzles are preferable. Use

water to cool closed containers.

FIRE AND EXPLOSION CONDITIONS: This product not expected to ignite under normal

conditions of use.

SECTION 6: Accidental Release Measures

Remove and eliminate all ignition sources. Control the source of the spill. Ventilate confined spaces. Avoid breathing vapors or mist. Dike and soak up spill with absorbent material such as sand or Fuller's Earth. Recover free liquid and absorbent material from spill area and shovel or broom into appropriate chemical waste containers for proper disposal. Persons performing clean up should wear adequate personal protective equipment and clothing. Keep out of storm drains, sewers and waterways. Observe all local, state and federal laws and regulations regarding spills, clean-up, removal, discharge and disposal.

SECTION 7: Handling and Storage

Keep containers tightly closed when not in use. Do not store or handle near a heat source, sparks, open flame or strong oxidizing materials. Use and store only in cool and well-ventilated areas. Care should be taken to prevent moisture condensation in the container. Avoid breathing vapors. Avoid contact with skin. Keep out of the reach of children.

SECTION 8: Exposure Controls and Personal Protection

The recommendations described in this section are provided as general guidance for minimizing exposure when handling this product. Because use conditions will vary depending upon customer applications, specific safe handling procedures should be developed by a person knowledgeable of the intended use, working conditions, and equipment.

RESPIRATORY PROTECTION: Use in a well ventilated and/or open area. Use appropriate

NOISH approved organic vapor cartridge respirator equipment

when occupational exposure limits are exceeded.

VENTILATION: Local exhaust and or mechanical ventilation in confined or

poorly ventilated spaces are recommended.

PROTECTIVE GLOVES: Wear Neoprene or non-soluble plastic gloves.

EYE PROTECTION: Use Approved splash goggles.

PROTECTIVE CLOTHING: Wear long-sleeve clothing selected for condition exposure

potential.

INDUSTRIAL HYGIENE: Before eating or smoking, wash hands and face to remove

residual contamination.

SECTION 9: Physical and Chemical Properties

BOILING POINT: 212° F

VAPOR DENSITY (AIR =1): No data available

FLAMMABILITY/EXPLOSIVE LIMITS: No data available

pH: 7 - 8 (Determined in a 10% aqueous solution)

MATERIAL V.O.C.: 0 g/L

SPECIFIC GRAVITY (H20 = 1): Approximately 1.19 @25 °C (77 °F)

EVAPORATION RATE (ETHER = 1): No data available

VISCOSITY: 65 KU

MELTING/FREEZING POINT (°C): 0 °C (32 °F) similar to water

SOLUBILITY IN WATER: Miscible in water

APPEARANCE & ODOR: Colored liquid with mild odor

VAPOR PRESSURE (mm HG): No data available

SECTION 10: Stability and Reactivity

SUBSTANCES TO AVOID: Do not mix with other chemicals.

CHEMICAL STABILITY: Stable under recommended storage conditions.

DO NOT FREEZE OR EXPOSE TO EXTREME

HEAT.

POSSIBILITY OF HAZARDOUS REACTIONS: Hazardous polymerization does not occur.

HAZARDOUS DECOMPOSITION OR THERMAL

BYPRODUCTS:

Carbon dioxide and carbon monoxide.

SECTION 11: Toxicological Information

Oral LD50	-> 5,000 mg/kg (Calculation method)
Inhalation LD50	No data available
Dermal LD50:	No data available
Other information on acute toxicity:	No data available
SKIN CORROSION/IRRITATION:	No data available
SERIOUS EYE DAMAGE/IRRITATION:	No data available
RESPIRATORY OR SKIN SENSITIZATION:	No data available
GERM CELL MUTAGENICITY:	No data available
CARCINOGENICITY	
IARC:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC
ACGIH:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.
NTP:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
OSHA:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.
REPRODUCTIVE TOXICITY:	No data available
TERATOGENICITY:	No data available
SPECIFIC TARGET ORGAN TOXICITY:	No data available
ASPIRATION HAZARD:	No data available
POTENTIAL HEALTH EFFECTS	
Inhalation:	May be harmful if inhaled. May cause respiratory

tract irritation.

Ingestion: May be harmful if swallowed.

8

Skin: May be harmful if absorbed through skin. May

cause skin irritation.

Eyes: May cause eye irritation.

SIGNS AND SYMPTOMS OF EXPOSURE: May cause argyria (a slate-grey or bluish discoloration of the skin and deep tissues to the deposit of insoluble albuminate of silver. Exposure to silver compounds can cause contact dermatitis. The toxicological properties have not been thoroughly investigated. The data supplied are for closely related compounds. No data available.

SYNERGISTIC EFFECTS: No data available

ADDITIONAL INFORMATION: RTECS not available

SECTION 12: Ecological Information

No Data Available

SECTION 13: Disposal Considerations

DISPOSAL: Do not allow material to contaminate or cause to be discharged into any storm drain, lake, stream, pond, underground water supplies or any body of water. Incinerate and or bury waste and containers at an approved facility. Dispose of waste materials and containers in accordance with all federal, state and local health, safety and environmental regulations.

SECTION 14: Transportation Information

DOT (US): Not regulated

CANADA (TDG): Not regulated

DOT PROPER SHIPPING NAME: N/A

UN / NA Number: N/A

Hazard Class: N/A

Packing Group:	N/A
----------------	-----

SECTION 15: Regulatory Information

NORTH AMERICAN INVENTORIES: All components listed or exempt from the TSCA

inventory. This product or its components are listed on, or exempt from the Canadian Domestic

Substances List.

CANADIAN REGULATIONS

WHMIS Classification: D2A

This is a "controlled product" under the Canadian Workplace Hazardous Materials Information

System (WHMIS)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR.

OTHER REGULATIONS: Regulatory VOC (less water and exempt solvent)

0 g/L

SECTION 16: Other Information

HMIS RATING:		KEY:
HEALTH	1	0 = Minimum
FLAMMABILITY	0	1 = Slight
REACTIVITY	0	2 = Moderate
PPE	Α	3 = Serious
		4 = Severe

LEGEND:	
ACGIG - American Conference of Governmental Hygienists	IARC - International Agency for Research on Cancer
OSHA - Occupational Safety and Health Administration	TSCA - Toxic Substances Control Act
DOT - Department of Transportation	MSHA - Mine Safety Health Administration

PEL - Permissible Exposure Limit	TWA - Time Weighted Average
DSL - Domestic Substance List	NDSL - Non-Domestic Substance List
RCRA - Resource Conservation and Recovery Act	V - Volume
EPA - Environmental Protection Agency	NIOSH - National Institute for Occupational Safety Health
STEL - Short Term Exposure Limit	VOC - Volatile Organic Compound
HMIS - Hazardous Materials Information System	NTP - National Toxicology Program
TLV - Threshold Limit Value	WHMIS - Workplace Hazardous Materials Information System

DISCLAIMER: The information contained in the document relates to the specific material designated and may not be valid for such material used in combination with any other material or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for their own particular use. Rainguard Brands, LLC and RainguardPro do not accept liability for any loss or damage that may occur from the use or reliance upon this information.