SAFETY DATA SHEET

Product Name:	RainguardPro® Slip Resist Anti-Slip Additive
Product Codes:	SP-1306, SP-1307, SP-1609, SP-1610
SECTION 1: Identification	
MANUFACTURER:	Rainguard Brands, LLC RainguardPro 2736 West McDowell Road Phoenix, AZ 85009 United States of America
RAINGUARD PHONE:	(949) 515-8800
POISON CENTER:	(800) 562-8236
EMAIL:	support@rainguardpro.com
WEBSITE:	rainguardpro.com
REVISION DATE:	06/15/2021
SECTION 2: Hazards Identification	
SECTION 2: Hazards Identification	
SECTION 2: Hazards Identification OSHA/HCS Status:	This material is considered non-hazardous by the OSHA Hazard Communication (29 CFR 1910.1200) Classification of the Substrate of Mixture: Skin Sensitization- Category 1
	OSHA Hazard Communication (29 CFR 1910.1200) Classification of the Substrate of Mixture: Skin
OSHA/HCS Status:	OSHA Hazard Communication (29 CFR 1910.1200) Classification of the Substrate of Mixture: Skin
OSHA/HCS Status: GHS label elements :	OSHA Hazard Communication (29 CFR 1910.1200) Classification of the Substrate of Mixture: Skin Sensitization- Category 1
OSHA/HCS Status: GHS label elements: Signal Words:	OSHA Hazard Communication (29 CFR 1910.1200) Classification of the Substrate of Mixture: Skin Sensitization- Category 1 Warning May cause an allergic skin reaction

children. If medical advice is needed, Have

product container or label on hand.

Prevention: Wear protective gloves. Wear eye or face

protection.

Storage Disposal: Store in a well-ventilated place. Keep cool.

Hazards not otherwise classified: None known

EYES Mild irritation of contaminated tissue and the

potential for accidental ingestion.

SKIN Prolonged or repeated contact can result in drying

of the skin which may result in skin irritation and dermatitis (rash).



SECTION 3: Composition

OTHER INGREDIENTS CAS # % BY MASS

THIS PRODUCT DOES NOT CONTAIN ANY SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER OR REPRODUCTIVE HARM.

There are no chemicals subject to the reporting requirements of Section 313 (SARA Title III) and of 40 CFR 372

SECTION 4: First Aid Measures

Get immediate medical attention for any significant overexposure.

EYE EXPOSURE: Flush eyes with running water for at least 15

minutes. Hold eyelids apart to insure rinsing of the entire surface of the eye and lids with water. Seek

immediate medical attention.

SKIN EXPOSURE: Wash exposed areas with soap and water.

Remove contaminated clothing and shoes. Wash

contaminated clothing before reuse.

INHALATION: Move victim to fresh air. If the victim has difficulty

breathing, administer oxygen. If breathing has stopped, initiate CPR. Seek immediate medical

attention.

INGESTION: Never give an unconscious person anything to

drink. If conscious, treat for shock. Seek

immediate medical assistance or nearest poison control center. If conscious, induce vomiting. If unconscious and vomiting, turn the victim on their side to avoid choking. Do not induce

vomiting.

CARCINOGENICITY: NTP: No

IARC Monographs: No OSHA Regulated: No

SECTION 5: Fire Fighting Measures

FLASH POINT: None

METHOD N/A

LOWER EXPLOSION LIMIT: Not available

UPPER EXPLOSION LIMIT: Not available

AUTOIGNITION TEMPERATURE: Not available

EXTINGUISHING MEDIA: CO2, dry chemical or foam.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide and carbon dioxide can form.

Smoke, fumes.

PROTECTIVE EQUIPMENT FOR

FIREFIGHTERS:

Use accepted fire fighting techniques. Wear full

firefighting protective clothing, including

self-contained breathing apparatus (SCBA). If

water is used, fog nozzles are preferable. Use

water to cool closed containers.

FIRE AND EXPLOSION CONDITIONS: This product not expected to ignite under normal

conditions of use.

SECTION 6: Accidental Release Measures

Remove and eliminate all ignition sources. Control the source of the spill. Ventilate confined spaces. Avoid breathing vapors or mist. Dike and soak up spill with absorbent material such as sand or Fuller's Earth. Recover free liquid and absorbent material from spill area and shovel or broom into appropriate chemical waste containers for proper disposal. Persons performing clean up should wear adequate personal protective equipment and clothing. Keep out of storm drains, sewers and waterways. Observe all local, state and federal laws and regulations regarding spills, clean-up, removal, discharge and disposal.

SECTION 7: Handling and Storage

Keep containers tightly closed when not in use. Do not store or handle near a heat source, sparks, open flame or strong oxidizing materials. Use and store in only in cool and well-ventilated areas. Care should be taken to prevent moisture condensation in the container. Avoid breathing vapors. Avoid contact with skin. Keep out of the reach of children.

SECTION 8: Exposure Controls and Personal Protection

The recommendations described in this section are provided as general guidance for minimizing exposure when handling this product. Because use conditions will vary depending upon customer applications, specific safe handling procedures should be developed by a person knowledgeable of the intended use, working conditions, and equipment.

RESPIRATORY PROTECTION: Use in a well ventilated and/or open area. Use appropriate

NOISH approved organic vapor cartridge respirator equipment

when occupational exposure limits are exceeded.

VENTILATION: Local exhaust and or mechanical ventilation in confined or

poorly ventilated spaces are recommended.

PROTECTIVE GLOVES: Wear Neoprene or non-soluble plastic gloves.

EYE PROTECTION: Use Approved splash goggles.

PROTECTIVE CLOTHING: Wear long-sleeve clothing selected for condition exposure

potential.

INDUSTRIAL HYGIENE: Before eating or smoking, wash hands and face to remove

residual contamination.

SECTION 9: Physical and Chemical Properties

BOILING POINT: N/A

VAPOR DENSITY (AIR =1): Heavier than air

FLAMMABILITY/EXPLOSIVE LIMITS: No data available

pH: 8.5

MATERIAL V.O.C.: 0 lb/gal

SPECIFIC GRAVITY (H20 = 1): .86

EVAPORATION RATE (ETHER = 1): Slower than ether

VISCOSITY: No data available

MELTING/FREEZING POINT (°C): N/A

SOLUBILITY IN WATER: N/A

APPEARANCE & ODOR: White

VAPOR PRESSURE (mm HG): 1.0 hPa (68 °F)

SECTION 10: Stability and Reactivity

STABILITY: Stable under the recommended storage and

handling conditions (see section 7).

CONDITIONS TO AVOID: None Known

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION OR THERMAL

BYPRODUCTS:

In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide and

oxides of nitrogen may be produced.

SECTION 11: Toxicological Information

No ingredients in this product is an IARC, NTP or OSHA listed carcinogen.

SECTION 12: Ecological Information

No Data Available

SECTION 13: Disposal Considerations

DISPOSAL: Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Do not allow material to contaminate or cause to be discharged into any storm drain, lake, stream, pond, underground water supplies or any body of water. Incinerate in approved facility. Do not incinerate closed container. Dispose of waste materials and containers in accordance with all federal, state and local health, safety and environmental regulations.

SECTION 14: Transportation Information

DOT (US): Not regulated

CANADA (TDG): Not regulated

DOT PROPER SHIPPING NAME: N/A

UN / NA Number: N/A

Hazard Class: N/A

Packing Group: N/A

SECTION 15: Regulatory Information

NORTH AMERICAN INVENTORIES: All components listed or exempt from the TSCA

inventory. This product or its components are listed

on, or exempt from the Canadian Domestic

Substances List.

CANADIAN REGULATIONS:

WHMIS Classification:

D2A

This is a "controlled product" under the Canadian Workplace Hazardous Materials Information System (WHMIS

SECTION 16: Other Information

HMIS RATING:		KEY:
HEALTH	1	0 = Minimum
FLAMMABILITY	0	1 = Slight
REACTIVITY	0	2 = Moderate
PPE	Α	3 = Serious
		4 = Severe

LEGEND:		
ACGIG - American Conference of Governmental Hygienists	IARC - International Agency for Research on Cancer	
OSHA - Occupational Safety and Health Administration	TSCA - Toxic Substances Control Act	
DOT - Department of Transportation	MSHA - Mine Safety Health Administration	
PEL - Permissible Exposure Limit	TWA - Time Weighted Average	
DSL - Domestic Substance List	NDSL - Non-Domestic Substance List	
RCRA - Resource Conservation and Recovery Act	V - Volume	
EPA - Environmental Protection Agency	NIOSH - National Institute for Occupational Safety Health	
STEL - Short Term Exposure Limit	VOC - Volatile Organic Compound	
HMIS - Hazardous Materials Information System	NTP - National Toxicology Program	
TLV - Threshold Limit Value	WHMIS - Workplace Hazardous Materials Information System	

DISCLAIMER: The information contained in the document relates to the specific material designated and may not be valid for such material used in combination with any other material or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled.

However, no representation, warranty or guarantee, is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for their own particular use. Rainguard Brands, LLC and RainguardPro do not accept liability for any loss or damage that may occur from the use or reliance upon this information.