

The background features a light gray gradient with a network diagram of red lines and dots on the right side. On the left, there are several overlapping, semi-transparent red geometric shapes, including rectangles and curved segments, creating a layered, architectural effect.

**innocen**

**Keep Innovating!**

# Portable



## 13/15A1F

### Specifications

- Size: 13.3" /15.6"
- Resolution: 1920\*1080
- OLED
- Brightness: 400cd/m<sup>2</sup>(Typ)
- Refresh rate: 60Hz
- Gamut:100%DC1-P3, 10bits (8bit+2bitFRC)
- Built-in Speaker
- TUV Eye-care
- Magnetic Stand
- Mini-HDMI+2\*Type-C

# Portable



## PU15-PRE

### Specifications

- Size: 15.6" Touch Panel
- Support 10-dot Touch
- Resolution: **3840\*2160**
- OLED
- Brightness: 400cd/m<sup>2</sup>(Typ)
- Refresh rate: 60Hz
- Gamut:100%DC1-P3, 10bits (8bit+2bitFRC)
- Built-in Speaker
- TUV Eye-care
- Gravity Sensor
- Mini-HDMI+2\*Type-C+Audio

# Professional Design

## 24C1F-P

### Specifications:

- Size:23.8"
- Aspect Ratio: 16:9
- Panel: IPS
- Resolution: 1920\*1080
- Brightness : 300cd/m<sup>2</sup>(Typ)
- Refresh rate: 75Hz
- Gamut:  $\Delta E < 2$ , sRGB 99%
- Low blue light control
- Calibration Report
- Built-in Speaker
- Lifting and Rotating Bracket
- HDMI1.4+Type-C 65W+2USBA+1USBB 2.0+RJ45+audio out



# Professional Design

## 27C1U-L

### Specifications:

- Size: 27 "
- Aspect Ratio: 16:9
- Panel: IPS
- Resolution: 3840\*2160
- Brightness : 300cd/m<sup>2</sup>(Typ)
- Refresh rate: 60Hz
- Gamut:  $\Delta E < 2$ , sRGB 99%, DCI-P3 95%
- PIB/PBP , Built-in Speaker
- TUV Certification, Calibration Report
- Lifting and Rotating Bracket
- HDMI2.1+DP1.2+Type-C 15W +audio out



# Professional Design

## 27C1U-D

### Specifications:

- Size: 27 "
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 3840\*2160
- Brightness : 350cd/m<sup>2</sup>(Typ)
- Refresh rate: 60Hz
- Gamut:  $\Delta E < 2$ , sRGB100%, DCI-P3 98%, HDR400
- PIB/PBP ,Built-in Speaker
- TUV Certification, Calibration Report
- Lifting and Rotating Bracket
- HDMI2.1+DP1.2+Type-C 65W +audio out



# Professional Design

## 27C1U Pro

### Specifications:

- Size: 27 inch
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 3840\*2160
- Brightness : 320cd/m<sup>2</sup>(Typ)
- Refresh rate: 60Hz
- Gamut:  $\Delta E < 2$ , sRGB100%, DCI-P3 100%, HDR400
- PIB/PBP ; Built-in Speaker
- Lifting and Rotating Bracket,
- Full-Function Type-C 65W
- TUV Certification, Calibration Report
- HDMI2.0\*2+DP1.4+Type-C 65W+USB3.0\*3+audio out
- Sunhood ; Anti-reflection Film



# Professional Design

## 27C1U Super

### Specifications:

- Size: 27 inch
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 3840\*2160
- Brightness : 300cd/m<sup>2</sup>(Typ)
- Refresh rate: 60Hz
- Gamut:  $\Delta E < 2$ , sRGB 99%, DCI-P3 99%, Adobe RGB 99%,
- PIB/PBP ;
- Type-C 65W Reverse Charge
- Calibration Report
- HDMI2.0+DP1.4+Type-C 65W+2\*USB A 2.0+1\*USB B 2.0+Audio Out
- Multi-functional Base





# Professional Design

## 32C1U

### Specifications:

- Size: 32 "
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 3840\*2160
- Brightness : 350cd/m<sup>2</sup>(Typ)
- Refresh rate: 60Hz
- Gamut:  $\Delta E < 2$ , sRGB 99%, NTSC 95%, DCI-P3 95%, HDR400
- PIB/PBP ; Built-in speaker
- Lifting and Rotating Bracket
- Full-Function Type-C 65W
- DC Dimming; Calibration Report
- HDMI2.0\*2+DP1.4+Type-C 65W+audio out



# Professional Design

## 29C1F-D

### Specifications:

- Size: 29"
- Panel: IPS
- Aspect Ratio: 21:9
- Resolution: 2560\*1080
- Brightness : 350cd/m<sup>2</sup>(Typ)
- Refresh rate: 75Hz
- Gamut:  $\Delta E < 2$ , sRGB 99%, DCI-P3 94%
- PIP/PBP, Built-in Speaker
- TUV Certification, Calibration Report
- Full-Function Type-C 65W
- Lifting and Rotating Bracket
- 1\*HDMI 2.1+1\*DP 1.4+TYPE-C 65W+Audio Out



# Professional Design

## 40C1R

### Specifications:

- Size: 40"
- Panel: IPS
- Aspect Ratio: 21:9
- Resolution: 3440\*1440
- Brightness : 350cd/m<sup>2</sup>(Typ)
- Refresh rate: 144Hz
- Gamut:  $\Delta E < 2$ , sRGB 100%, NTSC 89%, DCI-P3 94%
- PIP/PBP, Multilingual Menu,
- TUV Certification, Calibration Report
- Full-Function Type-C 90W
- Lifting and Rotating Bracket
- 2HDMI+1DP+TYPE-C 90W++Audio Out+ Speaker



# High-efficient Screen

## 44C1G

### Specifications:

- Size: 43.8"
- Panel: IPS
- Aspect Ratio: 32:9
- Resolution: 3840\*1080
- Brightness : 350cd/m<sup>2</sup>(Typ)
- Refresh rate: 120Hz
- Gamut:  $\Delta E < 2$ , sRGB 100%, DCI-P3 96%, HDR400
- PIB/PBP , Built-in Speaker
- Lifting and Rotating Bracket
- Full-function Type-C 65W
- TUV Certification, Calibration Report
- 2HDMI+1DP+TYPE-C65W+Audio Out



# High-efficient Screen

## 45C1R

### Specifications:

- Size: 45"
- Panel: VA
- Aspect Ratio: 32:9
- Resolution: 5120x1440
- Brightness : 400cd/m<sup>2</sup>(Typ)
- Refresh rate: 120Hz
- Gamut:  $\Delta E < 2$ , sRGB 100%, DCI-P3 95%, HDR 400
- Calibration Report
- KVM, PIB/PBP , Built-in Speaker
- HDMI2.1\*2+DP1.4+TypeC 90W+USB 3.0\*3+RJ45  
+Audio out
- 200W Camera+4 Array Microphone



# High-efficient Screen

## 49C1G

### Specifications:

- Size: 49"
- Panel: VA
- Aspect Ratio: 32:9
- Resolution: 3840x1080
- Brightness : 350cd/m<sup>2</sup>(Typ)
- Refresh rate: 144Hz
- Gamut:  $\Delta E < 2$ , DCI-P3 95%
- Calibration Report
- KVM, PIB/PBP , Built-in Speaker
- HDMI2.1 + DP1.4 + TypeC65W + 2USBA + 1USBB2.0 + RJ45 + Audio out



# High-efficient Screen

## 49C1R

### Specifications:

- Size: 49"
- Panel: VA
- Aspect Ratio: 32:9
- Resolution: 5120x1440
- Brightness : 350cd/m<sup>2</sup>(Typ)
- Refresh rate: 120Hz
- Gamut:  $\Delta E < 2$ , DCI-P3 95%
- Calibration Report
- KVM, PIB/PBP , Built-in Speaker
- HDMI2.1+DP1.4+TypeC65W+3USB +RJ45+Audio out



# High-efficient Screen

## 28C1Q

### Specifications:

- Size: 28"
- Panel: Nano IPS
- Resolution: 2560\*2880
- Brightness : 300cd/m<sup>2</sup>(Typ)
- Aspect Ratio: 16:18
- Refresh rate: 60Hz
- Gamut: sRGB 100%, DCI-P3 98%,
- HDR 10
- 200W Camera
- Support PBP
- 2xHDMI2.1+DP1.4+Type-C 90W+2USB A+
- 1USB 3.0+audio out+RJ45



reddot design award





# Eye-Care



## 22D1F

### Specifications:

- Size: 21.5 "
- Panel: VA
- Aspect Ratio: 16:9
- Resolution: 1920\*1080
- Brightness : 250cd/m<sup>2</sup>(Typ)
- Refresh rate: 100Hz
- Gamut: sRGB 99%
- Low blue light control(hardware)
- HDMI1.4+DP1.2+TypeC15W+audio out

# Eye-Care



## 24D1F Pro

### Specifications

- Size: 23.8"
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 1920\*1080
- Refresh rate: 100Hz
- Gamut: sRGB 99%
- Response Time: 8ms
- Brightness : 250cd/m<sup>2</sup>(Typ)
- Low blue light control(hardware)
- HDMI1.4+DP1.2+TypeC15W+audio out

# Eye-Care



27D1F

## Specifications



- Size: 27"
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 1920\*1080
- Refresh rate: 100Hz
- Gamut: sRGB 99%
- Response Time: 5ms
- Brightness : 250cd/m<sup>2</sup>(Type)
- Low blue light control(hardware)
- HDMI1.4+DP1.2+TypeC15W+audio out

# Mini LED

## 27M2U-D

### Specifications:

- Size: 27"
- Panel: IPS
- Aspect Ratio: 16:9
- 384 Zone dimming
- Resolution: 3840\*2160
- Refresh rate: 60Hz
- Gamut:  $\Delta E < 2$ , DC1-P3 99%, AdobeRGB 99%  
1.07B(8bits+FRC), HDR1000
- Lifting and Rotating Bracket, light sensor
- Full-function Type-c 65W
- TUV Certification, Calibration Report
- 2HDMI 2.1+DP 1.4+TYPE-C 65W+Audio Out
- 65W Reverse Charge




# Mini LED

## 27M2U PRO

### Specifications:

- Size: 27"
- Panel: IPS
- Aspect Ratio: 16:9
- 2304 Zone dimming
- Resolution: 3840x2160
- Refresh rate: 60Hz
- Brightness : 1000cd/m<sup>2</sup>,HDR1000
- Gamut: DC1-P3 99%, AdobeRGB 99%
- Full-function Type-C 90W
- Lifting and Rotating Bracket, light sensor
- Built-in Speaker, Calibration Report
- 2HDMI+1DP+TYPE-C 90W+3USB+ Audio Out
- Dynamic gaming light effect of rear housing




# Mini LED

## 27M2V-D

### Specifications:

- Size: 27"
- Panel: IPS
- Aspect Ratio: 16:9
- 384 Zone dimming
- Resolution: 3840x2160
- Refresh rate: 160Hz
- Brightness : 1000cd/m<sup>2</sup>,HDR1000
- Gamut: DC1-P3 99%, AdobeRGB 99%
- Full-function Type-C 65W
- Lifting and Rotating Bracket, light sensor
- Built-in Speaker, Calibration Report
- 2HDMI+1DP+TYPE-C 65W+ Audio Out





# Mini LED

## 27M2V

### Specifications:

- Size: 27"
- Panel: IPS
- Aspect Ratio:16:9
- 1152 Zone dimming
- Resolution: 3840x2160
- Refresh rate: 160Hz
- Brightness : 1000cd/m<sup>2</sup>,HDR1000
- Gamut: DC1-P3 99%, AdobeRGB 99%
- Full-function Type-C 90W
- Lifting and Rotating Bracket, light sensor
- Built-in Speaker, Calibration Report
- Gravity Sensor, dynamic gaming light
- 2HDMI+1DP+TYPE-C 90W+2USBA 1USBB 3.0+ Audio Out




# Mini LED

## 32M2U

### Specifications:

- Size: 32"
- Panel: IPS
- Aspect Ratio: 16:9
- 2304 Zone dimming
- Resolution: 3840x2160
- Refresh rate: 60Hz
- Brightness : 1000cd/m<sup>2</sup>,HDR1000
- Gamut: DC1-P3 99%, AdobeRGB 99%
- Full-function Type-C 90W
- Lifting and Rotating Bracket, light sensor
- Built-in Speaker, Calibration Report
- 2HDMI+1DP+TYPE-C 90W+3USB+ Audio Out






# Mini LED

## 32M2V

### Specifications:

- Size: 32"
- Panel: IPS
- Aspect Ratio: 16:9
- 1152 Zone dimming
- Resolution: 3840x2160
- Refresh rate: 144Hz
- Brightness : 1000cd/m<sup>2</sup>,HDR1000
- Gamut: DC1-P3 99%, AdobeRGB 99%
- Full-function Type-C 90W
- Lifting and Rotating Bracket, light sensor
- Built-in Speaker, Calibration Report
- 2HDMI+1DP+TYPE-C 90W+3USB+ Audio Out



# Mini LED

## 34M1R

### Specifications:

- Size: 34"
- Panel: VA
- Aspect Ratio: 21:9
- Curvature: R1500
- 2304 zone dimming
- Resolution: 3440x1440
- Brightness : 1000cd/m<sup>2</sup>(Typ)
- Refresh rate: 165Hz
- Gamut: sRGB 99% ,DCI-P3 94%, HDR1000
- PIP/PBP
- Game Plus
- Lifting and Rotating Bracket
- HDMI2.1\*2+DP1.4\*1+Type-c 90W+USB 3.0\*3+audio out



# Gaming



## 25G1G PLUS

### Specifications

- Size: 24.5"
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 1920x1080
- Brightness : 250cd/m<sup>2</sup>(Typ)
- Refresh rate: 180Hz
- Gamut: sRGB 99%
- HDMI1.4\*2+DP1.2+audio out

# Gaming



## 27G1R PLUS

### Specifications

- Size: 27"
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 2560x1440
- Brightness : 300cd/m<sup>2</sup>(Typ)
- Refresh rate: 180Hz
- Gamut: sRGB 99% ; DCI-P3 95%
- Color: Black
- PIP/PBP
- HDMI2.1\*2+DP1.4\*2+audio out

# Gaming



## 27G1S PLUS

### Specifications:

- Size: 27"
- Panel: IPS
- Aspect Ratio: 16:9
- Resolution: 2560x1440
- Brightness : 300cd/m<sup>2</sup>(Typ)
- Refresh rate: 240Hz
- Gamut: sRGB 99% ,96%DCI-P3, HDR10
- PIP/PBP
- Game Plus
- Lifting and Rotating Bracket
- HDMI2.1\*2+DP1.4\*2+audio out

# Gaming



## 34G1R

### Specifications:

- Size: 34"
- Panel: VA
- Curvature: R1000
- Aspect Ratio: 21:9
- Resolution: 3440x1440
- Brightness : 400cd/m<sup>2</sup>(Typ)
- Refresh rate: 165Hz
- Gamut: sRGB 99% ,HDR400
- PIP/PBP
- KVM
- Lifting and Rotating Bracket
- HDMI2.1\*2+DP1.4+Type-c 90W+USB 3.0\*3+Audio out
- Dynamic gaming light

# OLED

## 32Q1U

### Specifications:

- Size: 31.5"
- Panel: OLED
- Resolution: 3840\*2160
- Aspect Ratio: 16:9
- Brightness : 540cd/m<sup>2</sup>(typ, 10%windows Center of screen)
- Refresh rate: 60Hz
- Gamut:  $\Delta E < 1$ , DCI-P3 99%, AdobeRGB 99%
- Built-in speaker
- TUV certification
- 2xTYPE-C 90W+Audio out(type-c)





OLED

## 34Q1R

### Specifications:

- Size: 34"
- Panel: OLED
- Curvature:R1800
- Aspect Ratio: 21:9
- Resolution: 3440x1440
- Brightness : 250cd/m<sup>2</sup>(Typ)
- Refresh rate: 175Hz
- Gamut: sRGB 100% ,DCI-P3 99%, HDR400
- Lifting and Rotating Bracket
- HDMI\*2+DP+Type-c 65W+USB 3.0\*3+ audio out
- Dynamic gaming light





## 48Q1V

### Specifications:

- Size: 48"
- Panel: OLED
- Aspect Ratio: 16:9
- Resolution: 3840\*2160
- Brightness : 360nits
- Refresh rate: 138Hz
- Gamut:  $\Delta E < 2$ , DC1-P3 98.5%, AdobeRGB 99%, 10bits
- Built-in speaker(2.1CH)
- TUV certification
- HDMI\*3+DP1.4+TYPE-C 65W+Audio out





## 49Q1S

### Specifications:

- Size: 49"
- Panel: OLED
- Aspect Ratio: 32:9
- Resolution: 5120\*1440
- Brightness : 250nits
- Response Time: 0.03ms
- Refresh rate: 240Hz
- Gamut:  $\Delta E < 2$ , sRGB 100%, DC1-P3 99%, AdobeRGB 95%, 10bits
- Built-in speaker(2.1CH)
- Dynamic Light Effect
- HDMI2.1+DP1.4+Type-C 90W+2USBA+1USBB3.0+RJ45(100M)+Audio Out



# Smart Display

1. Moveable Smart Display
2. Rich Interactivity: Touch + magnetic camera, microphone, speaker
3. Large Screen: 31.5", 4K



reddot design award

4. The stand lift can adjust the height and angle
5. Android Operation System, 6. Support WIFI 6
7. Built-in Battery
8. wireless mirroring function( Eshare)



## 32S1U PRO



