CLOTHES RACK

ASSEMBLY INSTRUCTIONS



CD-GC-3E4H-175B

Before assembly, please check the accessories according to the part list. If there is any part missing or defective, please contact us immediately to get replacement part.


Enjoy your new purchase!

Email: r88aftersale @outlook.com

Please Notice:


- 1. Part **①** is used as a group (2PCS in a group). Multiple clearances existing between 2 plastic clips when they have been attached to the poles are not indicative of any quality issue but rather a structural design based on the physical law of thermal expansion and contraction, which is intended to make the metal Steel Shelves firmly fastened to the poles.
- 2. For easier assembly, please strictly follow the order of steps below.
- 3. When assembling, please avoid fingers being pinched.
- 4. You can adjust the height of each shelf during installation.
- 5.Don't load more than 55LBS(25kg)per Hanger.
- 6.Don't load more than 88LBS(40kg)per Steel Shelf.
- 7. The total capacity is about 836LBS(379kg).

PARTS:





HOW TO INSTALL


Step 1 Install part into part .



Step 2 Learn to install clips 1 to poles.









Note:


There is a gap between 2PCS plastic clips when assembled onto the poles as shown in the picture, this is a structural design rather than a quality issue, which aims to bind the shelves firmly onto the pole.


Step 3 Lock clips **J** as below, and install part **A** to part **E**.























Lock clips **()** and install part **(B)** and part **(A)** to part **(D)**. Step 7













Install part (to part).

Step 8










REMARK:

After each shelf is assembled, please put a piece of cloth on it and hit it several times with a tool(eq. A rubber mallet) to ensure more stability.


Note: The rubber mallet is not



Step 12 Install part to keep the clothes rack more stable.



- (1) Mark the location of bolt hole.
- (2) Drill holes at marked location.
- (3) Press the protective bolts in the wall.



- (4) Fix the safety lock on the wall with bolts.
- (5) Get the safety belts cross the lock and wire closet, then get fastened.

After-Sales Service

Dear Customer,

Thanks a milion for purchasing this clothes rack. Your support is highly appreciated.

When you received the package, please kindly double check your package and accessories to see if there is any problem. Should you have any questions, please do not hesitate to contact us at anytime.

Email: r88aftersale @outlook.com

We will spare no efforts to help you as always. We will replay each email or call within 24 hours and all of our endeavors are made for customers. Your 100% satisfaction is our unchangeable goals forever!

Kindest regards, Customer Service Team