



Technical Data Sheet

Description:

A neoprene sheet and nylon cloth combined for the advantages of oil and fuel resistance of the neoprene and the additional stretch and strength qualities of nylon.

This family of nylon insert rubber sheets maintains the properties of our Neoprene with the added benefit of woven nylon cloth insert for added puncture resistance, stability and tear strength.

Physical Properties	
Hardness (Shore A)	+/- 5
Tensile Strength (psi)	620
Elongation at Break (%)	300
Temperature Range (°F)	-22 to 180
Temperature Range (°C)	-30 to 82

* Fabric products Physical Characteristics are based on rubber compounds only.



Toronto • Montreal
www.specialtygaskets.com

DISCLAIMER: The information in this Technical Data Sheet is believed to be correct as of the date issued. Specialty Gaskets Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Specialty Gaskets Inc. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Specialty Gaskets Inc. Product it is essential that the user evaluate the Specialty Gaskets Inc. product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.



ISO 9001