

CERTIFICATE OF ANALYSIS



Customer: Sweet Lyfe
3017 Greene St
Hollywood, FL 33020

Batch #: TC40CT0623
Laboratory Number: ATL-17436

Report Issue Date: 12/22/2023
Order Date: 12/19/2023
Analysis Date: 12/21/2023

Sample Description:

THCA Pre Roll - Tropicana Cookies

Unit Weight: 0.9576g / Pre Roll



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	9.854	1.029
CBG-A	<0.008	1.005	0.105
CBG	<0.007	<LOQ	<LOQ
CBD	<0.008	3.371	0.352
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	0.804	0.084
CBN	<0.011	N/D	N/D
D9-THC	<0.014	2.451	0.256
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	0.431	0.045
CBC-A	<0.005	1.321	0.138
THC-A	<0.005	211.534	22.090

Max Active THC	mg/preroll	%
	187.97	19.63
Max Active CBD	mg/preroll	%
	12.01	1.25

Total Active Cannabinoids	mg/preroll	%
	203.15	21.21
Total Cannabinoids	mg/preroll	%
	230.77	24.10

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDVA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabinol(THCV) Tetrahydrocannabinol(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



