

SAFETY DATA SHEET



ROYCO HF-825

Version 1.6 Revision Date: 09/09/2019 SDS Number: 400000001735 Date of last issue: 07/11/2018
Date of first issue: 12/05/2014

SECTION 1. IDENTIFICATION

Product name: ROYCO HF-825

Product Use Description: Lubricant

Synonyms: Synthetic Lubricant Formulation

Company: Manufacturer
Anderol Specialty Lubricants, a division of Lanxess Solutions US Inc.
215 Merry Lane
East Hanover, NJ
07936
United States of America (USA)
Telephone: +1 203-573-4596, Toll Free: +1 888-263-3765

Email: msdsrequest@chemtura.com
Emergency telephone number: CHEMTREC
(24 hours) 800-424-9300

US : 800-292-5898 (Technical inquiries)
For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

Prepared by Product Safety Department
(US) +1 866-430-2775

MSDSRequest@lanxess.com

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

SAFETY DATA SHEET



ROYCO HF-825

Version 1.6 Revision Date: 09/09/2019 SDS Number: 400000001735 Date of last issue: 07/11/2018
Date of first issue: 12/05/2014

Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	>= 30 - < 50
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	>= 30 - < 50
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	>= 30 - < 50
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	>= 30 - < 50

SECTION 4. FIRST AID MEASURES

- If inhaled : If inhaled
Move to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
In case of bluish discoloration (lips, ear lobes, fingernails), give oxygen as quickly as possible.
If symptoms persist, call a physician.
- In case of skin contact : In case of skin contact
Wash off with soap and water.
Remove contaminated clothing and shoes.
Wash contaminated clothing before re-use.
Get medical attention if irritation develops and persists.
- In case of eye contact : In case of eye contact
Rinse thoroughly with plenty of water, also under the eyelids.
If eye irritation persists, consult a specialist.
- If swallowed : If swallowed, DO NOT induce vomiting.
Consult a physician if necessary.
- Most important symptoms and effects, both acute and delayed : No information available.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : No information available.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO₂)
Dry powder
Foam
Alcohol-resistant foam
Water mist
- Unsuitable extinguishing media : High volume water jet

ROYCO HF-825

Version 1.6 Revision Date: 09/09/2019 SDS Number: 400000001735 Date of last issue: 07/11/2018
Date of first issue: 12/05/2014

- Specific hazards during fire-fighting : Burning produces noxious and toxic fumes.
- Further information : In the event of fire, cool tanks with water spray.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Forms slippery/greasy layers with water.
- Environmental precautions : Should not be released into the environment.
Do not contaminate water.
Do not flush into surface water or sanitary sewer system.
- Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Keep container closed when not in use.
Do not use pressure to empty drums.
Ensure all equipment is electrically grounded before beginning transfer operations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
- Further information on storage stability : Stable under recommended storage conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Contains no substances with occupational exposure limit values.				
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	TWA	5 mg/m ³	OSHA Z-1
		TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m ³	ACGIH

SAFETY DATA SHEET

ROYCO HF-825

Version 1.6 Revision Date: 09/09/2019 SDS Number: 400000001735 Date of last issue: 07/11/2018
 Date of first issue: 12/05/2014

		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL
		TWA (Mist)	5 mg/m ³	OSHA P0
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m ³	ACGIH
		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL
		TWA (Mist)	5 mg/m ³	OSHA P0
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m ³	ACGIH
		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL
		TWA (Mist)	5 mg/m ³	OSHA P0
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m ³	ACGIH
		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL
		TWA (Mist)	5 mg/m ³	OSHA P0

Personal protective equipment

Respiratory protection : Breathing apparatus needed only when aerosol or mist is formed.
 In the case of vapour formation use a respirator with an approved filter.

Hand protection

Remarks : Neoprene gloves

Eye protection : Safety glasses with side-shields
 Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Hygiene measures : Avoid contact with skin, eyes and clothing.
 Provide adequate ventilation.
 Do not breathe dust or spray mist.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : No data available

Odour : No data available

SAFETY DATA SHEET

ROYCO HF-825

Version 1.6 Revision Date: 09/09/2019 SDS Number: 400000001735 Date of last issue: 07/11/2018
Date of first issue: 12/05/2014

Odour Threshold : No data available

pH : No data available

Melting point/range : Not applicable

Boiling point/boiling range : No data available

Flash point : 397 °F / 203 °C
Method: ASTM D92

Evaporation rate : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0.912 g/cm³ (68 °F / 20 °C)

Solubility(ies)
Water solubility : slightly soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Self-Accelerating decomposition temperature (SADT) : Method: No information available.

Viscosity
Viscosity, dynamic : 225 - 425 mPa.s

Viscosity, kinematic : 329 mm²/s (212 °F / 100 °C)

Oxidizing potential : No information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

ROYCO HF-825

Version 1.6	Revision Date: 09/09/2019	SDS Number: 400000001735	Date of last issue: 07/11/2018 Date of first issue: 12/05/2014
----------------	------------------------------	-----------------------------	---

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Conditions to avoid : Heat

Incompatible materials : Strong acids and strong bases

Hazardous decomposition products : Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Carcinogenicity

Components:

Distillates (petroleum), hydrotreated light paraffinic:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Further information

Product:

Remarks : There is no data available for this product.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish :
Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates :
Remarks: No data available

Toxicity to algae :
Remarks: No data available

Persistence and degradability

Product:

Biodegradability : Result: No data available

SAFETY DATA SHEET



ROYCO HF-825

Version 1.6 Revision Date: 09/09/2019 SDS Number: 400000001735 Date of last issue: 07/11/2018
Date of first issue: 12/05/2014

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Mobility in soil

Product:

Mobility : Remarks: No data available

Other adverse effects

Product:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : There is no data available for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

Contaminated packaging : Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

ROYCO HF-825

Version 1.6 Revision Date: 09/09/2019 SDS Number: 400000001735 Date of last issue: 07/11/2018
Date of first issue: 12/05/2014

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
------------	---------	---------------------

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

California List of Hazardous Substances

Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0

California Permissible Exposure Limits for Chemical Contaminants

Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0

Please note that Section 3 of this document lists only the hazardous components required by the specific country or region hazard communication regulations. The chemical identifiers listed in Section 3 are used globally for hazard communication purposes and may not reflect those used for chemical inventory coverage in a particular country or region. The chemical inventory information given in Section 15 of this document applies to the product as a whole and should be used when evaluating inventory compliance.

The components of this product are reported in the following inventories:

DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory

SAFETY DATA SHEET



ROYCO HF-825

Version 1.6 Revision Date: 09/09/2019 SDS Number: 400000001735 Date of last issue: 07/11/2018
Date of first issue: 12/05/2014

IECSC : On the inventory, or in compliance with the inventory
TCSI : On the inventory, or in compliance with the inventory
US.TSCA : On TSCA Inventory

SECTION 16. OTHER INFORMATION

Further information

Other Emergency Phone Number

<u>Latin America:</u>	Brazil	+55 11 3197 5891
	All other countries	+44 (0) 1235 239 670
<u>Mexico:</u>		+52 55 5004 8763

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA : 8-hour, time-weighted average
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA : 8-hour time weighted average
OSHA Z-1 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Admin-

SAFETY DATA SHEET



ROYCO HF-825

Version	Revision Date:	SDS Number:	Date of last issue: 07/11/2018
1.6	09/09/2019	400000001735	Date of first issue: 12/05/2014

istration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/09/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN