



 **PROTEUS**



ProRUN 500

TREADMILL





Pro CROSS 500

CROSSTRAINER



SPECIFICATIONS

Maximum User Weight	150 kgs
Stride Length	20 inches
Flywheel Weight	9 kgs
Resistance	Outer Magnetic
Transmission	Industrial V belt
Hub	Industrial double sealed bearings
Crank Type	3 piece
Product Dimensions	189.5 cm x 71.9 cm x 166.0 cm
Packaging Dimensions	154.0 cm x 61.5 cm x 98.0 cm
Packaging Volume	32.78 cu ft
N.W. / G.W.	85.3 / 95.8 kgs
20' / 40' Loading	24 / 52 sets

CONSOLE

Resistance Control	Auto Tension 24 levels
Display Size	58.5 x 128 mm display, Negative type LCD with white characters displayed & black background
Functions	Time / Distance / Speed / Calories / RPM / Pulse / WATT
Programs	1 Manual / 12 Preset / 4 User / 5 HRC / 1 WATT control / 1 Body Fat / 1 Recovery
Receiver	Built-in
APP compatible	YES
Power	self-generator



ProCYCLE 500

C Y C L E



SPECIFICATIONS

Maximum User Weight	150 kgs
Flywheel Weight	7 kgs
Resistance	Outer Magnetic
Transmission	Industrial V belt
Hub	Industrial double sealed bearings
Crank Type	3 piece
Product Dimensions	111.5 cm x 57.4 cm x 153.2 cm
Packaging Dimensions	109 cm x 41 cm x 58.5 cm
Packaging Volume	9.23 cu ft
N.W. / G.W.	53.8 / 58.0 kgs
20' / 40' Loading	108 / 220 sets

CONSOLE

Resistance Control	Auto Tension 24 levels
Display Size	58.5 x 128 mm display, Negative type LCD with white characters displayed & black background
\Functions	Time / Distance / Speed / Calories / RPM / Pulse / WATT
Programs	1 Manual / 12 Preset / 4 User / 5 HRC / 1 WATT control / 1 Body Fat / 1 Recovery
Receiver	Built-in
APP compatible	YES
Power	self-generator





ProSTEP 500

COMMERCIAL STEPPER



SPECIFICATIONS

Maximum User Weight	180 kgs
Flywheel Weight	6.0 kgs
Resistance	Inner Magnetic
Transmission	Industrial V belt
Hub	Industrial double sealed bearings
Product Dimensions	95 cm x 80.5 cm x 153 cm
Packaging Dimensions	96.5 cm x 53 cm x 82 cm
Packaging Volume	14.8 cu ft
N.W. / G.W.	74 / 81 kgs
20' /40' Loading	58 / 120 sets

CONSOLE

Resistance Control	Auto Tension 24 levels
Display Size	58.5 x 128 mm display, Negative type LCD with white characters displayed & black background
Functions	Time / Distance / Speed / Calories / RPM / Pulse / WATT
Programs	1 Manual / 12 Preset / 4 User / 5 HRC / 1 WATT control / 1 Body Fat / 1 Recovery
Receiver	Built-in
APP compatible	YES
Power	self-generator



