




Sabbia

Depicting the beautiful chaos that results from the undulation and gathering of earth's granules, Sabbia is a unique matte surface with distinct visual texture. Designed to bring both serenity and energy to commercial interiors, Sabbia is a statement-making porcelain floor and wall tile offered in a range of five elegantly universal tones.

1. 2 sizes ,12x24, 24x48(Rectified)
2. 5 colors, matte finish
3. Mosaics and trim available



Sizes, Mosaics and Trims



24x48



12x24



2x2 mosaic
Sheet Size: 12x12



Bullnose
3x12, 3x24





Floor and Wall Solutions

Order Samples at
331-702-2178

www.mondanicollection.com

1. FINISHES:











Matte

Thickness: 8 mm

Recommended Grout Joint: 3/32" or greater

Grout joints of 1/8" inch or less, may require floor flatness values in excess of the 1/4" in 10' (or 1/16" in 1.0') standard required by ANSI.

2. TECHNICAL DATA

 Finish	 Freeze Resistant	 Shade Variation	 Color Body	 Water Absorption	 Stain Resistant	 DCOF AcuTes	 Chemical Resistant	 Breaking Strength	 Abrasion Resistance
NAT	Resistant	V3	√	≤0.5%	Class A	≥0.42	Class A	≥275lbf	IV

For reference only.
AREAS OF USAGE

Classification	Reference Category	Suitable
Interior, Dry	ID	√
Interior, Wet	IW	√
Interior, Wet Plus	IW+ √ 2x2 2x3	
Exterior, Wet	EW	
Oils/Greases	O/G	

* All values given are for matte. No values are given for polished material. Mondani Collection. does not recommend polished surfaces in area subject to exposure from grease, oil or water.

For level interior spaces to be walked upon when wet (see ANSI A137.1 section 6.2.2.1.10 – Section 9.6 for test procedure).

3. INSTALLATION

All installation work using Mondani Collection tiles will conform to the standards set forth in the latest version of ANSI A108/118 and/or the TCNA Handbook for Ceramic Tile installations.

Installation or setting materials:

Movement joints shall be provided throughout the tile and work will conform to ANSI Specification A108.01-3.7; A108.02 – 4.4. and TCNA Details EJ171.

Setting materials used will conform to the ANSI 118.4 standard or greater and be recommended by the selected manufacturer for the installation & setting materials for ceramic or porcelain tile based on the application requirements.



500-202 WALL
500-503 FLOOR



MONDANI

COLLECTION

Floor and Wall Solutions

Order Samples at
331-702-2178
www.mondanicollection.com



USA
MADE/STOCK

