



CERTIFICATE OF ANALYSIS

4795 Enterprise Ave
Naples, FL 34104
239-227-4735
DaaneLabs.com

Order Number: DLSG250327-009
Date Received: 03/27/2025
Report Date: 03/31/2025
PO Number:

Sample Name:	Sucrosomia I Magnesium (60ct)	Arrival Temp (C):	23.5
Lot Number:	2503076	Storage Location:	Ambient
Sample Number:	25DL28993	Condition:	Acceptable
Comments:			

Test	Result	Unit	Reference Method
Total Plate Count	<100	cfu/g	AOAC 990.12
Total Yeast & Mold Count	<100	cfu/g	AOAC 2014.05
Escherichia coli	Negative	10 g	AOAC-RI 050601
Salmonella spp.	Negative	10 g	AOAC 020502
Staphylococcus aureus	Negative	10 g	AOAC-RI 100503

Prepared By: Jed Rahimian

Approved By: Javier Cordero

Page 1 of 1

Reports apply only to the sample(s) investigated and is not necessarily indicative of the quality or condition of apparently identical or similar samples, regardless of source or specified lot. All data and report(s) derived from Service(s) is for the exclusive use of the Customer who requested the report and paid for Service(s), and not for public dissemination or use by any other third parties, including for promotional purposes, without the prior written permission of DAL. Measurement Uncertainty (AOAC): Total Plate Count: +/-1.01, Total Rapid Plate Count: +/-1.02, Total Yeast & Mold: +/-1.02, Total Coliform 1.02, Total Enterobacteria +/-1.02 (USP): Total Plate Count: +/-1.11, Total Yeast & Mold: +/-1.17. All measurement uncertainties are displayed as CFU/g (ml). The laboratory is not responsible for sampling. Customer provided information includes: Sample Name(s) and Lot Number(s).