Page 1 (11)

Issue date: 01/02/2023

CRAFTIFUL Fragrance Oils

Version: 1 (01/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ANGEL FRAGRANCE 8926371

Version:

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: ANGEL FRAGRANCE 892637 (Contains:4-TERT-BUTYLCYCLOHEXYL ACETATE,

LINALOOL, LINALYL ACETATE, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Craftiful Ltd

Company address: 17 Stapledon Road

Orton Southgate Peterborough PE2 6TD

GB - United Kingdom

Contact: Regulatory Affairs
E-Mail address: hello@craftiful.co.uk

Company phone: 01733 963029

1.4 Emergency telephone number

Emergency phone: Outside Office Hours: 07501192117

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of Skin Corrosion / Irritation Category 2 danger: Eye Damage / Irritation Category 2

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning



Version: 1 (01/02/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ANGEL FRAGRANCE 892637

Version: 1

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains CITRAL, CITRONELLOL, COUMARIN, DELTA-DAMASCONE, GERANIOL, GERANYL ACETATE, LIMONENE, METHYLUNDECANAL. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 2.702%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
2,6-DIMETHYL-7- OCTEN-2-OL	18479-58-8	242-362-4		110-<20%		oral: ATE = 3600 mg/kg bw

Version: 1 (01/02/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ANGEL FRAGRANCE 8926371

Version:

		_				
1,3,4,6,7,8- HEXAHYDRO- 4,6,6,7,8,8- HEXAMETHYLINDENO [5,6-C]PYRAN	1222-05-5	214-946-9	01-2119488227-29-xxxx	5-<10%	EH A1-EH C1;H410,-	
LINALOOL	78-70-6	201-134-4	01-2119474016-42-xxxx	5-<10%	SCI 2-EDI 2-SS 1B; oral: ATE = 2790 H315-H317-H319,- mg/kg bw	
TETRAMETHYL ACETYLOCTAHYDRON APHTHALENES	54464-57-2, 68155-66-8, 68155-67-9	259-174-3, 268-978-3, 268-979-9, 915-730-3	01-2119489989-04-xxxx	5-<10%	SCI 2-SS 1B-EH C2; H315-H317-H411,-	
4-TERT- BUTYLCYCLOHEXYL ACETATE	32210-23-4	250-954-9	01-2119976286-24-xxxx	5-<10%	SS 1B;H317,-	oral: ATE = 3370 mg/kg bw
VANILLIN	121-33-5	204-465-2		1-<5%	EDI 2;H319,-	dermal: ATE = 2600 mg/kg bw-oral: ATE = 3300 mg/kg bw
LINALYL ACETATE	115-95-7	204-116-4	01-2119454789-19-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	
PHENYLPROPANOL	122-97-4	204-587-6		1-<5%	SCI 1B-EDI 1;H314,-	dermal: ATE = 5000 mg/kg bw-oral: ATE = 2275 mg/kg bw
ETHYL VANILLIN	121-32-4	204-464-7		1-<5%	EDI 2;H319,-	oral: ATE = 3000 mg/kg bw
LIMONENE	5989-27-5	227-813-5		1-<5%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C3;H226- H304-H315-H317- H400-H412,-	
COUMARIN	91-64-5	202-086-7		0.1-<1%	ATO 4-SS 1B-EH C3; H302-H317-H412,-	oral: ATE = 500 mg/kg bw
CITRONELLOL	106-22-9	203-375-0	01-2119453995-23-xxxx	0.1-<1%	SCI 2-EDI 2-SS 1B; H315-H317-H319,- dermal: ATE = 26 mg/kg bw-oral: A' 3450 mg/kg bw	
CITRAL	5392-40-5	226-394-6	01-2119462829-23-xxxx	0.1-<1%	SCI 2-EDI 2-SS 1; H315-H317-H319,-	dermal: ATE = 2250 mg/kg bw
METHYLUNDECANAL	110-41-8	203-765-0		0.1-<1%	SCI 2-SS 1B-EH A1- EH C1;H315-H317- H410,-	
REACTION MASS OF ALLYL (2- METHYLBUTOXY) ACETATE & ALLYL (3- METHOXYBUTOXY) ACETATE	67634-00-8, 67634-01-9	266-803-5, 266-804-0, 916-328-0		0.1-<1%	ATO 4-ATD 4-ATI 2-EH A1;H302-H312-H330- H400,-	inhalation: ATE = 0.46 mg/l (dusts or mists)- dermal: ATE = 1100 mg/kg bw-oral: ATE = 500 mg/kg bw
GERANYL ACETATE	105-87-3	203-341-5	01-2119973480-35-xxxx	0.1-<1%	SCI 2-SS 1B-EH C3; H315-H317-H412,-	
GERANIOL	106-24-1	203-377-1	01-2119552430-49-xxxx	0.1-<1%	SCI 2-EDI 1-SS 1; H315-H317-H318,-	oral: ATE = 3600 mg/kg bw
DELTA-DAMASCONE	57378-68-4	260-709-8		<0.1%	ATO 4-SCI 2-SS 1A- EH A1-EH C1;H302- H315-H317-H410,-	oral: ATE = 1400 mg/kg bw

Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
DIETHYL PHTHALATE	84-66-2	201-550-6	01-2119486682-27-xxxx	20-<50%	-;-,-	

Page 4 (11)

Issue date: 01/02/2023

Version: 1 (01/02/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ANGEL FRAGRANCE 892637**Version**: 1

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

Page 5 (11)

CRAFTIFUL Fragrance Oils Issue date: 01/02/2023

Version: 1 (01/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:	ANGEL FRAGRANCE 892637Version:	1
6.2 Environ	mental precautions:	
Keep away f	from drains, surface and ground water, and soil.	
6.3 Methods	s and material for containment and cleaning ເ	ıp:
	ition sources. Provide adequate ventilation. Avoid by use of sand or inert powder. Dispose of acco	d excessive inhalation of vapours. Contain spillage rding to local regulations.
6.4 Referen	ce to other sections:	
Also refer to	sections 8 and 13.	
	Section 7. Handl	ing and storage
7.1 Precauti	ions for safe handling:	
required. Ús		No smoking. Use personal protective equipment as dustrial hygiene practices. Use in areas with adequate ct.
7.2 Condition	ons for safe storage, including any incompati	bilities:
equipment. l		l. Keep cool. Ground/bond container and receiving hting equipment. Use only non-sparking tools. Take
7.3 Specific	c end use(s):	
Fragrances:	Use in accordance with good manufacturing an	d industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
DIETHYL PHTHALATE	84-66-2	201-550-6	UK Long-term exposure limit (8-hour TWA) (mg/m3)	5 mg/m³
DIETHYL PHTHALATE	04-00-2		UK Short-term exposure limit (15-minute) (mg/m3)	10 mg/m³

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other



Version: 1 (01/02/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ANGEL FRAGRANCE 892637Version: 1

areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour: Clear colourless to pale yellow liquid

Odour: Not determined
Odour threshold: Not determined
Melting point/freezing point: Not determined
Boiling point or initial boiling point and boiling
Not determined

range:

Flammability: Not determined

Lower and upper explosion limit: Not determined

Flash point: 91 °C

Auto-ignition temperature:

Decomposition temperature:

Not relevant

Not determined

Not determined

Kinematic viscosity:

Not determined

Solubility:

Not determined

Not determined

Not determined

Not determined

value):

Vapour pressure: 0.05531107 mmHg

Density and/or relative density: 0.9900

Relative vapour density: Not determined Particle characteristics: Not determined

9.2 Other information: None available


Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.



Version: 1 (01/02/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ANGEL FRAGRANCE 892637**Version:** 1

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
REACTION MASS OF ALLYL (2- METHYLBUTOXY) ACETATE & ALLYL (3- METHOXYBUTOXY) ACETATE	67634-00-8, 67634-01-9	266-803-5, 266-804-0, 916-328-0	500	1100	0.46	Dust/mist

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Page 8 (11)

Issue date: 01/02/2023

Version: 1 (01/02/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ANGEL FRAGRANCE 8926371

Version:

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable12.7 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number or ID number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8- HEXAMETHYLINDENO[5,6-C]PYRAN, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENE S)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8- HEXAMETHYLINDENO[5,6-C]PYRAN, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENE S) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8- HEXAMETHYLINDENO[5,6-C]PYRAN, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENE S)	9	-	III



Version: 1 (01/02/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ANGEL FRAGRANCE 8926371

Version:

ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS	9	_	III	
		SUBSTANCE, LIQUID, N.O.S.				
		(1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-				
		HEXAMETHYLINDENO[5,6-C]PYRAN,				
		TETRAMETHYL				
		ACETYLOCTAHYDRONAPHTHALENE				
		S)				

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user:

14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH C2=23.52% EH C3=2.35% SCI 2=17.88% EDI 2=18.56% SS 1=10.

21% EDI 2A=18.56%

Total Fractional Values: EH C2=4.25 EH C3=42.58 SCI 2=5.59 EDI 2=5.39 SS 1=9.80 EDI 2A=5.

39


Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning	
AH 1	Aspiration Hazard Category 1	
ATD 4	Acute Toxicity - Dermal Category 4	
ATI 2	Acute Toxicity - Inhalation Category 2	
ATO 4	Acute Toxicity - Oral Category 4	
EDI 1	Eye Damage / Irritation Category 1	
EDI 2	Eye Damage / Irritation Category 2	
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2	
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3	
FL 3	Flammable Liquid, Hazard Category 3	
H226	Flammable liquid and vapour.	

Craftiful Ltd, 17 Stapledon Road, Peterborough, PE2 6TD



Version: 1 (01/02/2023)



SAFETY DATA SHEET


In accordance with REACH Regulation EC No.1907/2006

Product: ANGEL FRAGRANCE 8926371

Version:

H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye firitation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H223 Keep container tightly closed. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H260 Do not breathe vapour or dust. H264 Wash hands and other contacted skin thoroughly after handling. H270 Do not eat, drink or smoke when using this product. H271 Contaminated work clothing should not be allowed out of the workplace. H272 Contaminated work clothing should not be allowed out of the workplace. H273 Avoid release to the environment. H284 Wear protective gloves/eye protection/face protection. H284 Wear respiratory protection. H284 Wear respiratory protection. H284 Wear protective gloves/eye protection/face protection. H284 Wear protective gloves/eye protection/face protection.	
Harmfull in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. Harmfull in contact with skin. Causes skin irritation. Harmfull in contact with skin. Causes skin irritation. Harmfull in cantage. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Harmfull in cause serious eye irritation. Fatal if inhaled. Harmfull in cause irritation. Harmfull in cause	
H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Armful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P284 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe vapour or dust. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection. Wear respiratory protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P284 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. Reep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. PSWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	
P301/330/331 If swallowed: Rinse mouth. Do not induce vomiting.	
P302/352 IF ON SKIN: Wash with plenty of soap and water.	
P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water	er/shower.
P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present a do. Continue rinsing.	nd easy to
P310 Immediately call a POISON CENTER or doctor/physician.	
P330 Rinse mouth.	
P331 Do not induce vomiting.	
P332/313 If skin irritation occurs: Get medical advice/attention.	
P333/313 If skin irritation or rash occurs: Get medical advice/attention.	
P337/313 If eye irritation persists: Get medical advice/attention.	
P362 Take off contaminated clothing and wash before reuse.	





Version: 1 (01/02/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ANGEL FRAGRANCE 8926371

Version:

P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233	Store in a well-ventilated place. Keep container tightly closed.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 1B	Skin Corrosion / Irritation Category 1B
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1A	Sensitization - Skin Category 1A
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.