

Issue date: 22/02/2023

Version: 7 (22/02/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MARNI MY WAY FRAGRANCE 8929537

Version: 7

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: MARNI MY WAY FRAGRANCE 892953 (Contains: ETHYL LINALOOL, HEXYL

SALICYLATE, LINALOOL, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Craftiful Ltd

Company address: 17 Stapledon Road

Orton Southgate Peterborough PE2 6TD

GB - United Kingdom

Contact: Regulatory Affairs

E-Mail address: hello@craftiful.co.uk

Company phone: 01733 963029

1.4 Emergency telephone number

Emergency phone: Outside Office Hours: 07501192117

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of Skin Corrosion / Irritation Category 2 **danger:** Eye Damage / Irritation Category 2

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning



Issue date: 22/02/2023

Version: 7 (22/02/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MARNI MY WAY FRAGRANCE 892953

Version: 7

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains (1S,2R,5S,7R,8R)-8-METHOXY-2,6,6,8-TETRAMETHYLTRICYCLO[5.3.1.0 ^{1,5}]UNDECANE, (E)-1-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN-1-YL)-2-BUTEN-1-ONE, 2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE, 3-(2H-1,3-BENZODIOXOL-5-YL)-2-

METHYLPROPANAL, BENZYL SALICYLATE, CITRAL, CITRONELLOL, COUMARIN, CYCLAMEN ALDEHYDE, DIHYDRO PENTAMETHYLINDANONE (DPMI), EUGENOL, GERANIOL, GERANYL ACETATE, HEXYL CINNAMAL, HYDROXYCITRONELLAL,

ISOEUGENOL, LIMONENE, LINALYL ACETATE, METHYL 2,6,10-

TRIMETHYLCYCLODODECA-2,5,9-TRIENYL KETONE,

TETRAMETHYLTRICYCLOPROPANOL. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.
P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

Pictograms:



2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 1.908%

Issue date: 22/02/2023

Version: 7 (22/02/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MARNI MY WAY FRAGRANCE 8929537


Version:7

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	and ATEs
LINALOOL	78-70-6	201-134-4	01-2119474016-42-xxxx	5-<10%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
TETRAMETHYL ACETYLOCTAHYDRON APHTHALENES	54464-57-2, 68155-66-8, 68155-67-9	259-174-3, 268-978-3, 268-979-9, 915-730-3	01-2119489989-04-xxxx	5-<10%	SCI 2-SS 1B-EH C2; H315-H317-H411,-	
TETRAHYDRO- METHYL- (METHYLPROPYL)- PYRAN-4-OL	63500-71-0	405-040-6	01-0000015458-64-xxxx	1-<5%	EDI 2;H319,-	
ETHYL LINALOOL	10339-55-6	233-732-6	01-2119969272-32-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 5000 mg/kg bw
HEXYL SALICYLATE	6259-76-3	228-408-6	01-2119638275-36-xxxx	1-<5%	SS 1B-EH A1-EH C1; H317-H410,-	
LIMONENE	5989-27-5	227-813-5		1-<5%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C3;H226- H304-H315-H317- H400-H412,-	
BENZYL ACETATE	140-11-4	205-399-7		1-<5%	EH C3;H412,-	oral: ATE = 2490 mg/kg bw
LINALYL ACETATE	115-95-7	204-116-4	01-2119454789-19-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	
HEXYL CINNAMAL	101-86-0	202-983-3		1-<5%	SS 1B-EH A1-EH C2; H317-H400-H411,-	oral: ATE = 3100 mg/kg bw
BENZYL SALICYLATE	118-58-1	204-262-9		1-<5%	SS 1B-EH C3;H317- H412,-	oral: ATE = 2200 mg/kg bw
(1S,2R,5S,7R,8R)-8- METHOXY-2,6,6,8- TETRAMETHYLTRICY CL0[5.3.1.0^{1,5}] UNDECANE	67874-81-1	267-510-5		1-<5%	SS 1B-EH A1-EH C1; H317-H410,-	
2,6-DIMETHYL-7- OCTEN-2-OL	18479-58-8	242-362-4		1-<5%	SCI 2-EDI 2;H315- H319,-	oral: ATE = 3600 mg/kg bw
PHENYLISOXANOL	55066-48-3	259-461-3	01-2119969446-23-xxxx	1-<5%	ATO 4;H302,-	dermal: ATE = 3100 mg/kg bw-oral: ATE = 1830 mg/kg bw
HYDROXYCITRONELL AL	107-75-5	203-518-7		0.1-<1%	EDI 2-SS 1B;H317- H319,-	
GERANYL ACETATE	105-87-3	203-341-5	01-2119973480-35-xxxx	0.1-<1%	SCI 2-SS 1B-EH C3; H315-H317-H412,-	
3-(2H-1,3- BENZODIOXOL-5-YL) -2-METHYLPROPANAL	1205-17-0	214-881-6	01-2120740119-58-xxxx	0.1-<1%	SS 1B-REP 2-EH C2; H317-H361-H411,-	oral: ATE = 3562 mg/kg bw
CITRONELLOL	106-22-9	203-375-0	01-2119453995-23-xxxx	0.1-<1%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
GERANIOL	106-24-1	203-377-1	01-2119552430-49-xxxx	0.1-<1%	SCI 2-EDI 1-SS 1; H315-H317-H318,-	oral: ATE = 3600 mg/kg bw
CYCLAMEN ALDEHYDE	103-95-7	203-161-7	01-2119970582-32-xxxx	0.1-<1%	SCI 2-SS 1B-EH C3; H315-H317-H412,-	oral: ATE = 3810 mg/kg bw
DIHYDRO PENTAMETHYLINDAN ONE (DPMI)	33704-61-9	251-649-3		0.1-<1%	SCI 2-EDI 2-SS 1B-EH C2;H315-H317-H319- H411,-	oral: ATE = 2900 mg/kg bw





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MARNI MY WAY FRAGRANCE 8929537

Version: 7

COUMARIN	91-64-5	202-086-7		0.1-<1%		oral: ATE = 500 mg/kg bw
TETRAMETHYLTRICY CLOPROPANOL	929625-08-1, 1001252-30- 7			0.1-<1%	SCI 2-SS 1-EH A1-EH C1;H315-H317-H410,-	
METHYL 2,6,10- TRIMETHYLCYCLODO DECA-2,5,9-TRIENYL KETONE	28371-99-5, 144020-22-4	248-995-2		0.1-<1%	SS 1B-EH A1-EH C1; H317-H410,-	
CITRAL	5392-40-5	226-394-6	01-2119462829-23-xxxx	0.1-<1%	SCI 2-EDI 2-SS 1; H315-H317-H319,-	
ALPHA-CEDRENE	469-61-4	207-418-4		0.1-<1%	SCI 2-AH 1-EH A1-EH C1;H304-H315-H410,-	M = 10-M = 10
2,4-DIMETHYL-3- CYCLOHEXENE CARBOXALDEHYDE	68039-49-6	268-264-1		0.1-<1%	1(:2:H315_H317_H319_	oral: ATE = 3900 mg/kg bw
EUGENOL	97-53-0	202-589-1		0.1-<1%	EDI 2-SS 1B;H317- H319,-	oral: ATE = 2500 mg/kg bw
(E)-1-(2,6,6- TRIMETHYL-1,3- CYCLOHEXADIEN-1- YL)-2-BUTEN-1-ONE	23726-93-4	245-844-2	01-2120105798-49-xxxx	<0.1%	,	dermal: ATE = 2900 mg/kg bw
ISOEUGENOL	97-54-1	202-590-7		<0.1%		Skin Sens. 1; H317; C ≥ 0.01%-inhalation: ATE = 1.5 mg/l (dusts or mists)-dermal: ATE = 1912 mg/kg bw-oral: ATE = 1500 mg/kg bw

Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
DIETHYL PHTHALATE	84-66-2	201-550-6	01-2119486682-27-xxxx	50-100%	-;-,-	

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Page 5 (11)

Issue date: 22/02/2023

Version: 7 (22/02/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MARNI MY WAY FRAGRANCE 892953

Version: 7

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.


6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MARNI MY WAY FRAGRANCE 892953

Version: 7

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	EC Description	
DIETHYL PHTHALATE	84-66-2	201-550-6	UK Long-term exposure limit (8-hour TWA) 5 mg/m³	
DIETHTE FHITHALATE	04-00-2		UK Short-term exposure limit (15-minute) (mg/m3)	10 mg/m³

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour: Clear pale yellow to yellow liquid

Odour:Not determinedOdour threshold:Not determinedMelting point/freezing point:Not determinedBoiling point or initial boiling point and boilingNot determined

range:

Page 7 (11)

Issue date: 22/02/2023

Version: 7 (22/02/2023)



SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MARNI MY WAY FRAGRANCE 892953

Version: 7

Flammability: Not determined Lower and upper explosion limit: Not determined

96 °C Flash point:

Auto-ignition temperature: Not determined **Decomposition temperature:** Not relevant pH: Not determined **Kinematic viscosity:** Not determined Solubility: Not determined Partition coefficient: n-octanol/water (log Not determined

value):

0.10279299 mmHg Vapour pressure:

Density and/or relative density: 1.0380

Relative vapour density: Not determined Particle characteristics: Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.


Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000 **Acute Toxicity Dermal** >5000





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MARNI MY WAY FRAGRANCE 892953

Version: 7

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
PHENYLISOXANOL	55066-48-3	259-461-3	1830	3100	Not available	Not available

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable12.7 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MARNI MY WAY FRAGRANCE 8929537

Version: 7

	14.1 UN number or ID number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXYL SALICYLATE, ALPHA-CEDRENE)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXYL SALICYLATE, ALPHA-CEDRENE) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXYL SALICYLATE, ALPHA-CEDRENE)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXYL SALICYLATE, ALPHA-CEDRENE)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH C2=44.98% EH C3=4.46% SCI 2=60.75% EDI 2=67.89% SS 1=19.

82% EDI 2A=62.76%

Total Fractional Values: EH C2=2.22 EH C3=22.42 SCI 2=1.65 EDI 2=1.47 SS 1=5.05 EDI 2A=1.

59

Key to revisions:

SECTION 3: Composition/information on ingredients

Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATD 4	Acute Toxicity - Dermal Category 4
ATI 4	Acute Toxicity - Inhalation Category 4

Issue date: 22/02/2023 Version: 7 (22/02/2023)

CRAFTIFUL
Fragrance Oils


SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MARNI MY WAY FRAGRANCE 8929537

Version: 7

EDI 1 Eye Damage / Irritation Category 1 EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 Hazardous 6 Flammable Liquid, Hazard Category 3 Hazardous 7 Hazardous 7 Hazardous 7 Hazardous 7 Hazardous 7 Hazardous 7 Hazardous 8 Hazardous 9 Hazardous 1 Hazardous 9 Hazardous 9 Hazardous 9 Hazardous 9 Hazardous 1 Hazardous 9 Hazardous		
EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 Hazard Category 3 Hazardous description of Long-term Hazard Category 2 Hazardous description of Long-term Hazard Category 2 EH C3 Hazardous description of Long-term Hazard Category 2 EH C3 Hazardous description of Long-term Hazard Category 2 EH C3 Hazardous description of Long-term Hazard Category 3 Hazardous description of Long-term Hazard Category 3 Keep contained for the Long-term Hazard Category 3 Hazardous description of Long-term Hazardous descr	ATO 4	Acute Toxicity - Oral Category 4
EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid and vapour. Hazard Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid And vapour. Hasa Causes sakin irritation. FL 3 Flammable Liquid And vapour. Hasa Causes serious eye damage. FL 3 Flammable Liquid And vapour. Hasa Causes serious eye irritation. FL 3 Flammable Liquid May cause respiratory irritation. FL 3 Flammable Liquid May cause respiratory irritation. FL 3 Flammable Liquid May cause respiratory irritation. FL 4 Flammable Liquid May cause respiratory irritation. FL 5		
EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Harmful in contact with skin. H316 Causes skin irritation. H317 May cause an altergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled. H333 Harmful if inhaled. H335 May cause respiratory irritation. H361 Suspected of damaging fertility or the unborn child. Very toxic to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. D202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P240 Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, dirik or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.	EDI 2	Eye Damage / Irritation Category 2
EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. Causes skin irritation. Causes skin irritation. H317 May cause an altergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H220 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable Liquid and vapour. H302 Harmful if swallowed. H3034 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H310 May cause respiratory irritation. H310 May cause respiratory irritation. H3110 May cause respiratory irritation. H3111 Suspected of damaging fertility or the unborn child. H3112 Harmful if inhaled. H3135 May cause respiratory irritation. H3140 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Do not handle until all safety precautions have been read and understood. H220 Do not handle until all safety precautions have been read and understood. H220 Ground/bond container and receiving equipment. H221 Use enjly non-sparking tools. H222 Use only non-sparking tools. H223 Take precautionary measures against static discharge. H224 Wash hands and other contacted skin thoroughly after handling. H225 Do not eat, drink or smoke when using this product. H226 Use only outdoors or in a well-ventilated area. H227 Contaminated work clothing should not be allowed out of the workplace. H228 Wear protective gloves/eye protection/face protection.	EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H305 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H3332 Harmful if inhaled. H335 May cause respiratory irritation. H336 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. R423 Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Take precautionary measures against static discharge. P255 Avoid breathing vapour or dust. P266 Wash hands and other contacted skin thoroughly after handling. Do not eat, drink or smoke when using this product. P277 Contaminated work clothing should not be allowed out of the workplace. P278 Avoid release to the environment.	EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H333 May cause respiratory irritation. H334 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H220 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. P240 Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use explosion-proof electrical, ventilating and lighting equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P240 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Harmful if swallowed. Harmful in contact with skin. Harmful in contact with skin. Harmful in contact with skin. Causes skin irritation. Harmful in contact with skin. Causes skin irritation. Harmful in contact with skin. Causes skin irritation. Harmful in cantact with skin. Causes serious eye damage. Harmful in cantact with skin. Causes serious eye irritation. Harmful in inhaled. Very toxic to aquatic life. Harmful inhaled. Harmful inhaled.	FL 3	Flammable Liquid, Hazard Category 3
H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. Causes skin irritation. H315 Causes skin irritation. H316 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H220 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	H226	Flammable liquid and vapour.
H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P240 Ground/bond container tightly closed. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	H302	Harmful if swallowed.
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H220 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin thoroughly after handling. P250 Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	H304	May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H340 Very toxic to aquatic life. H4400 Very toxic to aquatic life. H4410 Very toxic to aquatic life with long lasting effects. H4411 Toxic to aquatic life with long lasting effects. H4412 Harmful to aquatic life with long lasting effects. H4412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin thoroughly after handling. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	H312	Harmful in contact with skin.
H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H3461 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H264 Wash hands and other contacted skin thoroughly after handling. H270 Do not eat, drink or smoke when using this product. H271 Use only outdoors or in a well-ventilated area. H272 Contaminated work clothing should not be allowed out of the workplace. H273 Avoid release to the environment. H279 Wear protective gloves/eye protection/face protection.	H315	Causes skin irritation.
H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	H317	May cause an allergic skin reaction.
Harmful if inhaled. H335 May cause respiratory irritation. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	H318	Causes serious eye damage.
H335 May cause respiratory irritation. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	H319	Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. R210 Keep away from heat, sparks, open flames and hot surfaces No smoking. R233 Keep container tightly closed. R240 Ground/bond container and receiving equipment. R241 Use explosion-proof electrical, ventilating and lighting equipment. R242 Use only non-sparking tools. R243 Take precautionary measures against static discharge. R244 Avoid breathing vapour or dust. R264 Wash hands and other contacted skin thoroughly after handling. R270 Do not eat, drink or smoke when using this product. R271 Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. R273 Avoid release to the environment.	H332	Harmful if inhaled.
H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Reep away from heat, sparks, open flames and hot surfaces No smoking. Reep container tightly closed. Reep container tightly closed. Reep away from heat, sparks, open flames and hot surfaces No smoking. Reep container tightly closed. Reep container and receiving equipment. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	H335	May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	H361	Suspected of damaging fertility or the unborn child.
H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	H400	Very toxic to aquatic life.
Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Reep away from heat, sparks, open flames and hot surfaces No smoking. Reep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	H410	Very toxic to aquatic life with long lasting effects.
P202 Do not handle until all safety precautions have been read and understood. Reep away from heat, sparks, open flames and hot surfaces No smoking. Reep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	H411	Toxic to aquatic life with long lasting effects.
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	H412	Harmful to aquatic life with long lasting effects.
P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P202	Do not handle until all safety precautions have been read and understood.
P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P233	Keep container tightly closed.
P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P240	Ground/bond container and receiving equipment.
P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P241	Use explosion-proof electrical, ventilating and lighting equipment.
P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P242	Use only non-sparking tools.
P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P243	Take precautionary measures against static discharge.
P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P261	
P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P264	Wash hands and other contacted skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P270	Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P271	Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/eye protection/face protection.	P272	Contaminated work clothing should not be allowed out of the workplace.
	P273	Avoid release to the environment.
		Wear protective gloves/eye protection/face protection.
	P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.		
P302/352 IF ON SKIN: Wash with plenty of soap and water.		
		IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		





SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MARNI MY WAY FRAGRANCE 8929537

Version: 7

P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233	Store in a well-ventilated place. Keep container tightly closed.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
REP 2	Toxic to Reproduction Category 2
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1A	Sensitization - Skin Category 1A
SS 1B	Sensitization - Skin Category 1B
STO-SE 3(RI)	Specific Target Organ Toxicity (Single Exposure) Category 3

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.