



IDEAL IMPORT & EXPORT USA
Address: 11402 NW 41st. Street Suite
211 #542 Doral FL 33178 Miami, USA
Email: idealieusa@gmail.com
M +1786.716.55.02
@ idealieusa

IDEAL IMPORT VZLA
Dirección: Parque Industrial Aeropuerto,
Mz M1-C5 Galpón Ideal Import, Valencia,
Edo. Carabobo, Venezuela
Email: idealieusa@gmail.com
Cel+58424.443.14.87
@ idealimportvzla

FACTORY MADE IN CHINA
www.ipdecora.com
@ ipdecora



LIGHTING YOUR BATHROOM


Mirror | 2024





Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch
- IP44 Rating




Item Code	Diameter	Depth
MLE06T-R	600	45
MLE08T-R	800	45
MLE10T-R	1000	45
MLE12T-R	1200	45



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch
- IP44 Rating




Item Code	Width	Height	Depth
MLE5070T-S	500	700	45
MLE6080T-S	600	800	45
MLE8080T-S	800	800	45
MLE1080T-S	1000	800	45
MLE1280T-S	1200	800	45



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch
- IP44 Rating




Item Code	Diameter	Depth
MLE06V-R	621	30
MLE08V-R	821	30
MLE10V-R	1021	30
MLE12V-R	1221	30



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch
- IP44 Rating




Item Code	Width	Height	Depth
MLE5070V-S	521	721	30
MLE6070V-S	621	721	30
MLE8070V-S	821	721	30
MLE1070V-S	1021	721	30
MLE1270V-S	1221	721	30



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch
- IP44 Rating




Item Code	Diameter	Depth
MLE6565R-N	650	32
MLE8585R-N	850	32
MLE105105R-N	1050	32
MLE125125R-N	1250	32




Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- Touch switch
- IP44 Rating




Item Code	Diameter	Depth
MLD06R	600	42
MLD08R	800	42
MLD10R	1000	42
MLD12R	1200	42



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Wireless charger
- Teethbrush charger
- Heating pad
- Touch switch
- IP44 Rating




Item Code	Width	Height	Depth
MWS5070S	500	700	30
MWS6070S	600	700	30
MWS8070S	800	700	30
MWS1070S	1000	700	30
MWS1270S	1200	700	30




Features:

- Copper free mirror with safety film back
- LED color temperature changing & Intensity dimming
- Acrylic diffused LED lighting
- Shaver socket -optional
- Heating pad
- Touch switch




Item Code	Width	Height	Depth
MLE5070S	500	700	30 or 55
MLE6080S	600	800	30 or 55
MLE9070S	900	700	30 or 55
MLE1070S	1000	700	30 or 55
MLE1270S	1200	700	30 or 55
MLE1470S	1400	700	30 or 55
MLE1670S	1600	700	30 or 55
MLE1870S	1800	700	30 or 55




Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Shaver socket -optional
- Heating pad
- Touch switch




Item Code	Width	Height	Depth
MLE5070D	500	700	30 or 55
MLE6080D	600	800	30 or 55
MLE9070D	900	700	30 or 55
MLE1070D	1000	700	30 or 55
MLE1270D	1200	700	30 or 55
MLE1470D	1400	700	30 or 55



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Mirrored sides
- Heating pad
- Touch switch

Item Code	Width	Height	Depth
MLQ5070S	500	700	31
MLQ6070S	600	700	31
MLQ8070S	800	700	31
MLQ1070S	1000	700	31
MLQ1270S	1200	700	31
MLQ1470S	1400	700	31



Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Sensor Switch

Item Code	Width	Height	Depth
MMS5070S	500	700	30
MMS8060S	800	600	30
MMS1060S	1000	600	30




Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Bluetooth connection with speaker
- Heating pad
- Touch Switch



Item Code	Width	Height	Depth
MRB6080S-B	600	800	55
MRB8080S-B	800	800	55
MRB1080S-B	1000	800	55
MRB1280S-B	1200	800	55



Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch

Item Code	Width	Height	Depth
MSF5070S	500	700	110
MSF6080S	600	800	110
MSF1280S	1200	800	110




Features:

- Copper free mirror with safety film back
- LED color temperature changing & Intensity dimming
- Acrylic diffused LED lighting
- Heating pad
- Touch Switch



Item Code	Width	Height	Depth
MLY5070S	500	700	34
MLY6070S	600	700	34
MLY8070S	800	700	34
MLY1070S	1000	700	34
MLY1270S	1200	700	34
MLY1470S	1400	700	34



Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch

Item Code	Width	Height	Depth
MMA5070S	500	700	105
MMA6070S	600	700	105
MMA8070S	800	700	105
MMA1070S	1000	700	105
MMA1270S	1200	700	105





Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Digital display-Temperature, Time and date
- Bluetooth Connectivity
- Integrated speakers
- Shaver socket
- Heating pad
- Touch switch




Item Code	Width	Height	Depth
MLE5070S-K	500	700	55
MLE6080S-K	600	800	55
MLE8060S-K	800	600	55
MLE1260S-K	1200	600	55




Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- IR Sensor Switch




Item Code	Width	Height	Depth
MRL6065D	600	650	30
MRL8065D	800	650	30
MRL1065D	1000	650	30
MRL1265D	1200	650	30



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch Switch




Item Code	Width	Height	Depth
MRL6070S	600	700	30
MRL8070S	800	700	30
MRL1070S	1000	700	30
MRL1270S	1200	700	30



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch




Item Code	Diameter	Depth
MLE6060R	600	30
MLE7070R	700	30
MLE8080R	800	30
MLE9090R	900	30
MLE1010R	1000	30
MLE1212R	1200	30





Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch Switch



Item Code	Width	Height	Depth
MLE4080U	400	800	30
MLE6080U	600	800	30
MLE1065U	1000	650	30
MLE1265U	1200	650	30




Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch



Features:

- Copper free mirror with safety film back
- LED color temperature changing & Intensity Dimming
- Alu Frame Light
- Heating pad
- Touch Switch




Item Code	Width	Height	Depth	Frame Finish
MLF5070S	500	700	30	Matt Black-MB Matt Gold-MG Chrome-CH
MLF6070S	600	700	30	
MLF8070S	800	700	30	
MLF1070S	1000	700	30	
MLF1270S	1200	700	30	
MLF1470S	1400	700	30	



Features:

- Copper Free mirror with safety film back
- Ambient lighting with acrylic Diffuser
- Touch sensor switch with temperature color changing and intensity Dimming
- Defogger film

Item Code	Width	Height	Depth
MRD5070P	500	700	30
MRD6080P	600	800	30
MRD1080P	800	1000	30






Features:

- Copper Free mirror with safety film back
- Sandblasting strip with acrylic Diffuser
- Touch sensor switch with temperature color changing and intensity Dimming
- Defogger film

Item Code	Width	Height	Depth
MLE5070P	500	700	30
MLE6080P	600	800	30
MLE1080P	800	1000	30






Features:


- Copper Free mirror with safety film back
- Ambient lighting with acrylic Diffuser
- Touch sensor switch with temperature color changing and intensity Dimming
- Defogger film

Item Code	Width	Height	Depth
MRD7060H	693	600	30
MRD9080H	924	800	30
MRD11100H	1155	1000	30



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch Switch




MRL6090H



Features:

- Copper Free mirror with safety film back
- Ambient lighting with acrylic Diffuser
- Touch sensor switch with temperature color changing and intensity Dimming
- Defogger film




Item Code	Width	Height	Depth
MRD5070-O	500		
MRD6080-O	600	800	30
MRD6010-O	600		
MRD1260-O	1200	600	30



Features:

- Copper Free mirror with safety film back
- Sandblasting strip with acrylic Diffuser
- Touch sensor switch with temperature color changing and intensity Dimming
- Defogger film




Item Code	Width	Height	Depth
MLE50700	500		
MLE60800	600	800	30
MLE10600	600		
MLE12600	1200	600	30



Features:


- Copper Free mirror with safety film back
- Sandblasting pattern all around the mirror
- Touch sensor switch with temperature color changing and intensity Dimming
- Defogger film



Item Code	Diameter	Depth
MDR6060R-B	600	30
MDR8080R-B	800	30
MDR9090R-B	900	30
MDR1010R-B	1000	30




Short Touch h (<1s)



Features:

- Copper Free mirror with safety film back
- Sandblasting strip on the mirror
- Touch sensor switch with temperature color changing and intensity Dimming (short touch to change the sandblasting lighting area)
- Defogger film




Item Code	Width	Height	Depth
MLC5070S-P	500		
MLC6080S-P	600	800	30
MLC1080S-P	1000		
MLC1280S-P	1200	800	30




Features:

- Copper Free mirror with safety film back
- Sandblasting strip all around the mirror
- Touch sensor switch with temperature color changing and intensity Dimming
- Defogger film



Item Code	Width	Height	Depth
MCD5070S	500	700	31.5
MCD6080S	600	800	31.5
MCD1080S	1000	800	31.5
MCD1280S	1200	800	31.5



UI introduction

mirror mode: Double-click the main interface of the blank area, you can switch to mirror mode, Similarly, double-click to return to the main page.

module location: Long time press the function module and move, can change the module location.

module tab: Move the module to the left and right sides, minimize the module, and click the tab to open it.

account management: Click the user picture, enter the user management interface, you can switch users.


standby strategy:

1. When the music is not playing, 10 minutes without detection of people, the device will automatically standby, it will automatically wake up if someone goes through (Time can be customized, or cancel automatic standby)


2. When the music is playing, 10 minutes without detection of people, the device will automatically become black screen, music is playing in the background (Time can be customized, or cancel automatic standby)

Features:

- Capacitive screen, supports 10 point touch, 1920*1080 resolution display
- Android 6.0, support wifi, online video and music
- High speed USB 2.0 transmission
- Support bluetooth 4
- Support MP3, AAC, WAV and other music formats
- Support AVI, 3GP, MP4, MOV, MKV and other video formats, the highest reach to 1080P
- Support JPG, BMP, JPEG, GIF etc image formats
- Built-in stereo speakers
- Support Chinese, English, etc
- Built-in voice capture chip, can achieve one meter long distance voice interaction and recording function
- Use infrared sensor technology, intelligent induction to 2 meters long-distance movement of the human body, to achieve automatic wake-up function, recognition angle can up to 180 degrees
- Fully enclosed design, IP65





Item Code	Width	Height	Depth
MWF5070D	500	700	30
MWF6080D	600	800	30
MWF9070D	900	700	30



Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- Touch switch

Item Code	Width	Height	Depth
MLC6070S	600	700	30
MLC8070S	800	700	25
MLC1070S	1000	700	25
MLC1270S	1200	700	25
MLC1470S	1400	700	25



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- Touch Switch




Item Code	Width	Height	Depth
MTE6070D	600	700	30
MTE8070D	800	700	30
MTE1070D	1000	700	30
MTE1270D	1200	700	30






Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- Touch Switch




Item Code	Width	Height	Depth
MLL5070S	500	700	30
MLL8060S	800	600	30
MLL8070S	800	700	30
MLL1070S	1000	700	30
MLL1270S	1200	700	30
MLL1470S	1400	700	30



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Integrated magnifying mirror
- Heating pad
- Sensor Switch


Item Code	Width	Height	Depth
MLF6080S-M	600	800	30
MLF1060S-M	1000	600	30
MLF1260S-M	1200	600	30



Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- Sensor Switch

Item Code	Width	Height	Depth
MRF6060S	600	600	30
MRF8060S	800	600	30
MRF1060S	1000	600	30
MRF1260S	1200	600	30




Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Tapered body
- Heating pad
- Sensor Switch




Item Code	Width	Height	Depth
MLD8065S	800	650	43
MLD1065S	1000	650	43
MLD1265S	1200	650	43
MLD1465S	1400	650	43



Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Foldable side mirrors
- Heating pad
- Touch Switch

Item Code	Width	Height	Depth
MMF1080S	1000	800	43
MMF1280S	1200	800	43



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- IR Sensor Switch




Item Code	Width	Height	Depth
MLS6070S	600	700	30
MLS8070S	800	700	30
MLS1070S	1000	700	30
MLS1270S	1200	700	30






Features:

- Copper free mirror with safety film back
- LED color temperature 4000K
- Heating pad
- Push switch





Item Code	Width	Height	Depth
MLT4570S	450	700	30
MLT6070S	600	700	30
MLT8070S	800	700	30
MLT1070S	1000	700	30
MLT1270S	1200	700	30



Features:

- Copper free mirror with safety film back
- LED color temperature changing & Intensity Dimming
- Acrylic diffused LED lighting
- Heating pad
- Touch Switch


Item Code	Diameter	Depth
MLF6060R-A	600	30
MLF8080R-A	800	30
MLF9090R-A	900	30
MLF1010R-A	1000	30



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- Touch Switch


Item Code	Diameter	Depth
MLF6060R-B	600	30
MLF8080R-B	800	30
MLF9090R-B	900	30
MLF1010R-B	1000	30



Features:

- Copper free mirror with safety film back
- LED color temperature changing & Intensity dimming
- Acrylic diffused LED lighting
- Digital display-Temperature, Time and date
- Wifi connection
- Heating pad
- Touch Switch

Item Code	Width	Height	Depth
MPC6080D-W	600	800	30
MPC8080D-W	800	800	30
MPC1080D-W	1000	800	30
MPC1280D-W	1200	800	30




Features:

- Copper free mirror with safety film back
- LED color temperature changing & Intensity dimming
- Integrated magnifying mirror
- Heating pad
- Touch Switch

Item Code	Width	Height	Depth
MLE6070D-M	600	700	30
MLE8070D-M	800	700	30
MLE1070D-M	1000	700	30
MLE1270D-M	1200	700	30
MLE1470D-M	1400	700	30





- Features:**
- Copper free mirror with safety film back
 - LED color temperature changing 2700-6500K
 - Acrylic diffused LED lighting
 - Heating pad
 - Touch Switch



Item Code	Width	Height	Depth
MLR4080D	400	800	30
MLR6080D	600	800	30
MLR8080D	800	800	30
MLR1080D	1000	800	30
MLR1280D	1200	800	30
MLR1480D	1400	800	30
MLR1680D	1600	800	30







Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch Switch

Item Code	Width	Height	Depth
MLR4070S	400	700	30
MLR6070S	600	700	30
MLR8070S	800	700	30
MLR1070S	1000	700	30
MLR1270S	1200	700	30
MLR1470S	1400	700	30
MLR1670S	1600	700	30



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- Touch Switch




Item Code	Width	Height	Depth
MPT5070S	500	700	30
MPT6070S	600	700	30
MPT8070S	800	700	30
MPT1070S	1000	700	30
MPT1270S	1200	700	30
MPT1470S	1400	700	30
MPT1670S	1600	700	30




Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch switch




Item Code	Diameter	Depth
MLR6060R	600	30
MLR8080R	800	30
MLR9090R	900	30
MLR1010R	1000	30



MMG6080R

Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch Switch



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch Switch

Item Code	Width	Height	Depth
MMQ8074R	800	746	30
MMQ1093R	1000	933	30
MMQ1211R	1200	1120	30



Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- IR Sensor Switch

Item Code	Width	Height	Depth
MRD8055P	800	550	30
MRD1280P	1200	800	30




Features:


- Copper free mirror with safety film back
- LED color temperature changing & Intensity Dimming
- Acrylic diffused LED light
- Heating pad
- Touch Switch



Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch Switch





Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Integrated magnifying mirror
- Heating pad
- Touch switch
- IP44 Rating




Item Code	Diameter	Depth
MDR6060R	600	30
MDR8080R	800	30
MDR9090R	900	30




Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- Touch Switch




Item Code	Diameter	Depth
MMH6060R	600	30
MMH7070R	700	30
MMH8080R	800	30
MMH1010R	1000	30
MMH1212R	1200	30



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- Touch switch

Item Code	Width	Height	Depth
MSW6080S	600	800	25
MSW8080S	800	800	25
MSW1080S	1000	800	25
MSW1280S	1200	800	25
MSW1480S	1400	800	25



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Heating pad
- Touch Switch


Item Code	Width	Height	Depth
MMC5070S	500	700	30
MMC6080S	600	800	30
MMC8080S	800	800	30
MMC1080S	1000	800	30
MMC1280S	1200	800	30
MMC1480S	1400	800	30
MMC1680S	1600	800	30
MMC1880S	1800	800	30




Features:

- Copper free mirror with safety film back
- LED color temperature changing & Intensity dimming
- Heating pad
- Touch switch
- USB charger


Item Code	Width	Height	Depth
MTD4570S-U	450	700	30
MTD6070S-U	600	700	30
MTD8070S-U	800	700	30
MTD1070S-U	1000	700	30
MTD1270S-U	1200	700	30
MTD1470S-U	1400	700	30
MTD1670S-U	1600	700	30





Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Integrated glass shelf
- Heating pad
- IR Sensor Switch
- USB charger




Item Code	Width	Height	Depth
MTD6065S-ZU	600	650	125
MTD8065S-ZU	800	650	125
MTD1065S-ZU	1000	650	125
MTD1265S-ZU	1200	650	125




Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch Switch



MLR4010U




Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting
- Heating pad
- Touch Switch



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Alu Frame in anodized finish
- Heating pad
- Touch Switch




Item Code	Width	Height	Depth
MFF5060S	500	600	36.5
MFF6060S	600	600	36.5
MFF8060S	800	600	36.5
MFF1060S	1000	600	36.5
MFF1260S	1200	600	36.5
MFF1660S	1600	600	36.5



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Digital LED clock
- Bluetooth Speaker
- Heating pad
- IR Sensor Switch




MLT6080S-B




Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Digital LED clock
- Bluetooth Speaker
- Heating pad
- IR Sensor Switch



MLS8080S-B



MLS9080S-B



MLS1280S-B




Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Digital LED clock
- Bluetooth Speaker
- Heating pad
- IR Sensor Switch

Bluetooth™ Mirrors

Introducing our new Bluetooth mirrors. play music or listen to internet radio from your smart phone or other Bluetooth devices.




Turn on



Search



Connect




Listen




Features:


- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Overhead lamp in chrome
- Heating pad
- IR Sensor Switch




Item Code	Width	Height	Depth
MPR6070S	600	700	110
MPR8070S	800	700	110
MPR1070S	1000	700	110
MPR1270S	1200	700	110



Item Code	Width	Height	Depth
MDQ5070T	500	700	30
MDQ6070T	600	700	30
MDQ8070T	800	700	30
MDQ1070T	1000	700	30
MDQ1270T	1200	700	30




Item Code	Width	Height	Depth
MDQ5070L	500	700	30
MDQ6070L	600	700	30
MDQ8070L	800	700	30
MDQ1070L	1000	700	30
MDQ1270L	1200	700	30



Item Code	Width	Height	Depth
MDQ5070S	500	700	30
MDQ6070S	600	700	30
MDQ8070S	800	700	30
MDQ1070S	1000	700	30
MDQ1270S	1200	700	30

Features:




- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Touch switch



Features:



- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Touch Switch

Item Code	Width	Height	Depth
MFJ4015S	400	1500	32




Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Touch Switch



Features:

- Copper free mirror with safety film back
- Frame colour optional: Matt Black, Rose Gold, Matt Glod
- No lighting



Features:

- Copper free mirror with safety film back
- LED color temperature changing 2700-6500K
- Touch Switch



CE / SAA / IP44

Main Features for mirror
Touch Switch / Sensor Switch.

Double Touch Switch with dimmer and LED color changing

Short touch =ON/OFF the LED light, Keep touch=LED color changing

Short touch =ON/OFF the heating pad, keep touch=Dimmer function

Three touch switch with dimmer and LED color changing

=ON/OFF the LED light and heating pad

=LED color changing

=Dimmer Function

Three touch switch with dimmer and LED color changing

Short touch =ON/OFF the LED light , keep touch=Dimmer function

=LED color changing

=ON/OFF Heating pad

Optional Feature for mirror

Digital LED clock



Wifi Weather Forecast



Liquid Crystal Display



Bluetooth Speaker



Magnifying Mirror



Shaver Socket



USB charger

Main Feature for mirror



Touch switch with dimmer function
touch switch on the mirror
short touch=ON/OFF
keep touch=dimmer function



IR Sensor with dimmer function
IR sensor on the bottom of mirror;
wave the hand=ON/OFF
keep the hand=dimmer function



Mechanical Switch




Additional features (Optional)



Digital display
(clock & temp)



Color change
color temp change



Defogger

Quality Advantage

Copper free mirror qualified with CASS 480 hours with safety film

Finely crafted mirror offering a bright reflection

High Quality and High Efficiency LED light

*LED life time >30,000 hours

*CRI/Ra>90, R9>50

*Color consistency < 5 SDCM

*Lumen efficiency> 125 lm/W

Aluminum or steel materials at the backside of mirror qualified the temperature rise testing for both LED light and driver

Mounting Hardware included

Certification



RoHS

ErP

