

STAIN BLOCK

BLOCKS UNWANTED STAINS

POLAR
RENOVATE ▴ REVIVE ▴ PROTECT

PERFORMANCE ADVANTAGES

- ▶ Blocks Unwanted Stains
- ▶ Primer & Sealer
- ▶ Multi Surface Use
- ▶ Rapid Drying
- ▶ Lasting Protection



HOW TO VIDEO

View our handy 'how-to' video to understand how to get the best results from our products.



Blocks Unwanted Stains



Extremely Durable Finish



One Coat Application



DIRECTIONS



Step One

Ensure the surface is free of dust, flakes of rust, grime, greases, oils etc.



Step Two

Shake the can thoroughly for at least two minutes. Apply sparingly from a distance of 15 – 25cm.



RENOVATE ▴ REVIVE ▴ PROTECT

TECHNICAL DATA SHEET

STAIN BLOCK

USES

- ▶ Ideal for wanting to re-decorate and paint over bare wood, plastic, tiles, ceramics and more.
- ▶ Use Stain Block as an undercoat, to prevent old stains from coming through.
- ▶ Suitable for all interior surfaces - including walls and ceilings.
- ▶ Instantly and permanently blocks unattractive and unwanted stains.
- ▶ Formulated to prevent and seal further stains from reappearing.
- ▶ Block stains such as rust, bitumen, grease, mould, pen, nicotine, smoke damage, crayon, coffee, watermarks, soot, graffiti and tannins.
- ▶ Spray can application.

Do not use on surfaces previously treated with alkyd paints, without first ascertaining suitability.

COLOUR RANGE

WHITE

PACK SIZE

- ▶ 400ml.

SPREADING RATE

- ▶ 500ml covers up to 2m².
- ▶ Apply 2 coats minimum.

DRYING TIME

- ▶ Touch Dry: 10 minutes
- ▶ Dry: 24 hours.

SHELF LIFE

- ▶ Keeps for up to 2 years when stored correctly. .

CLEANING

- ▶ Clean all equipment with white spirit immediately after use.

PREPARATION AND APPLICATION

- ▶ Shake well until mixing ball rattles and continue for one minute.
- ▶ Shake can occasionally during use.
- ▶ Spray can from a distance of 20-30cm.
- ▶ Spray can in a motion from left to right or up and down until the area is covered with an even coat.
- ▶ Allow to dry fully and apply a second coat if required.
- ▶ When completely dry, surfaces can be painted or wallpapered over.
- ▶ On completion of use, invert can and depress actuator for a few seconds to prevent nozzle blockage.

PRECAUTIONS

- ▶ **Flammable!** Keep away from sources of ignition.
- ▶ Ensure good ventilation during application - use outdoors or in a well ventilated area.
- ▶ Wear gloves, goggles and suitable protective clothing.
- ▶ In case of contact with eyes rinse immediately with plenty of water and seek medical advice. Remove contact lenses if present and easy to do.
- ▶ Remove splashes from the skin with a recognised hand cleaner or plenty of soap and water.
- ▶ Keep out of reach of children.
- ▶ May cause drowsiness or dizziness.

TECHNICAL DATA SHEET

STAIN BLOCK

- ▶ Avoid breathing vapour/spray.
- ▶ Dispose of contents/container in accordance with local regulations.
- ▶ Repeated exposure may cause skin dryness or cracking. Contains acetone.
- ▶ **CAUTION:** Pressurised container: May burst if heated. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- ▶ Use only as directed.

TECHNICAL DATA SHEET

STAIN BLOCK



SAFETY

Good working practice should be followed.

The specification and coverage rates are given in good faith and are based on our experience and knowledge but without liability.

As Polar Specialist Coatings Limited has no direct control over the methods employed by the user in applying its products, any warranty either written or implied is given in good faith and can only cover the material itself.

If in doubt regarding any of the above points, please contact our technical services department for advice.

A Material Safety Data Sheet is available on request.

It is the users responsibility to ensure that this data sheet is current prior to using the product.

VIEW OUR FULL RANGE OF PRODUCTS
www.polarcoatings.co.uk




Road 3, Winsford Industrial Estate, Winsford, Cheshire. CW7 3PD
info@polarcoatings.co.uk | 0161 850 0379

Innovate Pioneers for Specialist Coatings

Polar provides you with the expertise and quality to transform & renovate all your DIY projects.

Formerly the creators of Johnstone's paints with over 130 years manufacturing experience...

We deliver reliable, high-performance paints that revive, protect & maintain your home.



**Ian Johnstone manufacturing
for Johnstone's Paints 1946**