

Creator Kit

SKU: 110013US

MICRO

PORTABLE CONTINUOUS LED LIGHT


The perfect light for creators on-the-go.

Experience premium-grade lighting anytime, anywhere with the pocket-sized Hobolite Micro. It's equipped with a removable battery, and delivers an 8W output across the full-color spectrum, providing efficient illumination of up to 500lm. Creator Kit includes **three batteries**, one is attached to the Micro light, and the other two are with the charging dock.



Hobolite MICRO
Creator Kit

CCT:



2700K - 6500K

- **Pocket-sized, lightweight,** and made from high-quality materials.
- **Superior Color Accuracy** – Micro offers an excellent color range of 2700K to 6500K. Each light is individually calibrated to achieve high and accurate CRI (96+) and TLCI (96+) metrics.
- **Optimized and designed for portability** to increase the ease of transport, set up and overall on-location mobility
- **Instant Connect Accessories** – Features a distinctive magnetic mount design that enables the quick and effortlessly attachment or detachment accessories with one hand in under a second. Magnet mount accessories include a barn door, frosted dome and fresnel lens, and color gels, making it the ultimate all-in-one solution for your everyday creative needs.
- **Detachable Li-ion Battery** – The Micro is equipped with a removable battery (2000mAh 3.7V, 7.4Wh) that provides a full power run time of 50 minutes. Continuous shooting can be achieved by replacing the battery easily.
- **3-in-1 charging dock** – Extreme compact design with multi functions, it can be used as power back, charging dock and battery storage.
- **Built-in** smooth dimming.
- **1-year** warranty.

FEATURES

MINIATURE SIZE MAXIMUM PERFORMANCE

1. Adjustable Brightness: 360LM-500LM

2. 3-in-1 Charging Dock

3. Magnetic Accessories

Barndoor
Fresnel Lens
Frosted Dome
Color Gels

4. Bright, High Contrast LCD Screen

5. Knurled Control Knobs

6. Type C Fast Charging

7. Active Cooling


Smart Thermal Response System

8. Detachable Long-Life
Li-ion Battery

9. Mobile App Control

With built-in NFC technology

10. Integrated V-Mount System



SPECIFICATIONS

Power	8W
Luminous Flux (6500K)	500LM
Input	AC 100-240V, 50~60Hz, DC 5V
Battery	3.7V 2000mAh, 7.4Wh
CRI	96
TLCI	96
CCT	2700K - 6500K
IP Rating	IP20
Dimming	0-100%
Control Methods	Onboard or App
Wireless Method	Bluetooth
Max Distance Wireless Control	65.6 FT
Noise	18dB@3.28FT
Operating Temperature	14~104°F
Color	Brown Faux Leather



MICRO Creator Kit

- **MSRP:** \$269.99
- **Part Number:** 110013US
- **UPC:** 6970878003561
- **Light Dimensions:** 2" x 2.7" x 3"
- **Light Body Net Weight:** 0.52 lbs
- **Shipping Dimensions:** 10.5" x 3.7" x 5.7"
- **Shipping Weight:** 2.49 lbs

MICRO OPERATING TIME USING DETACHABLE LI-ION BATTERY

Brightness level	Operating time
100%	50 mins
75%	1.25h
50%	1.6h
25%	3.3h
1%	9.5h

INCLUDED IN CREATOR KIT



8W Micro



Barndoor



Fresnel Lens



Frosted Dome



Micro Color Gels



Charging Dock with
Batteries x 2



Type C Cable



Power Adapter 19.98W

ADDITIONAL ACCESSORIES



Micro Adjustable
Lens

SKU 141005



Micro Foldable
Softbox

SKU 142011



Quick-Release Cold
Shoe Adapter

SKU 161009




V-Mount Battery
95Wh

SKU 122001



Micro 7.4Wh DC
Battery

SKU 122002



Extendable Desktop
Tripod

SKU 152002



V-Mount Cold-
Shoe Adapter

SKU 161001



V-Mount Ballhead
Tripod Adapter

SKU 161002




Desktop
Tripod

SKU 152001




PHOTOMETRIC DATA


MICRO @2700K	Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
--------------	----------	------------------	-------------------	--------------------



MICRO @4000K	Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
--------------	----------	------------------	-------------------	--------------------



MICRO @6500K	Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
--------------	----------	------------------	-------------------	--------------------







PHOTOMETRIC DATA

With Adjustable Lens (20°-45°)


MICRO @2700K	Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
--------------	----------	------------------	-------------------	--------------------



MICRO @4000K	Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
--------------	----------	------------------	-------------------	--------------------



MICRO @6500K	Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
--------------	----------	------------------	-------------------	--------------------





WARRANTY TERMS

We provide a one-year warranty period for the original buyer of the product. For the detailed warranty scope, please log in to our website: www.hobolite.com.

Important notes:

- Please retain your original purchase invoice and warranty card and ensure that the complete supplier information is on the invoice, including the purchase date and product serial number, which will be needed when making a claim against the warranty.

The warranty does not cover:

- Damage caused by improper use, false wiring, incompatible, poor quality or mis-adjusted external devices.
- Damage to the appearance of the product from mishandling or abuse
- Exposure to rain or water.
- Damage caused by transportation. Please contact your dealer to issue a claim.

The warranty will be invalid if:

- The product serial number has been torn off or can't be identified.
- The product has been repaired or modified by unauthorized persons.