

Creator Kit | SKU: 110002US



Hobolite

MINI

PORTABLE CONTINUOUS LED LIGHT

The Hobolite Mini is a micro studio wherever you need it.


Weighing in **under a pound** and packing **20W of power**, it provides professional lighting where and when you need it. The light output ranges from 2700K - 6500K with excellent CRI and a focusable lens allowing for adjustable beam control from 15° spot light to 45° floodlight. Accessory attachments can diffuse or focus the output further.



Hobolite MINI
Creator Kit



CCT:



2700K - 6500K

- **Superior product performance** – 20W of power and light output range from 2700K – 6500K
- **Classic, stylish and award-winning design** – 2022 IF Design Award & Red Dot Award with environmentally-friendly faux-leather detailing.
- **Optimized and designed for portability** to increase the ease of transport, set up and overall on-location mobility
- **Compact, lightweight**, and made from high-quality materials
- **Quality and softness of light** – even without a softbox, the diffused light is nicely softened with smooth shadow transitions
- **Built-in** smooth dimming
- **Easy-to-use integral accessories** such as barndoors, gels, lenses, softboxes, stands etc. (sold separately)
- **Built-in** 3000mAh 7.4V, 22.2Wh Rechargeable Li-Ion battery
- **Between 320 and 1020 mins run time** from a full charge with the Hobolite 95Kwh V-Mount battery (sold separately)
- **1-year warranty**

FEATURES

MINIATURE SIZE MAXIMUM PERFORMANCE

1. Adjustable Lens: 15° - 45°

2. Barn Door Attachment

3. Interchangeable Lens Accessories

Honeycomb

Multicolored Filters

Frosted Dome

4. Bright, High Contrast LCD Screen

5. Knurled Control Knobs

6. Type C Fast Charging

7. Active Cooling

Smart Thermal Response System




8. Built-In Long-Life

Lithium Ion Battery

9. Mobile App Control

With built-in NFC technology

10. Integrated V-Mount System



SPECIFICATIONS

Power	20W
Luminous Flux (6500K)	1200LM
Input	AC 100-240V, 50~60HZ DC 5V/9V
Battery	7.4V 3000MAH, 22.2WH
CRI	96
TLCI	96
CCT	2700K - 6500K
IP Rating	IP20
Dimming	0-100%
Control Methods	Onboard or App
Wireless Method	Bluetooth
Max Distance Wireless Control	65.6 feet
Noise	22DB@1M
Operating Temperature	14~104°F
Color	Brown Faux Leather



MINI Creator Kit

- **MSRP:** \$399
- **Part Number:** 110002US
- **UPC:** 6970878002793
- **Light Dimensions:** 3.3" x 2.5" x 4"
- **Light Body Net Weight:** 0.95 lb
- **Shipping Dimensions:** 16.15"x12.2"x9.25"
- **Shipping Weight:** 3.75 lbs

MINI OPERATING TIME USING BUILT-IN BATTERY

Brightness level	Operating time
100%	50 mins
75%	1.2h
50%	1.75h
25%	3.5h
20%	4.5h


MINI OPERATING TIME USING 95WH V-MOUNT DC BATTERY

Brightness level	Operating time
80%	5.2h
75%	5.6h
50%	8.5h
25%	17h

INCLUDED IN CREATOR KIT



Hobolite 20W Mini



Mini Barndoors
SKU 142004



Type C Cable
SKU 123001



Power Adapter 19.98W
SKU 121001US



Desktop Tripod
SKU 152001



V-Mount Cold Shoe Adapter
SKU 161001



V-Mount Ballhead Adapter
SKU 161002

ADDITIONAL ACCESSORIES



Mini Foldable Softbox & Color Filters
SKU 142001



V-Mount Handle
SKU 161004



V-Mount Clamp
SKU 161003



95WH V-mount DC battery
SKU 122001




CF 90 Light Stand
SKU 151001




CF 210 Light Stand
SKU 151002

PHOTOMETRIC DATA


Mini @2700K	Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
-------------	----------	------------------	-------------------	--------------------




Mini @4000K	Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
-------------	----------	------------------	-------------------	--------------------



Mini @6500K	Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
-------------	----------	------------------	-------------------	--------------------





WARRANTY TERMS

We provide a one-year warranty period for the original buyer of the product. For the detailed warranty scope, please log in to our website: www.hobolite.com.

Important notes:

- Please retain your original purchase invoice and warranty card and ensure that the complete supplier information is on the invoice, including the purchase date and product serial number, which will be needed when making a claim against the warranty.

The warranty does not cover:

- Damage caused by improper use, false wiring, incompatible, poor quality or mis-adjusted external devices.
- Damage to the appearance of the product from mishandling or abuse
- Exposure to rain or water.
- Damage caused by transportation. Please contact your dealer to issue a claim.

The warranty will be invalid if:

- The product serial number has been torn off or can't be identified.
- The product has been repaired or modified by unauthorized persons.