

PRO

PORTABLE CONTINUOUS LED LIGHT

The Hobolite Pro is a professional grade powerful continuous light.

Packing **300W of power**, it provides professional lighting where and when you need it. The light output ranges from 2700K - 6500K with excellent CRI. Standard Bowens Mount lens allows you to use any accessory attachment to modify light to modify the light output however you choose.



- сст: 2700К - 6500К
- **Superior product performance** 300W of power and light output range from 2700K 6500K
- Classic, stylish and award-winning design 2022 IF Design Award & Red Dot Award with environmentally-friendly faux-leather detailing
- **Optimized and designed for portability** to increase the ease of transport, set up and overall on-location mobility
- **Compact, lightweight**, and made from high-quality materials
- Quality and softness of light even without a softbox, the diffused light is nicely softened with smooth shadow transitions

- High-quality detachable LCD/wireless control panel
- Built-in smooth dimming
- Easy-to-use integral accessories such as barndoors, gels, lenses, softboxes, stands etc. (sold separately)
- AC/DC power supply allows the Pro to run off main power or via dual V-Mount battery. Set includes 2x Hobolite V-Mount Battery 95Wh and Dual DC Battery Charger. Expect maximum 132 mins of battery life off a full charge with two batteries depending on usage
- Standard Bowens Mount compatible with aftermarket light modifiers




FEATURES

GOLDEN AGE STYLE MODERN PERFORMANCE

1. Barn Door Attachment

- 2. Interchangeable Lens Accessories Honeycomb
- 3. Softbox Attachment
- 4. Mobile App Control With built-In NFC technology
- 5. Total Flexibility and Control 360° of adjustment
- 6. Knurled Control Knobs Adjustable brightness Adjustable color temperature
- 7. Detachable Control Panel
- 8. Standard Bowens Mount Compatible with aftermarket light modifiers
- 9. DC Battery Connection to Power Supply for mobile shooting
- **10. Active Cooling** Smart thermal response system





















hobolite.com



SPECIFICATIONS

| | | 6 | | |
|-------------------------------|---------------------------------|--|--|--|
| | | | | |
| Power | 300W | PRO | | |
| Luminous Flux (6500K) | 30000LM | Creator Kit | | |
| Luminous Flux (2700K) | 24000LM | | | |
| Input | AC 100-240V, 50~60HZ DC 24-48V | • MSRP: \$2,999 | | |
| Battery | 14.8V 6400MAH, 94.72WH | • Part Number: 110010US | | |
| CRI | 96 | | | |
| TLCI | 96 | • UPC: 6970878003257 | | |
| ССТ | 2700К - 6500К | • Light Dimensions: 7" x 6.5" x 12.3" | | |
| Dimming | 0-100% | | | |
| Control Methods | Detachable control panel or App | Light Body Net Weight: 8.1 lbs | | |
| Wireless Method | Bluetooth | • Shipping Dimensions:33.78"x18.19"x17.32" | | |
| Max Distance Wireless Control | 65.6 feet | | | |
| Noise | 28DB@1M | Shipping Weight: 49.6 lbs | | |
| Operating Temperature | 14°~104°F | | | |
| Color | Brown Faux Leather | | | |
| | | | | |

PRO OPERATING TIME USING TWO 95WH V-MOUNT DC BATTERIES

| Brightness level | Operating time | | |
|------------------|----------------|--|--|
| 80% | 25mins | | |
| 60% | 50mins | | |
| 50% | 1h | | |
| 25% | 2.2h | | |
| 20% | 2.75h | | |





INCLUDED IN CREATOR KIT



Hobolite 300W Pro



Pro Barndoors SKU 142006



V-Mount Clamp SKU 161003



Pro Softbox SKU 142003



95WH V-mount DC battery (2) SKU 122001



Dual V-Mount Battery Charger SKU 121002US



CF 310 Light Stand SKU 151004

ADDITIONAL ACCESSORIES



PRO Creator Kit | SKU: 110010US



PHOTOMETRIC DATA

| Pro @2700K | Distance | 1 meter / 3.2 ft | 3 meters / 9.8 ft | 5 meters / 16.4 ft |
|------------|--------------|------------------|-------------------|--------------------|
| | without Lens | 750 | 100 | 43 |
| | FC | 1527 | 190 | 82 |
| | Lux | 16446 | 2050 | 886 |
| | with Lens | 8073 | 1085 | 472 |
| Pro @4000K | Distance | 1 meter / 3.2 ft | 3 meters / 9.8 ft | 5 meters / 16.4 ft |
| | Without Lens | 891 | 119 | 52 |
| | FC | 1808 | 225 | 97 |
| | Lux | 19468 | 2423 | 1051 |
| | with Lens | 9594 | 1290 | 561 |
| Pro @6500K | Distance | 1 meter / 3.2 ft | 3 meters / 9.8 ft | 5 meters / 16.4 ft |
| | without Lens | 943 | 127 | 55 |
| | FC | 1915 | 240 | 104 |
| | Lux | 20617 | 2584 | 1120 |
| | with Lens | 10153 | 1368 | 598 |



WARRANTY TERMS

We provide a one-year warranty period for the original buyer of the product. For the detailed warranty scope, please log in to our website: www.hobolite.com.

Important notes:

 Please retain your original purchase invoice and warranty card and ensure that the complete supplier information is on the invoice, including the purchase date and product serial number, which will be needed when making a claim against the warranty.

The warranty does not cover:

- Damage caused by improper use, false wiring, incompatible, poor quality or mis-adjusted external devices.
- Damage to the appearance of the product from mishandling or abuse
- Exposure to rain or water.
- Damage caused by transportation. Please contact your dealer to issue a claim.

The warranty will be invalid if:

- The product serial number has been torn off or can't be identified.
- The product has been repaired or modified by unauthorized persons.