

Standard Kit | SKU: 110005US

*Hobolite*


# PRO

## PORTABLE CONTINUOUS LED LIGHT

The Hobolite Pro is a professional grade powerful continuous light.

Packing **300W of power**, it provides professional lighting where and when you need it. The light output ranges from 2700K - 6500K with excellent CRI. Standard Bowens Mount lens allows you to use any accessory attachment to modify light to modify the light output however you choose.

CCT:



- **Superior product performance** – 300W of power and light output range from 2700K – 6500K
- **Classic, stylish and award-winning design** – 2022 IF Design Award & Red Dot Award with environmentally-friendly faux-leather detailing
- **Optimized and designed for portability** to increase the ease of transport, set up and overall on-location mobility
- **Compact, lightweight**, and made from high-quality materials
- **Quality and softness of light** – even without a softbox, the diffused light is nicely softened with smooth shadow transitions

Hobolite PRO  
Standard Kit



- **High-quality detachable LCD/wireless control panel**
- **Built-in** smooth dimming
- **Easy-to-use integral accessories** such as barndoors, gels, lenses, softboxes, stands etc. (sold separately)
- **AC/DC power supply** allows the Pro to run off main power or via dual V-Mount battery. Set includes 2x Hobolite V-Mount Battery 95Wh and Dual DC Battery Charger. Expect maximum 132 mins of battery life off a full charge with two batteries depending on usage
- **Standard Bowens Mount** compatible with aftermarket light modifiers

## FEATURES

# GOLDEN AGE STYLE MODERN PERFORMANCE



### 1. Barn Door Attachment

### 2. Interchangeable Lens Accessories

Honeycomb

### 3. Bright, High-Contrast LCD Screen



### 4. Mobile App Control

With built-in NFC technology

### 5. Total Flexibility and Control

360° of adjustment



### 6. Knurled Control Knobs

Adjustable brightness

Adjustable color temperature

### 7. Detachable Control Panel



### 8. Standard Bowens Mount

Compatible with aftermarket light modifiers



### 9. DC Battery Connection to Power Supply

for mobile shooting



### 10. Active Cooling

Smart thermal response system





## SPECIFICATIONS



<b>Power</b>	300W
<b>Luminous Flux (6500K)</b>	30000LM
<b>Luminous Flux (2700K)</b>	24000LM
<b>Input</b>	AC 100-240V, 50~60HZ DC 24-48V
<b>Battery</b>	14.8V 6400MAH, 94.72WH
<b>CRI</b>	96
<b>TLCI</b>	96
<b>CCT</b>	2700K - 6500K
<b>Dimming</b>	0-100%
<b>Control Methods</b>	Detachable control panel or app
<b>Wireless Method</b>	Bluetooth
<b>Max Distance Wireless Control</b>	65.6 feet
<b>Noise</b>	28DB@1M
<b>Operating Temperature</b>	14°~104°F
<b>Color</b>	Brown Faux Leather

### PRO Standard Kit

- **MSRP:** \$2,299
- **Part Number:** 110005US
- **UPC:** 6970878003073
- **Light Dimensions:** 7" x 6.5" x 12.3"
- **Light Body Net Weight:** 8.1 lbs
- **Shipping Dimensions:** 19.69"x9.65"x16.14"
- **Shipping Weight:** 30.8 lbs


#### PRO OPERATING TIME USING 95WH V-MOUNT DC BATTERY

Brightness level	Operating time
80%	25mins
60%	50mins
50%	1h
25%	2.2h
20%	2.75h

## INCLUDED IN STANDARD KIT



**Hobolite 300W Pro**



**Pro Barndoors**  
SKU 142006



**V-Mount Clamp**  
SKU 161003



**95WH V-mount  
DC battery (2)**  
SKU 122001



**Dual V-Mount  
Battery Charger**  
SKU 121002US

## ADDITIONAL ACCESSORIES



**Pro  
Softbox**  
SKU 142003



**Pro  
Lantern**  
SKU 142008



**CF 310  
Light Stand**  
SKU 151004



**Dual V-Mount Charger  
with (2) 95kWh V-Mount  
Battery Packs**  
SKU 124001



**Hobolite Cup  
Holder Set (3pcs)**  
SKU 163001




## PHOTOMETRIC DATA

Pro @2700K	Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
------------	----------	------------------	-------------------	--------------------



without Lens




with Lens

Pro @4000K	Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
------------	----------	------------------	-------------------	--------------------



without Lens




with Lens

Pro @6500K	Distance	1 meter / 3.2 ft	3 meters / 9.8 ft	5 meters / 16.4 ft
------------	----------	------------------	-------------------	--------------------



without Lens



with Lens



## WARRANTY TERMS

We provide a one-year warranty period for the original buyer of the product. For the detailed warranty scope, please log in to our website: [www.hobolite.com](http://www.hobolite.com).

### Important notes:

- Please retain your original purchase invoice and warranty card and ensure that the complete supplier information is on the invoice, including the purchase date and product serial number, which will be needed when making a claim against the warranty.

### The warranty does not cover:

- Damage caused by improper use, false wiring, incompatible, poor quality or mis-adjusted external devices.
- Damage to the appearance of the product from mishandling or abuse
- Exposure to rain or water.
- Damage caused by transportation. Please contact your dealer to issue a claim.

### The warranty will be invalid if:

- The product serial number has been torn off or can't be identified.
- The product has been repaired or modified by unauthorized persons.