

Brand	Model	Year	Towing Capacity No Brakes (kgs)	Towing Capacity With Brakes (kgs)	Towing Ball Weight Max (kgs)	Conditions	Kerb Weight (kgs)	GVM (kgs)	GCM (kgs)
Mazda	B2500 2.5L (G5) UTE (C/Chas & Styleside) Bravo All models RWD I4 T/Die (86kW) Man (5sp)	11/2002- 11/2006	700	1800 #3	10% of ATM 180kg Max.	#2 Varies with specific model #3 Use Mazda approved load levelling device when towing over 600kgs.	1307-1503 #2	2631-2687 #2	
Mazda	B2500 2.5L (G1) UTE (C/Chas) BT-50 DX RWD I4 T/Die (105kW) Man (5sp) (Incls Boss Pack 09/2009)	11/2006- 10/2011	750	2250 #3	225 #3	#2 Varies with specific model #3 Load level device req'd over 1800kg.	1434-1436 #2	2764-2844 #2	5100
Mazda	B2500 2.5L (G5) UTE (C/Chas & Styleside) Bravo All models 4WD I4 T/Die (86kW) Man (5sp)	11/2002- 11/2006	700	1800 #3	10% of ATM 180kg Max.	#2 Varies with specific model #3 Use Mazda approved load levelling device when towing over 600kgs.	1499-1810 #2	2868-2916 #2	
Mazda	B2600 2.6L (G5) UTE (C/Chas & Styleside) Bravo RWD I4 Pet (92kW) Auto / Man (4,5sp)	11/2002- 12/2005	700	1800 #3	10% of ATM 180kg Max.	#2 Varies with specific model #3 Use Mazda approved load levelling device when towing over 600kgs.	1238-1442 #2	2624-2632 #2	
Mazda	B2600 2.6L (G5) UTE (C/Chas & Styleside) Bravo 4WD I4 Pet (92kW) Auto / Man (4,5sp)	11/2002- 12/2005	700	1800 #3, 16	10% of ATM 180kg Max.	#2 Varies with specific model #3 Use Mazda approved load levelling device when towing over 600kgs. #16 Step bar 900kg.	1307-1619 #2	2811	
Mazda	B3000 3.0L (G1) UTE (Crew Cab, Styleside) BT-50 DX RWD I4 T/Die (115kW) Auto (5sp) (Incls Boss Pack 09/2009)	08/2008- 10/2011	750	2500 #3	250 #3	#2 Varies with specific model #3 Load level device req'd over 1800kg.	1778-1782 #2	2944	4875
Mazda	B3000 3.0L (G1) UTE (C/Chas & Crew Cab, Styleside) BT-50 DX, DX Freestyle & SDX 4WD I4 T/Die (115kW) Auto (5sp) (Freestyle Cab added 08/2008) (Incls Boss Pack 09/2009)	11/2006- 10/2011	750	2500 #3	250 #3	#2 Varies with specific model #3 Load level device req'd over 1800kg.	1851-1887 #2	3027-3083 #2	4875
Mazda	B3000 3.0L (G1) UTE (C/Chas & Crew Cab, Styleside) BT-50 DX & DX Freestyle RWD I4 T/Die (115kW) Man (5sp) (Incls Boss Pack 09/2009)	11/2006- 10/2011	750	3000 #3	250 #3	#2 Varies with specific model #3 Load level device req'd over 1800kg.	1562-1735 #2	2899-2936 #2	5500
Mazda	B3000 3.0L (G1) UTE (Single & Dual, C/Chas & Styleside) BT-50 DX, DX Freestyle & SDX 4WD I4 T/Die (115kW) Man (5sp) (Dual C/Chas added 08/2008) (Incls Boss Pack 09/2009)	11/2006- 10/2011	750	3000 #3	250 #3	#2 Varies with specific model #3 Load level device req'd over 1800kg.	1614-1876 #2	3013-3050 #2	5500
Mazda	B4000 4.0L (G1) UTE (Single and Dual cab, Styleside) Bravo RWD V6 Pet (154kW) Auto / Man (5,5sp)	01/2006- 07/2008	700	1800 #3	10% of ATM 180kg Max.	#2 Varies with specific model #3 Use Mazda approved load levelling device when towing over 600kgs.	1751-1796 #2	2871	

Brand	Model	Year	Towing Capacity No Brakes (kgs)	Towing Capacity With Brakes (kgs)	Towing Ball Weight Max (kgs)	Conditions	Kerb Weight (kgs)	GVM (kgs)	GCM (kgs)
Mazda	B4000 4.0L (G1) UTE (Single and Dual cab, Styleside) Bravo 4WD V6 Pet (154kW) Auto / Man (5,5sp)	01/2006-07/2008	700	1800 #3	10% of ATM 180kg Max.	#2 Varies with specific model #3 Use Mazda approved load levelling device when towing over 600kgs.	1695-1886 #2	2871	
Mazda	BT-50 2.2L (G2) UTE (C/Chas) XT Hi-Rider RWD I4 T/Die (110kW) Auto (6sp)	07/2012-01/2013	750	3350	335		1667	3200	5950
Mazda	BT-50 2.2L (G2) UTE (C/Chas) XT Hi-Rider RWD I4 T/Die (110kW) Auto (6sp) (Incls update 09/2015)	02/2013>	750	3500 #1	350 #1	#1 Braked tow spec, ball mass and GCM have been upgraded from the start of 2013 plated production. The upgrade is not retrospective to earlier models.	1667	3200	6000
Mazda	BT-50 2.2L (G2) UTE (C/Chas) XT Lo-Rider RWD I4 T/Die (110kW) Man (6sp) (Incls update 09/2015)	10/2011>	750	2500	250		1619	2925	5275
Mazda	BT-50 3.2L (G2) UTE (Extra C/Chas) XT Hi-Rider Freestyle RWD I5 T/Die (147kW) Auto /Man (6,6sp) (Incls update 09/2015)	02/2013>	750	3500 #1	350 #1	#1 Braked tow spec, ball mass and GCM have been upgraded from the start of 2013 plated production. The upgrade is not retrospective to earlier models.	1770	3200	6000
Mazda	BT-50 3.2L (G2) UTE (C/Chas) XT RWD I5 T/Die (147kW) Man (6sp)	10/2011-01/2013	750	3350	335		1692	3200	5950
Mazda	BT-50 3.2L (G2) UTE (Extra C/Chas) XT Freestyle RWD I5 T/Die (147kW) Man (6sp)	10/2011-01/2013	750	3350	335		1770	3200	5950
Mazda	BT-50 3.2L (G2) UTE (C/Chas) XT Hi-Rider RWD I5 T/Die (147kW) Man (6sp) (Incls update 09/2015)	02/2013>	750	3500 #1	350 #1	#1 Braked tow spec, ball mass and GCM have been upgraded from the start of 2013 plated production. The upgrade is not retrospective to earlier models.	1692	3200	6000
Mazda	BT-50 3.2L (G2) UTE (Dual C/Chas) XT RWD I5 T/Die (147kW) Man (6sp)	06/2012-01/2013	750	3350	335		1829	3200	5950
Mazda	BT-50 3.2L (G2) UTE (Dual C/Chas) XT Hi-Rider RWD I5 T/Die (147kW) Man (6sp) (Incls update 09/2015)	02/2013>	750	3500 #1	350 #1	#1 Braked tow spec, ball mass and GCM have been upgraded from the start of 2013 plated production. The upgrade is not retrospective to earlier models.	1829	3200	6000
Mazda	BT-50 3.2L (G2) UTE (Dual Cab, Styleside) XT & XTR RWD I5 T/Die (147kW) Auto / Man (6,6sp)	10/2011-01/2013	750	3350	335	#2 Varies with specific model	1944-2003 #2	3200	5950
Mazda	BT-50 3.2L (G2) UTE (Dual Cab, Styleside) XT & XTR Hi-Rider RWD I5 T/Die (147kW) Auto / Man (6,6sp) (Incls update 09/2015)	02/2013>	750	3500 #1	350 #1	#1 Braked tow spec, ball mass and GCM have been upgraded from the start of 2013 plated production. The upgrade is not retrospective to earlier models. #2 Varies with specific model.	1944-2003 #2	3200	6000
Mazda	BT-50 3.2L (G2) UTE (C/Chas) XT 4WD I5 T/Die (147kW) Auto / Man (6,6sp) (Incls update 09/2015)	02/2013>	750	3500 #1	350 #1	#1 Braked tow spec, ball mass and GCM have been upgraded from the start of 2013 plated production. The upgrade is not retrospective to earlier models.	1789	3200	6000

Brand	Model	Year	Towing Capacity No Brakes (kgs)	Towing Capacity With Brakes (kgs)	Towing Ball Weight Max (kgs)	Conditions	Kerb Weight (kgs)	GVM (kgs)	GCM (kgs)
Mazda	BT-50 3.2L (G2) UTE (Extra C/Chas) XT Freestyle 4WD I5 T/Die (147kW) Auto / Man (6sp) (Incls update 09/2015)	02/2013>	750	3500 #1	350 #1	#1 Braked tow spec, ball mass and GCM have been upgraded from the start of 2013 plated production. The upgrade is not retrospective to earlier models.	1857	3200	6000
Mazda	BT-50 3.2L (G2) UTE (C/Chas) XT 4WD I5 T/Die (147kW) Man (6sp)	10/2011-01/2013	750	3350	335		1789	3200	5950
Mazda	BT-50 3.2L (G2) UTE (C/Chas) XT 4WD I5 T/Die (147kW) Man (6sp)	02/2013>	750	3500 #1	350 #1	#1 Braked tow spec, ball mass and GCM have been upgraded from the start of 2013 plated production. The upgrade is not retrospective to earlier models.	1789	3200	6000
Mazda	BT-50 3.2L (G2) UTE (Extra C/Chas) XT Freestyle 4WD I5 T/Die (147kW) Man (6sp)	10/2011-01/2013	750	3350	335		1857	3200	5950
Mazda	BT-50 3.2L (G2) UTE (Extra C/Chas) XT Freestyle 4WD I5 T/Die (147kW) Man (6sp)	02/2013>	750	3500 #1	350 #1	#1 Braked tow spec, ball mass and GCM have been upgraded from the start of 2013 plated production. The upgrade is not retrospective to earlier models.	1857	3200	6000
Mazda	BT-50 3.2L (G2) UTE (Dual C/Chas) XT 4WD I5 T/Die (147kW) Man (6sp)	10/2011-01/2013	750	3350	335		1929	3200	5950
Mazda	BT-50 3.2L (G2) UTE (Dual C/Chas) XT 4WD I5 T/Die (147kW) Man (6sp) (Incls update 09/2015)	02/2013>	750	3500 #1	350 #1	#1 Braked tow spec, ball mass and GCM have been upgraded from the start of 2013 plated production. The upgrade is not retrospective to earlier models.	1929	3200	6000
Mazda	BT-50 3.2L (G2) UTE (Extra cab, Styleside) XTR Freestyle 4WD I5 T/Die (147kW) Auto / Man (6,6sp) (Incls update 09/2015)	11/2013>	750	3500	350		2054	3200	6000
Mazda	BT-50 3.2L (G2) UTE (Dual Cab, Styleside) GT, XT & XTR 4WD I5 T/Die (147kW) Auto / Man (6,6sp)	10/2011-01/2013	750	3350	335	#2 Varies with specific model	2044-2112 #2	3200	5950
Mazda	BT-50 3.2L (G2) UTE (Dual Cab, Styleside) GT, XT & XTR 4WD I5 T/Die (147kW) Auto / Man (6,6sp) (Incls update 09/2015)	02/2013>	750	3500 #1	350 #1	#1 Braked tow spec, ball mass and GCM have been upgraded from the start of 2013 plated production. The upgrade is not retrospective to earlier models. #2 Varies with specific model.	2044-2112 #2	3200	6000
Mazda	BT-50 3.2L (G2) UTE (Extra Cab, Styleside) XTR Freestyle 4WD I5 T/Die (147kW) Man (6sp)	10/2011-01/2013	750	3350	335		2037	3200	5950
Mazda	BT-50 3.2L (G2) UTE (Extra cab, Styleside) XTR Freestyle 4WD I5 T/Die (147kW) Man (6sp)	02/2013>	750	3500 #1	350 #1	#1 Braked tow spec, ball mass and GCM have been upgraded from the start of 2013 plated production. The upgrade is not retrospective to earlier models.	2037	3200	6000
Mazda	E2000 & E2500 2.0 & 2.5L () Van & UTE (C/Chas) SWB, MWB & LWB RWD I4 Pet 2.0L & Die 2.5L Auto / Man (4,5sp)	1995 - 2001	660	1100 #3	10% of ATM 110 kg max	#3 Use Mazda approved load levelling device when towing over 600kgs.			

Brand	Model	Year	Towing Capacity No Brakes (kgs)	Towing Capacity With Brakes (kgs)	Towing Ball Weight Max (kgs)	Conditions	Kerb Weight (kgs)	GVM (kgs)	GCM (kgs)
Mazda	E2000 2.0L () Van & C/chas SWB, MWB & LWB RWD I4 Pet (71kW) Auto / Man (4,5sp)	2002- 12/2005	660	1100 #3	80kgs Max.	#2 Varies with specific model #3 Use Mazda approved load levelling device when towing over 600kgs.	1260-1505 #2	2275-3151 #2	
Mazda	E2500 2.5L () Van & C/chas LWB RWD I4 Die (61kW) Man (5sp)	2002-2003	660	1100 #3	80kgs Max.	#2 Varies with specific model #3 Use Mazda approved load levelling device when towing over 600kgs.	1355-1625 #2	2893-3245 #2	