

Brand	Model	Year	Towing Capacity No Brakes (kgs)	Towing Capacity With Brakes (kgs)	Towing Ball Weight Max (kgs)	Conditions	Kerb Weight (kgs)	GVM (kgs)	GCM (kgs)
Mitsubishi	Triton 2.4L (MQ) UTE (C/Chas) GLX RWD I4 T/Die (133kW) Auto (5sp)	05/2015>	750	2500	250		1555	2720	5130
Mitsubishi	Triton 2.4L (MQ) UTE (Dual Cab, Styleside) GLX RWD I4 T/Die (133kW) Auto (5sp)	05/2015>	750	3000	300		1830	2810	5705
Mitsubishi	Triton 2.4L (MQ) UTE (C/Chas) GLX RWD I4 T/Die (133kW) Man (6sp)	05/2015>	750	2500	250		1555	2720	5130
Mitsubishi	Triton 2.4L (MK) UTE All models RWD I4 Pet (97kW) Auto / Man (4,5sp)	10/1996- 11/2005	500	1500 #1	150	#1 Load level hitch req. #2 Varies with specific model.	1180-1500 #2	2440-2600	
Mitsubishi	Triton 2.4L (ML) UTE (S/cab GL, C/chas, GXL D/cab) RWD I4 Pet (94kW) Man (5sp)	04/2007- 09/2009	750	1800 #1, 7	180	#1 Load level hitch req. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1424-1669 #2	2720-2750 #2	4480
Mitsubishi	Triton 2.4L (MN) UTE (C/Chas) GL RWD I4 Pet (94kW) Man (5sp) (Incls updates 08/2010, 10/2011, 02/2013, 08/2013)	10/2009- 05/2015	750	1800 #1, 7	180	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1388	2750	4480-4485 #2
Mitsubishi	Triton 2.4L (MN) UTE (Dual Cab, Styleside) GLX RWD I4 Pet (94W) Man (5sp) (Incls updates 08/2010)	10/2009- 10/2011	750	1800 #1, 7	180	#1 Load level hitch recommended. #2 Varies with specific model #7 Mitsubishi Tow pack recommended	1691	2690-2720 #2	4445
Mitsubishi	Triton 2.4L (MQ) UTE (Dual Cab, Styleside) Exceed, GLS & GLX 4WD I4 T/Die (133kW) Auto (5sp)	05/2015>	750	3100 #1 & 7	310	#1 Load level hitch recommended. #2 Varies with specific model #7 Mitsubishi Tow pack recommended	1930-1970 #2	2900	5885
Mitsubishi	Triton 2.4L (MQ) UTE (C/Chas) GLX 4WD I4 T/Die (133kW) Man (6sp)	05/2015>	750	3100 #1 & 7	300	#1 Load level hitch recommended. #2 Varies with specific model #7 Mitsubishi Tow pack recommended	2665	2900	5785
Mitsubishi	Triton 2.4L (MQ) UTE (Club C/Chas) GLX 4WD I4 T/Die (133kW) Man (6sp)	05/2015>	750	3100 #1 & 7	300	#1 Load level hitch recommended. #2 Varies with specific model #7 Mitsubishi Tow pack recommended	1780	2900	5785
Mitsubishi	Triton 2.4L (MQ) UTE (Dual Cab, Styleside) GLS & GLX 4WD I4 T/Die (133kW) Man (6sp)	05/2015>	750	3100 #1 & 7	310	#1 Load level hitch recommended. #2 Varies with specific model #7 Mitsubishi Tow pack recommended	1930-1950 #2	2900	5885
Mitsubishi	Triton 2.5L (ML) UTE (C/Chas) GLX RWD I4 T/Die (100kW) Auto / Man (4,5sp)	02/2008- 09/2009	750	2500 #1, 7	250	#1 Load level hitch req. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1575-1720 #2	2750	5175
Mitsubishi	Triton 2.5L (MN) UTE (C/Chas) GLX RWD I4 T/Die (100kW) Auto / Man (4,5sp) (Incls updates 08/2010, 10/2011, 02/2013, 08/2013) (GL Man model added 11/2013)	10/2009- 05/2015	750	2500 #1, 7	250	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1505-1650 #2	2750	5175

Brand	Model	Year	Towing Capacity No Brakes (kgs)	Towing Capacity With Brakes (kgs)	Towing Ball Weight Max (kgs)	Conditions	Kerb Weight (kgs)	GVM (kgs)	GCM (kgs)
Mitsubishi	Triton 2.5L (MN) UTE (Dual C/Chas, Styleside) GLX & GL-R RWD I4 T/Die (100kW) Auto / Man (4,5sp) (Incls update and Active Lim Ed 08/2010) (Incls update 10/2011)	10/2009-02/2013	750	2500 #1, 7	250	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1705-1825 #2	2760	5185
Mitsubishi	Triton 2.5L (MN) UTE (S/Cab, Styleside) GLX RWD I4 T/Die (100kW) Auto / Man (4,5sp) (Incls update 10/2011)	08/2010-02/2013	750	2500 #1, 7	250	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1705-1715 #2	2760	5185
Mitsubishi	Triton 2.5L (ML) UTE (D/Cab, Styleside) GLX RWD I4 T/Die (100kW) Auto / Man (4,5sp)	02/2008-09/2009	750	2500 #1, 7	250	#1 Load level hitch req. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1800-1810 #2	2760	5185
Mitsubishi	Triton 2.5L (ML) UTE (D/Cab, Styleside) GLX-R RWD I4 T/Die (100kW) Auto (4sp)	10/2011-02/2013	750	3000 #1, 7	300	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1847	2760	5700
Mitsubishi	Triton 2.5L (MN) UTE (D/Cab, styleside) GLX RWD I4 T/Die (131kW) Auto / Man (4,5sp) (Incls update 08/2013)	02/2013-05/2015	750	3000 #1, 7	300	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1781-1791 #2	2760	5685
Mitsubishi	Triton 2.5L (MN) UTE (C/Chas) GLX , 4WD I4 T/Die (131kW) Auto / Man (4,5sp) (Auto disc. 10/2011) (Incls updates 08/2010, 10/2011, 02/2013, 08/2013)	10/2009>	750	3000 #1, 7	300	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1643-1658 #2	2930	5400-5700 #2
Mitsubishi	Triton 2.5L (MN) UTE (S/Cab, Styleside) GLX 4WD I4 T/Die (131kW) Auto / Man (4,5sp) (Auto disc. & Incls update 10/2011)	08/2010-02/2013	750	3000 #1, 7	300	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1765-1775 #2	2900-2930 #2	5700
Mitsubishi	Triton 2.5L (MN) UTE (Club C/Chas) GLX 4WD I4 T/Die (131kW) Man (5sp) (Incls updates 02/2013, 08/2013)	10/2010-05/2015	750	3000 #1, 7	300	#1 Load level hitch recommended. #7 Mitsubishi Tow pack recommended.	1738	2930	5400
Mitsubishi	Triton 2.5L (MN) UTE (Club C/Chas) GL-R 4WD I4 T/Die (131kW) Man (5sp)	10/2011-02/2013	750	3000 #1, 7	300	#1 Load level hitch recommended. #7 Mitsubishi Tow pack recommended	1741	2920	5700
Mitsubishi	Triton 2.5L (MN) UTE (Club Cab, Styleside) GLX 4WD I4 T/Die (131kW) Man (5sp) (Incls updates 10/2011, 02/2013, 08/2013)	10/2010-01/2014	750	3000 #1, 7	300	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1870-1873 #2	2920-2930 #2	5400-5700 #2
Mitsubishi	Triton 2.5L (MN) UTE (Club Cab, Styleside) GL-R 4WD I4 T/Die (131kW) Man (5sp)	10/2011-02/2013	750	3000 #1, 7	270	#1 Load level hitch recommended. #7 Mitsubishi Tow pack recommended	1890	2920	5700

Brand	Model	Year	Towing Capacity No Brakes (kgs)	Towing Capacity With Brakes (kgs)	Towing Ball Weight Max (kgs)	Conditions	Kerb Weight (kgs)	GVM (kgs)	GCM (kgs)
Mitsubishi	Triton 2.5L (MN) UTE (Dual C/Chas) GLX, GL-R 4WD I4 T/Die (100-131kW) Auto / Man (4,5sp) (Incls updates 08/2010, 10/2011) (Incls update and GL-R Disc 02/2013) (Incls update 08/2013) (GLX Auto / Man disc. 01/2014)	10/2009>	750	3000 #1, 7	300	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1763-1806 #2	2900-2920 #2	5400-5700 #2
Mitsubishi	Triton 2.5L (MN) UTE (D/Cab, Styleside) GL-R 4WD I4 T/Die (131kW) Auto / Man (4,5sp)	10/2009-08/2010	750	2700 #1, 7	270	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1977-1992 #2	2930	5400
Mitsubishi	Triton 2.5L (MN) UTE (D/Cab, Styleside) GL-R 4WD I4 T/Die (100kW) Auto / Man (4,5sp)	10/2009-08/2010	750	2700 #1, 7	270	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1928-1938 #2	2900	5400
Mitsubishi	Triton 2.5L (MN) UTE (D/Cab, Styleside) GLX 4WD I4 T/Die (131kW) Auto / Man (4,5sp)	10/2009-08/2010	750	2700 #1, 7	270	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1928-1938 #2	2920	5400
Mitsubishi	Triton 2.5L (MN) UTE (D/Cab, Styleside) GL-R 4WD I4 T/Die (131kW) Auto / Man (4,5sp) (Incls ACTiV Lim Ed 08/2010) MY2011 (Aug 10 prod'n>) (Incls update & 30th Anniv. Lim Ed 10/2011)	08/2010-03/2013	750	3000 #1, 7, 8	300	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended. #8 Check owner's handbook for limitations	1920-1938 #2	2900-2930 #2	5700
Mitsubishi	Triton 2.5L (MN) UTE (D/Cab, Styleside) GLX 4WD I4 T/Die (131kW) Auto / Man (4,5sp) MY2011 (Aug 10 prod'n>) (Incls update 10/2011) (Incls updates 02/2013, 08/2013)	08/2010-05/2015	750	3000 #1, 7, 8	300	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended. #8 Check owner's handbook for limitations	1919-1938 #2	2900-2920 #2	5700
Mitsubishi	Triton 2.5L (MN) UTE (D/Cab, Styleside) GLX-R 4WD I4 T/Die (131kW) Auto / Man (5,5sp) MY2011 (Aug 10 prod'n>) (Incls updates 10/2011, 02/2013, 08/2013) (Incls Warrior Lim Ed (200 units) 03/2014)	08/2010-05/2015	750	3000 #1, 7, 8	300	#1 Load level hitch recommended. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended. #8 Check owner's handbook for limitations	1977-1999 #2	2930	5700
Mitsubishi	Triton 2.8L (MK) UTE All models RWD I4 T/Die (92kW) Auto / Man (4,5sp)	10/1996-12/2000	500	1500 #1	50	#1 Load level hitch req. #2 Varies with specific model.	1415-1500 #2	2510-2600 #2	4010-4100 #2
Mitsubishi	Triton 2.8L (MK) UTE All models 4WD I4 T/Die (92kW) Man (5sp) incl GLX-R	10/1996-03/2006	500	1900 #6	190	#1 Load level hitch req. #2 Varies with specific model. #6 A maximum towing mass up to 2200kgs can be used if the ball mass is restricted to 100kgs above 1900kg towing mass.	1739-1780 #2	2830	5030
Mitsubishi	Triton 3.0L (MK) UTE (Single and Dual C/Chas & Styleside) GLX RWD V6 Pet (133kW) Auto (4sp)	08/2000-11/2005	500	1800 #1	180	#1 Load level hitch req. #2 Varies with specific model.	1535-1630 #2	2770-2810 #2	

Brand	Model	Year	Towing Capacity No Brakes (kgs)	Towing Capacity With Brakes (kgs)	Towing Ball Weight Max (kgs)	Conditions	Kerb Weight (kgs)	GVM (kgs)	GCM (kgs)
Mitsubishi	Triton 3.0L (MK) UTE (Single and Dual C/Chas & Styleside) GLX RWD V6 Pet (133kW) Man (5sp)	08/2000-11/2005	500	1500 #1	150	#1 Load level hitch req. #2 Varies with specific model.	1535-1630 #2	2770-2810 #2	
Mitsubishi	Triton 3.0L (MK) UTE (Single and Dual C/Chas & Styleside) GLX 4WD V6 Pet (133kW) Auto (4sp) Incls GLX-R	10/1996-11/2005	500	1900 #6	190	#1 Load level hitch req. #2 varies with specific model. #6 A maximum towing mass up to 2200kgs can be used if the ball mass is restricted to 100kgs above 1900kg towing mass.	1710-1715 #2	2715	4205-4915 #2
Mitsubishi	Triton 3.0L (MK) UTE (Single and Dual C/Chas & Styleside) GLX 4WD V6 Pet (133kW) Man (5sp) Incls GLX-R	10/1996-11/2005	500	1500 #1	150	#1 Load level hitch req. #2 Varies with specific model.	1460-1739 #2	2700-2830 #2	4205
Mitsubishi	Triton 3.2L (ML) UTE (S/cab, C/Chas) GLX 4WD I4 T/Die (118kW) Auto (4sp)	07/2007-09/2009	750	2300 #1, 7 2500 #1,7,8	230 250 #8	#1 Load level hitch req. #7 Mitsubishi Tow pack recommended. #8 Revised to 2500/250 from Dec 07 build onwards	1704	2930	5200
Mitsubishi	Triton 3.2L (ML) UTE (S/cab, C/Chas) GLX 4WD I4 T/Die (118kW) Man (5sp)	01/2007-09/2009	750	2300 #1, 7 2500 #1,7,8	230 250 #8	#1 Load level hitch req. #2 Varies with specific model #7 Mitsubishi Tow pack recommended. #8 Revised to 2500/250 from Dec 07 build onwards	1698-1845 #2	2930	5200
Mitsubishi	Triton 3.2L (ML) UTE (Dual C/Chas & Styleside) GLS, GLX & GLX-R 4WD I4 T/Die (118kW) Auto (4sp) (GLS Fastback D/cab ute added 10/2008)	07/2007-09/2009	750	2300 #1, 7 2500 #1,7,8	230 250 #8	#1 Load level hitch req. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended. #8 Revised to 2500/250 from Dec 07 build onwards	1947-1965 #2	2930	5000-5200 #2
Mitsubishi	Triton 3.2L (ML) UTE (Dual C/Chas & Styleside) GLS, GLX & GLX-R 4WD I4 T/Die (118kW) Man (5sp) (GLS Fastback D/Cab Ute added 10/2008)	08/2006-09/2009	750	2300 #1, 7 2500 #1,7,8	230 250 #8	#1 Load level hitch req. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended. #8 Revised to 2500/250 from Dec 07 build onwards	1937-1955 #2	2930	5000-5200 #2
Mitsubishi	Triton 3.5L (ML) UTE (S/cab, C /chas, D/cab) GLX RWD V6 Pet (135kW) Auto / Man (4,5sp)	11/2006-09/2009	750	1800 #1, 7 2300 #1,7,8	180 230 #8	#1 Load level hitch req. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended. #8 Revised to 2300/230 from Dec 07 build onwards	1482-1739 #2	2720-2750 #2	4975
Mitsubishi	Triton 3.5L (ML) UTE (S/cab, C/chas & Styleside) GLX 4WD V6 Pet (135kW) Man (5sp)	01/2007-09/2009	750	2300 #1, 7	230	#1 Load level hitch req. #7 Mitsubishi Tow pack recommended	1700	2840	5000
Mitsubishi	Triton 3.5L (ML) UTE (D/cab) GLS, GLX, GLX-R 4WD V6 Pet (135kW) Auto / Man (4,5sp) (GLS released 02/2007)	08/2006-09/2009	750	2300 #1, 7	230	#1 Load level hitch req. #2 Varies with specific model. #7 Mitsubishi Tow pack recommended	1602-1919 #2	2840	5000