





## Node Semi-Recessed DarklightCOB 5x2w





<b>Product Code-</b>	<b>IFL-NODI0502.TB30.M-FP070002</b>
Wattage-	5x2W
Voltage	240v AC
Colour Temperature (k)-	3000K
Beam Angle-	46°
Optional Degree	N/A
Lumen output-	836
Lamp Base-	COB
CRI-	92+
Ip Rating-	IP65
Dimmable	Yes
Mounting Type-	Recess Mount
Material-	Aluminium
Colour-	Black
Warranty-	5 Years Replacement



## Node Semi-Recessed DarklightCOB 5x2w





<b>Product Code-</b>	<b>IFL-NODI0502.TB40.M-FP070002</b>
Wattage-	5x2W
Voltage	240v AC
Colour Temperature (k)-	4000K
Beam Angle-	46°
Optional Degree	N/A
Lumen output-	870
Lamp Base-	COB
CRI-	92+
Ip Rating-	IP65
Dimmable	Yes
Mounting Type-	Recess Mount
Material-	Aluminium
Colour-	Black
Warranty-	5 Years Replacement



## Node Semi-Recessed DarklightCOB 5x2w



<b>Product Code-</b>	<b>IFL-NODI0502.TW30.M-FP070002</b>
Wattage-	5x2W
Voltage	240v AC
Colour Temperature (k)-	3000K
Beam Angle-	46°
Optional Degree	N/A
Lumen output-	836
Lamp Base-	COB
CRI-	92+
Ip Rating-	IP65
Dimmable	Yes
Mounting Type-	Recess Mount
Material-	Aluminium
Colour-	White
Warranty-	5 Years Replacement



## Node Semi-Recessed DarklightCOB 5x2w



<b>Product Code-</b>	<b>IFL-NODI0502.TW40.M-FP070002</b>
Wattage-	5x2W
Voltage	240v AC
Colour Temperature (k)-	4000K
Beam Angle-	46°
Optional Degree	N/A
Lumen output-	870
Lamp Base-	COB
CRI-	92+
Ip Rating-	IP65
Dimmable	Yes
Mounting Type-	Recess Mount
Material-	Aluminium
Colour-	White
Warranty-	5 Years Replacement

