





## Node Recessed Darklight COB 15x2w 3000k





<b>Product Code-</b>	<b>IFL-NODR1502.TW30.M-FP070003</b>
Wattage-	15x2W
Voltage	240v AC
Colour Temperature (k)-	3000K
Beam Angle-	46°
Optional Degree	N/A
Lumen output-	2348
Lamp Base-	COB
CRI-	92+
Ip Rating-	IP20
Dimmable	Yes
Mounting Type-	Recess Mount
Material-	Aluminium
Colour-	White
Warranty-	5 Years Replacement



## Node Recessed Darklight COB 15x2w 3000k





<b>Product Code-</b>	<b>IFL-NODR1502.TB30.M-FP070003</b>
Wattage-	15x2W
Voltage	240v AC
Colour Temperature (k)-	3000K
Beam Angle-	46°
Optional Degree	N/A
Lumen output-	2348
Lamp Base-	COB
CRI-	92+
Ip Rating-	IP20
Dimmable	Yes
Mounting Type-	Recess Mount
Material-	Aluminium
Colour-	Black
Warranty-	5 Years Replacement




## Node Recessed Darklight COB 15x2w 4000k



<b>Product Code-</b>	<b>IFL-NODR1502.TW40.M-FP070003</b>
Wattage-	15x2W
Voltage	240v AC
Colour Temperature (k)-	4000K
Beam Angle-	46°
Optional Degree	N/A
Lumen output-	2444
Lamp Base-	COB
CRI-	92+
Ip Rating-	IP20
Dimmable	Yes
Mounting Type-	Recess Mount
Material-	Aluminium
Colour-	White
Warranty-	5 Years Replacement



## Node Recessed Darklight COB 15x2w 4000k



<b>Product Code-</b>	<b>IFL-NODR1502.TB40.M-FP070003</b>
Wattage-	15x2W
Voltage	240v AC
Colour Temperature (k)-	4000K
Beam Angle-	46°
Optional Degree	N/A
Lumen output-	2444
Lamp Base-	COB
CRI-	92+
Ip Rating-	IP20
Dimmable	Yes
Mounting Type-	Recess Mount
Material-	Aluminium
Colour-	Black
Warranty-	5 Years Replacement

