



Particle Micro 52mm Downlight COB 2w 2700k



| | |
|-------------------------|-------------------------------------|
| Product Code- | IFL-PART0052.TB27.P-CC070007 |
| Wattage- | 2W |
| Voltage | 240v AC |
| Colour Temperature (k)- | 2700K |
| Beam Angle- | 15° |
| Optional Degree | 24°/36° |
| Lumen output- | 150 |
| Lamp Base- | COB |
| CRI- | 90+ |
| Ip Rating- | IP44 |
| Dimmable | No |
| Mounting Type- | Recess Mount |
| Material- | Aluminium |
| Colour- | Black |
| Warranty- | 5 Years Replacement |





47

Ø52 (Ø44)

Particle Micro 52mm Downlight COB 2w 3000k



| | |
|-------------------------|-------------------------------------|
| Product Code- | IFL-PART0052.TB30.P-CC070007 |
| Wattage- | 2W |
| Voltage | 240v AC |
| Colour Temperature (k)- | 3000K |
| Beam Angle- | 15° |
| Optional Degree | 24°/36° |
| Lumen output- | 150 |
| Lamp Base- | COB |
| CRI- | 90+ |
| Ip Rating- | IP44 |
| Dimmable | No |
| Mounting Type- | Recess Mount |
| Material- | Aluminium |
| Colour- | Black |
| Warranty- | 5 Years Replacement |





47

Ø52 (⌀ 44)

Particle Micro 52mm Downlight COB 2w 4000k



| | |
|-------------------------|-------------------------------------|
| Product Code- | IFL-PART0052.TB40.P-CC070007 |
| Wattage- | 2W |
| Voltage | 240v AC |
| Colour Temperature (k)- | 4000K |
| Beam Angle- | 15° |
| Optional Degree | 24°/36° |
| Lumen output- | 151 |
| Lamp Base- | COB |
| CRI- | 90+ |
| Ip Rating- | IP44 |
| Dimmable | No |
| Mounting Type- | Recess Mount |
| Material- | Aluminium |
| Colour- | Black |
| Warranty- | 5 Years Replacement |





Ø52 (44)

Particle Micro 52mm Downlight COB 2w 2700k



| | |
|-------------------------|-------------------------------------|
| Product Code- | IFL-PART0052.TW27.P-CC070007 |
| Wattage- | 2W |
| Voltage | 240v AC |
| Colour Temperature (k)- | 2700K |
| Beam Angle- | 15° |
| Optional Degree | 24°/36° |
| Lumen output- | 150 |
| Lamp Base- | COB |
| CRI- | 90+ |
| Ip Rating- | IP44 |
| Dimmable | No |
| Mounting Type- | Recess Mount |
| Material- | Aluminium |
| Colour- | White |
| Warranty- | 5 Years Replacement |





Ø52 (⌀ 44)

Particle Micro 52mm Downlight COB 2w 3000k



| | |
|-------------------------|-------------------------------------|
| Product Code- | IFL-PART0052.TW30.P-CC070007 |
| Wattage- | 2W |
| Voltage | 240v AC |
| Colour Temperature (k)- | 3000K |
| Beam Angle- | 15° |
| Optional Degree | 24°/36° |
| Lumen output- | 150 |
| Lamp Base- | COB |
| CRI- | 90+ |
| Ip Rating- | IP44 |
| Dimmable | No |
| Mounting Type- | Recess Mount |
| Material- | Aluminium |
| Colour- | White |
| Warranty- | 5 Years Replacement |





47

Ø52 (Ø 44)

Particle Micro 52mm Downlight COB 2w 4000k



| | |
|-------------------------|-------------------------------------|
| Product Code- | IFL-PART0052.TW40.P-CC070007 |
| Wattage- | 2W |
| Voltage | 240v AC |
| Colour Temperature (k)- | 4000K |
| Beam Angle- | 15° |
| Optional Degree | 24°/36° |
| Lumen output- | 151 |
| Lamp Base- | COB |
| CRI- | 90+ |
| Ip Rating- | IP44 |
| Dimmable | No |
| Mounting Type- | Recess Mount |
| Material- | Aluminium |
| Colour- | White |
| Warranty- | 5 Years Replacement |



Ø52 (⌀ 44)