


Product Code-	IFL-PCAR3801.SS27.W
Wattage-	1.5W
Voltage	Remote Driver Required
Colour Temperature (k)-	2700K
Beam Angle-	70°
Optional Degree	N/A
Lumen output-	146
Lamp Base-	COB
CRI-	80+
Ip Rating-	IP66
Dimmable	No
Mounting Type-	Hand-Rail Mount
Material-	Aluminium
Colour-	Stainless Steel
Warranty-	5 Years Replacement












Product Code-	IFL-PCAR3801.SS30.W
Wattage-	1.5W
Voltage	Remote Driver Required
Colour Temperature (k)-	3000K
Beam Angle-	70°
Optional Degree	N/A
Lumen output-	146
Lamp Base-	COB
CRI-	80+
Ip Rating-	IP66
Dimmable	No
Mounting Type-	Hand-Rail Mount
Material-	Aluminium
Colour-	Stainless Steel
Warranty-	5 Years Replacement












Product Code-	IFL-PCAR3801.SS40.W
Wattage-	1.5W
Voltage	Remote Driver Required
Colour Temperature (k)-	4000K
Beam Angle-	70°
Optional Degree	N/A
Lumen output-	157
Lamp Base-	COB
CRI-	80+
Ip Rating-	IP66
Dimmable	No
Mounting Type-	Hand-Rail Mount
Material-	Aluminium
Colour-	Stainless Steel
Warranty-	5 Years Replacement












Product Code-	IFL-PVAR3801.SS27.W
Wattage-	1.5W
Voltage	24v DC
Colour Temperature (k)-	2700K
Beam Angle-	70°
Optional Degree	N/A
Lumen output-	146
Lamp Base-	COB
CRI-	80+
Ip Rating-	IP66
Dimmable	No
Mounting Type-	Hand-Rail Mount
Material-	Aluminium
Colour-	Stainless Steel
Warranty-	5 Years Replacement









Product Code-	IFL-PVAR3801.SS30.W
Wattage-	1.5W
Voltage	24v DC
Colour Temperature (k)-	3000K
Beam Angle-	70°
Optional Degree	N/A
Lumen output-	146
Lamp Base-	COB
CRI-	80+
Ip Rating-	IP66
Dimmable	No
Mounting Type-	Hand-Rail Mount
Material-	Aluminium
Colour-	Stainless Steel
Warranty-	5 Years Replacement



Product Code-	IFL-PVAR3801.SS40.W
Wattage-	1.5W
Voltage	24v DC
Colour Temperature (k)-	4000K
Beam Angle-	70°
Optional Degree	N/A
Lumen output-	157
Lamp Base-	COB
CRI-	80+
Ip Rating-	IP66
Dimmable	No
Mounting Type-	Hand-Rail Mount
Material-	Aluminium
Colour-	Stainless Steel
Warranty-	5 Years Replacement

