




# Extra Strength Recovery Cream Menthol Eucalyptus

Sample No. 1177496 November 2023

Analyzed by Anresco Laboratories

Report date: 11/14/2023

Total CBD	63.49 mg/g   6349 per bottle
Total THC	Not Detected
Purity	PASS
Pesticide screen	PASS



**HIVE**

**ANALYZED BY:**

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-0000052-LIC

**DISTRIBUTOR:**

McKenzie Labs  
San Francisco, CA

**MANUFACTURER:**

McKenzie Labs  
San Francisco, CA



**SAMPLE INFORMATION**

**Sample No.:** 1177496  
**Product Name:** HIVE Menthol Eucalyptus Recovery Cream 5000mg  
**Matrix:** Topical (Other)  
**Lot #:** BC-230003

**Date Received:** 10/16/2023  
**Date Reported:** 11/14/2023

**TEST SUMMARY**

<b>Cannabinoid Profile:</b>	✔ Tested	<b>Terpenoid Profile:</b>	✔ Tested
<b>Microbiological Screen:</b>	✔ Pass	<b>Pesticide Residue Screen:</b>	✔ Pass
<b>Residual Solvent Screen:</b>	✔ Pass	<b>Heavy Metal Screen:</b>	✔ Pass
<b>Foreign Material:</b>	✔ Pass	<b>Mycotoxin Screen:</b>	✔ Pass

**Cannabinoid Profile**

10/19/2023

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.0667 mg/g  
**Limit of Quantification** 0.2000 mg/g

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	63.49	6.349
CBDA	ND	ND
CBC	ND	ND
CBCA	ND	ND
CBDV	0.30	0.030
CBG	<LOQ	<LOQ
CBGA	ND	ND
CBN	ND	ND
Total THC	ND	ND
Total CBD	63.49	6.349
Total Cannabinoids	63.79	6.379
Sum of Cannabinoids	63.79	6.379

Total THC = Δ9-THC + (0.877 \* Δ9-THCA)  
Total CBD = CBD + (0.877 \* CBDA)  
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Comments** Density not possible due to matrix issue. This result of this sample is confirmed with a retest.

## Terpenoid Profile

10/20/2023

**Method:** American Herbal Pharmacopoeia  
**Instrument:** Gas Chromatography Mass Spectrometry (GC/MS)  
**Limit of Detection** 0.0004 %  
**Limit of Quantification** 0.0013 %

Terpene	mg/g	%
α-Pinene	0.015	0.0015
Isopulegol	0.097	0.0097
Camphene	ND	ND
Menthol	53.625	5.3625
β-Myrcene	BLOQ	BLOQ
(-)-Borneol	0.119	0.0119
β-Pinene	ND	ND
Terpineol	ND	ND
δ-3-Carene	ND	ND
Citronellol	ND	ND
Limonene	0.027	0.0027
Geraniol	ND	ND
α-Terpinene	ND	ND
β-Caryophyllene	ND	ND
trans-beta-Ocimene	ND	ND
α-Humulene	ND	ND
cis-beta-Ocimene	ND	ND
cis-Nerolidol	ND	ND
p-Cymene	0.015	0.0015
trans-Nerolidol	ND	ND
Eucalyptol	0.416	0.0416
Guaiol	ND	ND
γ-Terpinene	BLOQ	BLOQ
Caryophyllene Oxide	ND	ND
Terpinolene	ND	ND
α-Bisabolol	ND	ND
Linalool	ND	ND
Eudesmol	ND	ND
<b>Total Terpenes</b>	<b>54.314</b>	<b>5.4314</b>

## Microbiological Screen ✔ Pass

10/20/2023

Analyte	Method	Findings	Status
Salmonella	AOAC 2016.01	Negative	Pass
STEC	3M MDS STEC	Negative	Pass

## Pesticide Residue Screen ✔ Pass

10/19/2023

**Method:** MF-CHEM-13  
**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass



**Residual Solvent Screen** ✔ Pass

10/19/2023

**Method:** MF-CHEM-32

**Instrument:** Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	1	Pass
Acetone	67/200	ND	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	1	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethanol	67/200	ND	Not Applicable	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	Not Applicable	Pass
Methanol	67/200	<LOQ	3000	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	1	Pass

**Heavy Metal Screen** ✔ Pass

10/19/2023

**Method:** MF-CHEM-16

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

**Foreign Material** ✔ Pass

10/19/2023

**Method:** MF-MACRO-5

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

**Mycotoxin Screen** ✔ Pass

10/19/2023

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/20	ND	20	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by


Marybel Mendez  
Compliance Manager



Scan to verify