

# INDIA'S FIRST FLEET OF SMART E-CYCLES



## **Motovolt App**

A one-stop smart solution that elevates your riding experience.

Download and activate
the Motovolt App on your
smartphone and
sync it with your e-cycle.

Available on



\*Features may change in future







#### Safety

Find My E-bike Vehicle Theft Lock My E-bike Geo Fence



#### Ride Info

Speedometer Time Elapsed Avg. Speed Max Speed Power Mode My Rides Ride Planner



#### Health

Charge Status
Battery Analytics
Range Available
Next Service Date
Motor Status
Time To Full Charge



#### Customer Support



#### Performance

Range Covered
Total Distance
Average Ride Score



#### Savings

Petrol Savings
Cost Recovered (%)



#### Community

News & Events Green Miles





#### Available in 4 colours



#### **HUM** specifications

Frame	Steel
Exterior Dimension (L*W*H) (In mm)	1850*645*1010
Net Weight (Kg)	27 Kg
Rated Capacity	≤ 120 Kg
Max Speed	25 Kmph
Acceleration	<9 sec (0-25 Kmph)
Battery Capacity	216wh, 432wh, 576wh

Battery Type	Li-ion
Battery-Removable/Fixed	Removable
Travel Range on Full Charge	30 to 105 Km*
Rated Voltage	36 V
Motor Type	BLDC
Wheels	26"
Gradiant Capacity	7°

Noise	≤ 63 db
Brake Type	Disc Brake (Front a)
Seat Type	Flip Type & Adjustab
Tyre Size	26"-2.10"
Tyre Air Pressure	30-60 Psi
Suspension	Spring Operated (F)
Variants	Basic, STD, SMT, SMT+

## **HUM – unique features**



<sup>\*</sup>Depends on battery capacity and riding mode



## Available in 4 colours









Red

Black

Solid Gray Satin

Neon Satin

## KIVO specifications

Frame	Steel	Battery Type	Li-ion	Noise	≤ 63 db
Exterior Dimension (L*W*H) (In mm)	1850*645*1010	Battery-Removable/Fixed	Removable	Brake Type	Disc Brake (Front and Rear)
Net Weight (Kg)	23 Kg	Travel Range on Full Charge	30 to 105 Km*	Seat Type	Flip Type & Adjustable
Rated Capacity	≤ 110 Kg	Rated Voltage	36 V	Tyre Size	26"-2.10"
Max Speed	25 Kmph	Motor Type	BLDC	Tyre Air Pressure	30-60 Psi
Acceleration	<9 sec (0-25 Kmph)	Wheels	26"	Suspension	Spring Operated (Front)
Battery Capacity	216wh, 432wh, 576wh	Gradiant Capacity	7°	Variants	Basic, STD, SMT, SMT+

<sup>\*</sup>Depends on battery capacity and riding mode

## KIVO – unique features



Large & Comfortable Adjustable Seat



Removable Battery



Integrated/ Removable Carrier



Integrated Turn Indicator



Rear Brake Light



Puncture Resistant Tyres



High Strength Tig Welded Frame







Electronic Horn/Bell



4" Multi-Functional Display



Front Light



Spring Suspensions With Shocker



Powerful Front & Rear Disc Brake



## Available in 3 colours







Aqua Blue

Neon Satin

Pink

#### KIVO EASY specifications

Frame	Steel
Exterior Dimension (L*W*H) (In mm)	1850*645*1010
Net Weight (Kg)	23 Kg
Rated Capacity	≤ 110 Kg
Max Speed	25 Kmph
Acceleration	<9 sec (0-25 Kmph)
Battery Capacity	216wh, 432wh, 576wh

Battery Type	Li-ion
Battery-Removable/Fixed	Removable
Travel Range on Full Charge	30 to 105 Km*
Rated Voltage	36 V
Motor Type	BLDC
Wheels	26"
Gradiant Capacity	7°

Noise	≤ 63 db
Brake Type	Disc Brake (Front and Rear)
Seat Type	Flip Type & Adjustable
Tyre Size	26"-2.10"
Tyre Air Pressure	30-60 Psi
Suspension	Spring Operated (Front)
Variants	Basic, STD, SMT, SMT+

#### **KIVO EASY – unique features**



<sup>\*</sup>Depends on battery capacity and riding mode

# KIVO24

## Available in 4 colours



#### KIVO 24 specifications

Frame	Steel
Exterior Dimension (L*W*H) (In mm)	1800*600*1010
Net Weight (Kg)	23 Kg
Rated Capacity	≤ 110 Kg
Max Speed	25 Kmph
Acceleration	<9 sec (0-25 Kmph)
Battery Capacity	216wh, 432wh, 576wh

Battery Type	Li-ion
Battery-Removable/Fixed	Removable
Travel Range on Full Charge	30 to 105 Km²
Rated Voltage	36 V
Motor Type	BLDC
Wheels	24"
Gradiant Capacity	7°

Noise	≤ 63 db
Brake Type	Disc Brake (Front and Rear)
Seat Type	Flip Type & Adjustable
Tyre Size	24"-210/2.125
Tyre Air Pressure	30-60 Psi
Suspension	Spring Operated (Front)
Variants	Basic, STD, SMT, SMT+

## KIVO 24 – unique features



<sup>\*</sup>Depends on battery capacity and riding mode



#### Available in 3 colours







## ICE specifications

Frame	Steel
Exterior Dimension (L*W*H) (In mm)	1040*480*1030
Net Weight (Kg)	18 Kg
Rated Capacity	≤ 95 Kg
Max Speed	25 Kmph
Acceleration	<9 sec (0-25 Kmph)
Battery Capacity	216wh

Battery Type	Li-ion
Battery-Removable/Fixed	Fixed
Travel Range on Full Charge	25 to 35 Km*
Rated Voltage	36 V
Motor Type	BLDC
Wheels	14"
Gradiant Capacity	7°

Noise	≤ 63 db
Brake Type	Disc Brake (Front and Rear)
Seat Type	Adjustable
Tyre Size	14"-2.10"
Tyre Air Pressure	30-60 Psi
Suspension	In seat
Variants	Basic, STD, SMT, SMT+

## ICE – unique features



<sup>\*</sup>Depends on battery capacity and riding mode



## MOTOVOLT MOBILITY PVT LTD

23A, Netaji Subhas Road, 8th Floor, Kolkata - 700 001

1 @ m MOTOVOLTINDIA | Web: www.motovolt.co



