KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Presidential Disposable - Starry Night

kca

Sample ID: SA-240119-33453 Batch: 01/15/2024 Type: Finished Product - Inhalable Matrix: Concentrate - Vape Unit Mass (g):		Collected: 01/16/2024 Received: 01/29/2024 Completed: 02/08/2024		Client MODUS 5143 Port Chicago Hwy, Suite C Concord, CA 94520 USA	
	A PRINCE STREET, SALAR		Summary		
			Test	Date Tested	Status
JU	Contraction of the second seco		Cannabinoids	02/08/2024	Tested
THOMAL		66.4 % Total Cannabinoids	Not Tested Moisture Content	Not Tested Foreign Matter	Yes Internal Standard Normalization
annabinoids b	y HPLC-PDA a	nd/or GC-MS/N	ns		
nalyte		LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
		0.0095	0.0284	ND	
3C		0.0000	0.0204		ND
		0.006	0.018	ND	ND ND
BCV					
BCV BD		0.006	0.018	ND	ND
BCV BD BDV		0.006 0.0081	0.018 0.0242	ND ND	ND ND
BCV BD BDV BG		0.006 0.0081 0.0061	0.018 0.0242 0.0182	ND ND ND 0.171	ND ND ND
3CV 3D 3DV 3G 3L		0.006 0.0081 0.0061 0.0057	0.018 0.0242 0.0182 0.0172	ND ND ND 0.171 2.02	ND ND ND ND
BCV BD BDV BG BL BN		0.006 0.0081 0.0061 0.0057 0.0112 0.0056 0.018	0.018 0.0242 0.0182 0.0172 0.0335 0.0169 0.054	ND ND ND 0.171 2.02 0.0888	ND ND ND 1.71 20.2 0.888
3CV 3D 3DV 3G 3L 3N 3T 4,8-iso-THC		0.006 0.0081 0.0061 0.0057 0.0112 0.0056 0.018 0.0067	0.018 0.0242 0.0182 0.0172 0.0335 0.0169 0.054 0.02	ND ND ND 0.171 2.02 0.0888 0.265	ND ND ND 1.71 20.2 0.888 2.65
3CV 3D 3DV 3G 3L 3N 3T 4,8-iso-THC ⊦iso-THC		0.006 0.0081 0.0061 0.0057 0.0112 0.0056 0.018 0.0067 0.0067	0.018 0.0242 0.0182 0.0172 0.0335 0.0169 0.054 0.02 0.02	ND ND ND 0.171 2.02 0.0888 0.265 1.12	ND ND ND 1.71 20.2 0.888 2.65 11.2
3CV 3D 3DV 3G 3L 3N 3T 4,8-iso-THC ⊦iso-THC		0.006 0.0081 0.0061 0.0057 0.0112 0.0056 0.018 0.0067	0.018 0.0242 0.0182 0.0172 0.0335 0.0169 0.054 0.02	ND ND ND 0.171 2.02 0.0888 0.265	ND ND ND 1.71 20.2 0.888 2.65
3CV 3D 3DV 3G 3G 3L 3N 3T 4;8-iso-THC 3-THC		0.006 0.0081 0.0061 0.0057 0.0112 0.0056 0.018 0.0067 0.0067	0.018 0.0242 0.0182 0.0172 0.0335 0.0169 0.054 0.02 0.02	ND ND ND 0.171 2.02 0.0888 0.265 1.12	ND ND ND 1.71 20.2 0.888 2.65 11.2
3CV 3D 3DV 3G 3L 3N 3T 4,8-iso-THC 3-THC 3-THC 3-THCV		0.006 0.0081 0.0061 0.0057 0.0112 0.0056 0.018 0.0067 0.0067 0.0067 0.0104	0.018 0.0242 0.0182 0.0172 0.0335 0.0169 0.054 0.02 0.02 0.02 0.0312	ND ND ND 0.171 2.02 0.0888 0.265 1.12 61.2	ND ND ND 1.71 20.2 0.888 2.65 11.2 612
3CV 3D 3DV 3G 3L 3N 3T 4,8-iso-THC 3-iso-THC 3-THC 3-THC 3-THC 3-THC		0.006 0.0081 0.0061 0.0057 0.0112 0.0056 0.018 0.0067 0.0067 0.0104 0.0067	0.018 0.0242 0.0182 0.0172 0.0335 0.0169 0.054 0.02 0.02 0.02 0.0312 0.02	ND ND ND 0.171 2.02 0.0888 0.265 1.12 61.2 0.213	ND ND ND 1.71 20.2 0.888 2.65 11.2 612 2.13
BCV BD BDV BG BL BN BT 4,8-iso-THC B-iso-THC B-THC B-THC D-THC D-THCA		0.006 0.0081 0.0057 0.0112 0.0056 0.018 0.0067 0.0067 0.0104 0.0067 0.0067 0.0104	0.018 0.0242 0.0182 0.0172 0.0335 0.0169 0.054 0.02 0.02 0.02 0.0312 0.02 0.02 0.0227	ND ND ND 0.171 2.02 0.0888 0.265 1.12 61.2 0.213 ND	ND ND ND 1.71 20.2 0.888 2.65 11.2 612 2.13 ND
3CV 3D 3DV 3G 3L 3N 3T 4,8-iso-THC 3-iso-THC 3-THC 3-THC 3-THC 0-THC 0-THC 0-THC 2-THCV 2-THCV 2-THCV 2-THCV 2-THCV		0.006 0.0081 0.0061 0.0057 0.0112 0.0056 0.018 0.0067 0.0104 0.0067 0.0104 0.0067 0.0076 0.0076 0.0084 0.0069 0.0067	0.018 0.0242 0.0182 0.0172 0.0335 0.0169 0.054 0.02 0.02 0.02 0.02 0.0227 0.0251 0.0206 0.02	ND ND ND 0.171 2.02 0.0888 0.265 1.12 61.2 0.213 ND ND ND ND ND	ND ND ND 1.71 20.2 0.888 2.65 11.2 612 2.13 ND ND
BCV BD BDV BG BL BN BT 4,8-iso-THC B-THC B-THC B-THC D-THC D-THCA D-THCV co-THC		0.006 0.0081 0.0061 0.0057 0.0112 0.0056 0.018 0.0067 0.0104 0.0067 0.0104 0.0067 0.0076 0.0076 0.0084 0.0069	0.018 0.0242 0.0182 0.0172 0.0335 0.0169 0.054 0.02 0.02 0.02 0.02 0.0227 0.0251 0.0206	ND ND ND 0.171 2.02 0.0888 0.265 1.12 61.2 0.213 ND ND ND ND	ND ND ND 1.71 20.2 0.888 2.65 11.2 612 2.13 ND ND ND ND
BCV BD BDV BG BL BN BT 4,8-iso-THC 8-iso-THC 8-THC 8-THC 9-THC 9-THC 9-THC 9-THCA 9-THCV xo-THC xo-THC iaR,9R,10aR}-HHC		0.006 0.0081 0.0061 0.0057 0.0112 0.0056 0.018 0.0067 0.0104 0.0067 0.0104 0.0067 0.0076 0.0076 0.0084 0.0069 0.0067	0.018 0.0242 0.0182 0.0172 0.0335 0.0169 0.054 0.02 0.02 0.02 0.02 0.0227 0.0251 0.0206 0.02	ND ND ND 0.171 2.02 0.0888 0.265 1.12 61.2 0.213 ND ND ND ND ND	ND ND ND 1.71 20.2 0.888 2.65 11.2 612 2.13 ND ND ND ND ND ND
BC BCV BD BDV BG BL BN BT 4,8-iso-THC 8-iso-THC 8-THC 8-THC 8-THC 9-THC 9-THC 9-THC 9-THC 9-THC 9-THC 9-THC 5aR,9R,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC 5aR,9S,10aR)-HHC		0.006 0.0081 0.0061 0.0057 0.0112 0.0056 0.018 0.0067 0.0104 0.0067 0.0104 0.0067 0.0076 0.0084 0.0069 0.0069 0.0067 0.0067	0.018 0.0242 0.0182 0.0172 0.0335 0.0169 0.054 0.02 0.02 0.02 0.02 0.0227 0.0251 0.0206 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02	ND ND ND 0.171 2.02 0.0888 0.265 1.12 61.2 0.213 ND ND ND ND ND ND ND ND ND ND	ND ND ND 1.71 20.2 0.888 2.65 11.2 612 2.13 ND ND ND ND ND ND ND 8.51

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THC * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 02/08/2024

Tested By: Scott Caudill Laboratory Manager Date: 02/08/2024



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.