

# Deerfield® Under-Mount Kitchen Sink K-5873-5U

#### **Features**

- 36" minimum base cabinet width.
- Double-equal bowls.
- 9" (229 mm) depth provides generous workspace.
- Five oversized faucet holes.
- Oversized holes allow for easy installation of faucets and accessories.
- Rear drain increases workspace in the sink and storage space underneath.
- Includes cutout template.

#### Material

KOHLER® enameled cast iron.

#### Installation

Undermount.

## **Recommended Products/Accessories**

K-6121 Left-Bowl Sink Rack

K-6122 Right-Bowl Sink Rack

K-8801 Sink drain and strainer with tailpiece

K-8799 Sink drain and strainer basket

K-23726 Drain treatment

K-23725 Cast iron cleaner

1411886 Undermount sink kit 23"

#### **Optional Products/Accessories**

K-6545 Sponge Caddy K-11352 Disposal Flange with Stopper K-9000 P-Trap



#### Codes/Standards

ASME A112.19.1/CSA B45.2

# KOHLER® Enameled Cast Iron Kitchen Sink Lifetime Limited Warranty

See website for detailed warranty information.

#### **Available Colors/Finishes**

Color tiles intended for reference only.


Color	Code	Description
	0	White
	FF	Sea Salt™
	96	Biscuit
	NY	Dune
	95	Ice™ Grey
	G9	Sandbar
	K4	Cashmere
	FT	Basalt
	58	Thunder™ Grey
	FP	Caviar
	7	Black Black™







Noer-Wount Kitchen Sink **K-5873-5U** 



## **Technical Information**

All product dimensions are nominal.

Bowl configuration: Double equal Installation: Undermount Min. base cabinet 36" (914 mm)

width:

Bowl area (Left): Length: 14-1/4" (362 mm)

Width: 16-9/16" (421 mm) Bowl depth: 9" (229 mm)

Bowl area (Right): Length: 14-1/4" (362 mm)

Width: 16-9/16" (421 mm)

Bowl depth: 9" (229 mm)

Number of deck

holes:

Faucet hole(s): 2-3/8" (60 mm)
Drain hole: 3-7/8" (98 mm)

Template: 1171757-7, required, included

#### **Notes**

Install this product according to the installation instructions.

NOTICE: Countertop manufacturer or cutter must use the cutout template provided with the product, or a current one provided by Kohler Co. (call 1-800-4-KOHLER). Kohler Co. is not responsible for cutout errors when the incorrect cutout template is used.

