Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878. ISSUE 001 – APRIL 2023. REVIEW AUGUST 2024. WWW.THEGELOBSESSION.COM

	1. PRODUCT IDENTIFICATION				
1.1	PRODUCT NAME: GEL COLOUR				
1.2	2 CLASSIFICATION: VISCOUS LIQUID OF VARYING COLOUR – ACRYLIC ODOUR PRESENT.				
1.3	3 PRODUCT USE: PROFESSIONAL USE ONLY				
1.4	4 MANUFACTURER: SHENZEL QUENGEL COSMETICS CO., LTD				
1.5	MANUFACTURER IDENTIFIER: QG-810Colours				
1.6	SUPPLIER NAME: THE GEL OBSESSION				
1.7	SUPPLIER ADDRESS: 24 HORSEY MERE, ST.HELENS, WA9 5UP				
1.8	EMERGENCY CONTACT DETAILS: 07931314117				
1.9	THIS MIXTURE IS CLASSIFIED AS NOT HAZARDOUS ACCORDING TO REGULATION (EC) 1272/2008				
	[CLP]				

	2. HAZARDS IDENTIFCATION				
2.1	HAZARD STATEMENTS & IDENTIFICATION				
	H301 – WARNING! TOXIC IF SWALLOWED. DO NOT INDUCE				
	VOMITING, SEEK EMERGENCY MEDICAL ATTENTION.				
	H311, H315, H317 – WARNING! MAY CAUSE SKIN REACTION OR				
	IRRITATION. AVOID SKIN CONTACT DUE TO SENSITIVITY, IRRITATION				
	OR ALLERGIC REACTION. WASH SKIN THOROUGHLY WITH WARM				
	SOAPY WATER TO REMOVE PRODUCT. IF IRRITATION OR REACTION				
	OCCURS, SEEK MEDICAL ATTENTION AND DISCONTINUE USE (P333 ,				
	P313).				
	H318, H319 - WARNING! MAY CAUSE EYE IRRITATION. REMOVE				
	CONTACT LENSES, RINSE EYES WITH WATER FOR UP TO 10 MINUTES. IF IRRITATION CONTINUES,				
	SEAK MEDICAL ATTENTION AND DISCONTINUE USE.				
	P261, P273 – AVOID BREATHING IN FUMES, GAS, VAPORS, SPRAYS. USE IN WELL VENTILATED				
	AREA.				
	P280 – WEAR PROTECTIVE CLOTHING (PPE) INCLUDING GLOVES.				
	P305, P351, P338 – RINSE EYES WITH WATER THOROUGHLY IF LIQUID COMES IN TO DIRECT				
	CONTACT WITH EYES. SEEK MEDICAL ADVISE IF SYMPTOMS PERSIST.				
	P501 – DISPOSE OF CONTENTS TO A LICENSED STORAGE, DISPOSAL OR TREATMENT CENTRE.				
2.2	ENTRY ROUTES				
	INHALATION: YES				
	ABSORBTION: YES				
	INGESTION: YES				
2.3	EFFECTS OF EXPOSURE				
	INGESTION: IF PRODUCT IS SWALLOED, CAN CAUSE NAUSEA, VOMITING AND/OR DIARRHEA AND				
	CENTRAL NERVOUS SYSTEM EFFECTS.				
	EYE IRRITATION: MAY PRODUCE EYE DISCOMFORT AND TEMPORARY VISION IMPAIRMENT /				
	INFLAMATION. SPLASH IN TO THE EYE DIRECTLY CAN CAUSE POSSIBLE BURNS AND EYE DAMAGE.				
	SYMPTOMS INCLUDE ITCHING, REDNESS, SWELLING AND WATERING.				
	SKIN IRRITATION: MAY IRRITATE THE SKIN AFTER CONTACT. CAN CAUSE ALLERGIC RESPONSES				
	INCLUDING RASHES, DERMATITIS, ITCHING AND SWELLING UPON PROLONGED EXPOSURE.				
	INHALATION: VAPORS CAN CAUSE MODERATE IRRITATION TO NOSE, THROAT AND THE				
	RESPIRATORY SYSTEM. SYMPTOMS OF EXPOSURE INCLUDE BUT ARE NOT LIMITED TO:				
	COUGHING, WHEEZING CONGESTION AND IN EXTREME CAUSES, DIFFICULTY BREATHING.				

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878. ISSUE 001 – APRIL 2023. REVIEW AUGUST 2024.

WWW.THEGELOBSESSION.COM

2.4	OVEREXPOSURE SYMPTOMS
	SKIN: ITCHING, REDNESS, RASH, IRRITATION, DERTMATITIS, SWELLING.
	EYES: REDNESS, WATERING, ITCHING,
2.5	CHRONIC HEALTH EFFECTS
	THIS MATERIAL MAY CAUSE AN ALLERGIC REACTION.
2.6	THE PREPARATION OF THIS MATERIAL IS CLASSIFIED AS DANGEROUS IN ACCORDANCE WITH
	DIRECTIVE 1999/45/EC
2.7	OTHER
	HEALTH – 1
	FLAMMABILITY – 2
	PHYSICAL - 1

3. COMPOSITION AND INGREDIENTS				
Chemical Components	CAS NO	INCI NO	Concentration WT	
Acrylates Copolymer	25035-69-2	Acrylates Copolymer	30-55	
Hydroxycyclohexyl Phenyl Ketone	947-19-3	Hydroxycyclohexyl Phenyl Ketone	20-45	
Silica Dimethyl Silylate	60842-32-2	Silica Dimethyl Silylate	30-40	
Hema	868-77-9	868-77-9	0-1	
PIGMENT	CI 14700	4548-53-2	0-1	
PIGMENT	CI 15510	633-96-5	0-1	
PIGMENT	CI 42090	2650-18-2	0-1	
PIGMENT	CI 45380	548-26-5	0-1	
PIGMENT	CI 47000	83-08-9	0-1	
PIGMENT	CI 60730	4430-18-6	0-1	
PIGMENT	CI 77891	13463-67-7	0-1	

	4. FIRST AID MEASURES					
4.1	4.1 FIRST AID					
	INGESTION: DO NOT INDUCE VOMITING. IF PRODUCT IS SWALLOWED, DRINK WATER OR MILK					
	IMMEDIATELY. SEEK MEDICAL ATTENTION, PROVIDING TIME OF INGESTION AND MATERIALS					
	INGESTED.					
	SKIN: WASH AREA WITH WARM SOAPY WATER AND DISCONTINUE USE. IF IRRITATION PERSISTS,					
	SEEK MEDICAL ADVICE.					
	EYES: WASH WITH WATER THROUGHLY FOR UP TO 15 MINUTES. REMOVE CONTACT LENSES. IF					
	IRRITATION CONTINUES, SEEK MEDICAL ADVICE.					
	INHALATION: SEEK IMMEDIATE MEDICAL ATTENTION IF BREATHING IS AFFECTED. MOVE VICTIM					
	(IF ABLE) TO WELL VENTILIATED AREA WITH FRESH AIR.					
4.2	ENTRY ROUTES					
	INHALATION: YES					
	ABSORBTION: YES					
	INGESTION: YES					

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission

Regulation (EU) 2020/878.

ISSUE 001 – APRIL 2023. REVIEW AUGUST 2024.

WWW.THEGELOBSESSION.COM

4.3	PRE-EXISTING MEDICAL CONDITIONS AGGREVATED BY EXPOSURE
	SKIN CONDITIONS OR EYE DISORDERS.

5. FIRE FIGHTING MEASURES

5.1	FLASHPOINT
	105 °C
5.2	AUTOIGNITION TEMPERATURE
	N/A
5.3	FLAMMABLE LIMITS
	EXPLOSIVE LIMITS - LOWER %: NA
	EXPLOSIVE LIMITS – UPPER %: NA
5.4	EXTINGUISHING MEDIA
	FOAM, WATER, CO2, DRY CHEMICAL
5.5	HAZARDS
	UNCONTROLLED POLYMERIZATION MAY OCCUR AT HIGH TEMPERATURES RESULTING IN
	EXPLOSING / RUPTURE TO STORAGE CONTAINERS.
	WHEN INVOLVED IN FIRE, THIS PRODUCT MAY IGNITE AND DECOMPOSE TO FORM TOXIC FUMES
5.6	PROCEDURES
	FIRST REPSPONDERS SHOULD WEAR PPE (EYE & SKIN). FIRE SERVICES SHOULD WEAR FULL PPE
	AND USE SELF-CONTAINED BREATHING APPARATUS. PREVENTION OF RUN OFF WATER
	ENTERING BODIES OF WATER OR ENVIRONMENTALLY SENSITIVE AREAS SHOULD BE UPHELD.

6.1 SPILLAGES WEAR APPROPRIATE PPE EQUIPMENT. MAXIMISE VENTILATION BY OPENING DOORS AND WINDOWS. USE UV/LED LIGHT TO EXPOSURE SPILLED MATERIAL. EXPOSURE TO LIGHT FOR 2 MINUTES AND THEN LIFT THE MATERIAL. REPEAT UNTIL MATERIAL IS ABLE TO BE COMPLETELY REMOVED. DISPOSE OF MATERIAL ACCORDING TO LOCAL LAW AND REGULATIONS. ENSURE THOROUGH CLEANING OF AFFECTED AREAS.

	7. HANDLING AND STORAGE					
7.1	WORK PRACTICES					
	WEAR PPE (GLOVES, CLOTHING AND EYEWARE). USE IN WELL VENTILATED AREA AND AVOID					
	PROLONGED CONTACT.					
7.2	STORAGE					
	STORE IN A COOL AREA AWAY FROM DIRECT SUNLIGHT. SHOULD BE STORED BETWEEN 4°C &					
	40°C. DO NOT STORE IN DAMAGED CONTAINERS. KEEP CONTAINERS SECURE WHEN NOT IN USE.					
	SHOULD BE KEPT ON A STABLE, FLAT SURFACE.					
7.3	OTHER PRECAUTIONS					
	KEEP OUT OF REACH OF CHILDREN					
	SHOULD NOT BE FROZEN					
	DO NOT STORE WHERE TEMPERATURES GO ABOVE 40°C.					

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878. ISSUE 001 – APRIL 2023. REVIEW AUGUST 2024. WWW.THEGELOBSESSION.COM

	8. EXPOSURE CONTROLS & PERSONAL PROTECTION
8.1	VENTILIATION
	USE IN WELL VENTILIATED AREA.
8.2	RESPIRATORY PROTECTION
	NONE NEEDED BUT USE IN WELL VENTILATED AREA.
8.3	EYE PROTECTION
	USE SAFETY GLASSES WHEN HANDLING THIS PRODUCT. DURING SPILLAGES, ALWAYS USE
	PROTECTIVE EYEWEAR.
8.4	SKIN PROTECTION
	ALWAYS WEAR GLOVES TO PROTECT SKIN FROM COMING INTO PROLONGED CONTACT WITH
	PRODUCT. MAY CAUSE ALLERGIES WHEN PROLONGED CONTACT OCCURS.
8.5	<u>OTHER</u>
	WEAR PROTECTIVE APRON WHEN HANDLING LARGE QUANTITIES.
	USE PPE WHEN DEALING WITH SPILLAGES.

	9. PHYSICAL & CHEMICAL PROPERTIES			
9.1	Density:	1.1		
9.2	Boiling Point:	NA		
9.3	Melting Point:	ND		
9.4	Evaporation Rate:	NA		
9.5	Vapor Pressure:	ND		
9.6	Molecular Weight:	NA		
9.7	Appearance & Color:	Clear or pigmented liquid		
9.8	Odor Threashold:	NE		
9.9	Solubility:	Not soluble		
9.10	pH:	NA		
9.11	Viscosity:	approximately 15,000 cps		
9.12	Other Information:	-		

	10.STABILITY AND REACTIVITY					
10.1	<u>STABILITY</u>					
	WHEN STORED PROPERLY, RELATIVELY STABLE.					
10.2	HAZARDOUS DECOMPOSITION					
	IF EXPOSED TO EXTREMELY HIGH TEMPERATURES, THERMAL DECOMPOSITION MAY INCLUDE					
	IRRITATING VAPOURS OR GASES.					
10.3	HAZARDOUS POLYMERIZATION					
	MAY OCCUR WHEN EXPOSED TO EXTREME HEAT.					
10.4	0.4 <u>OTHER</u>					
	AVOID EXPOSURE TO EXTREME TEMPERATURES, UV LIGHT, SPARKS AND FLAMES.					
	ALWAYS WEAR GLOVES TO PROTECT SKIN FROM COMING INTO PROLONGED CONTACT WITH					
	PRODUCT. MAY CAUSE ALLERGIES WHEN PROLONGED CONTACT OCCURS.					

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878. ISSUE 001 – APRIL 2023. REVIEW AUGUST 2024. WWW.THEGELOBSESSION.COM

11. TOXICOLOGICAL INFORMATION				
Hazardous components	NTP Carcinogen	IARC Carcinogen	COSHA Carcinogen	
Acrylates Copolymer	NO	NO	NO	
Hydroxycyclohexyl Phenyl Ketone	NO	NO	NO	
Silica Dimethyl Silylate	NO	NO	NO	
Hema	NO	NO	NO	
PIGMENT	NO	NO	NO	
PIGMENT	NO	NO	NO	
PIGMENT	NO	NO	NO	
PIGMENT	NO	NO	NO	
PIGMENT	NO	NO	NO	
PIGMENT	NO	NO	NO	
PIGMENT	NO	NO	NO	

	12. ECOLOGICAL INFORMATION
12.1	EFFECTS ON PLANTS AND WILDLIFE
	THIS PRODUCT IS HARMFUL TO FISH AND WILDLIFE. NO DATA AVAILABLE ON EFFECTS ON
	PLANTS.
12.2	OTHER
	NO FURTHER DATA AVAILABLE BUT NO CONCERN.

13.1	WASTE DISPOSAL
	DISPOSE OF WASTE OR CONTAINMENT CONTAINERS IN ACCORDANCE WITH LOCAL
	REGULATIONS.

	14. TRANSPORT INFORMATION	
14.1	THIS PRODUCT IS NOT REGULATED FOR TRANSPORT.	
14.2	OTHER	
	PRODUCT REQURIES APPROPRIATE WARNING LABELLING WHEN IN TRANSPORT.	
14.3	TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE.	

15. REGULATORY INFORMATION

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878. ISSUE 001 – APRIL 2023. REVIEW AUGUST 2024. WWW.THEGELOBSESSION.COM 15.1 Conforms to Regulation (EC) No. 1907/2006 (REACH). Annex II. as amended by

13.1	Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by
	Commission Regulation (EU) 2020/878.

	16. OTHER INFORMATION	
16.1	DISCLAIMER	
	THE INFORMATION PROVIDED IN THE SAFETY DATA SHEET IS CORRECT TO THE BEST	
	OF OUR KNOWLEDGE, INFORMATION AND BELIEF AT ITS DATE OF PUBLICATION. THE	
	INFORMATION GIVEN IS PROVIDED AS GUIDANCE FOR SAFE HANDLING, USE,	
	PROCESSING, STORAGE, DISPOSAL AND RELEASE. IT IS NOT CONSIDERED TO BE A	
	WARRANTY OR QUALITY SPECIFICATION. THE INFORMATION RELATES ONLY TO	
	SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL	
	USED IN COMBINATION WITH OTHERS.	
16.2	PREPARED BY	
	THE GEL OBSESSION	
	24 HORSEY MERE	
	WA9 5UP	
	ENGLAND	