PROSTRENGTH EXTRA STRENGTH

JUST ADD WATER









50MPa - Twice the strength of our standard concrete mixes Ideal for more demanding projects

Convenient & easy to use Australian made concrete blend MADE












plus other 'extra



Reduced efflorescence - reduced incidence of white stains appearing on the concrete

Reduced cracking

Reduced permeability - reduces incidence of algae and moss growth.

Easier to clean hardened surface











A rich blend of cement with aggregate and sand, designed for use in projects with difficult accessibility and where a higher strength of concrete is required.


PROStrength® Extra Strength Concrete Mix is technically superior, with twice the strength of a standard concrete mix; making it the obvious choice for more demanding projects around the garden or home.


Some of the more common uses are:

- ✓ Slabs
- ✓ Paths
- ✓ Footings
- ✓ Landscaping
- ✓ Concrete repairs
- ✓ Fencing
- ✓ Post Holes
- ✓ Clotheslines
- (6 :
- ✓ Swings
- ✓ Gate posts
- ✓ Flag Poles
- ✓ Automatic Gate Posts
- ✓ Bollards
- ✓ Uprights for pergolas, playgrounds and decks

Early Strength Development

The Chart Below indicates the suitability of this product for building structures such as pergolas and patios where the footings can be poured one day and work begun the following day with confidence.

















Coverage:

Approximately 110 x 20kg bags are required per cubic metre.

Limitations:

- If considering using PROStrength® Extra Strength Concrete Mix with aluminium posts or poles, Cement Australia recommends you confirm the suitability of this with the aluminium manufacturer/ supplier prior to use.
- Set times are affected by (extreme) temperatures. Avoid mixing and placing concrete at below 5°C or above 35°C.
- Too much water ruins good concrete.

PROStrength® EXTRA STRENGTH CONCRETE MIX COMPRESSIVE STRENGTH GROWTH



Note: This PROStrength® Extra Strength Concrete Mix compressive strength & Early Strength Development data was achieved under controlled laboratory conditions, at 23 degrees Centigrade. They should be used only as a guide to potential strength as various factors can impact final strength results.

Item Code 17254 Cement Australia PROStrength Extra Strength Concrete 20kg



PRODUCT DISCLAIMER

Recommendations regarding the use of this product are to be taken as a guide only. If in doubt contact Cement Australia Pty Limited ("Cement Australia") or seek professional advice. To the extent permitted by law, Cement Australia excludes all implied warranties, conditions and guarantees imposed by legislation. Cement Australia excludes all liability for loss, damage or injury arising from use of the product (i) otherwise than in accordance with the recommendations or (ii) for purposes other than those for which it is ordinarily acquired. For all other loss, damage or injury arising from the use of this product, to the extent permitted by law Cement Australia's liability is limited, at its discretion, to refunding the cost of the product or resupplying the product or equivalent product.



